



Big, bold and better than ever
Get your message noticed



BBP™ 85
LABEL PRINTER

The BBP™85 Sign

The BBP™85 Sign and Label Printer allows you to create 254 mm labels in multiple colours, and it has an easier-than-ever interface that anyone on your team can use! No more complex, tedious design steps. No more ordering and waiting. Now you can just walk up and print... and instantly create high quality, multi-coloured visuals up to 254 mm wide.



Big Output. Little Fuss.

Create extra-large custom signs and labels right now! This printer has our fastest, easiest operating system, so anyone on your team can design visuals with little to no training. The ideal printer for multi-user Lean, 5S and Kaizen Labelling events!

- Unmistakably large visuals up to 254 mm wide
- Just walk up and print...it really is that easy!
- Simple touch-screen interface for stand-alone use, or print from your PC with MarkWare™ Software
- Timesaving label design apps to create pipe markers, safety signs, arc flash, right-to-know labels, and more!
- USB port for importing files, fonts and graphics




Bold Multi-Colour Printing.

Get your message noticed with strong, colourful visuals. Print up to 4 colours on a single label for professional-looking, custom-made signs, labels and warnings that demand attention.

- Highly durable multi-colour thermal transfer printing
- Print common sign formats even faster using pre-printed sign header supplies
- Add more label creation flexibility with MarkWare™ Software (v3.9.3 and higher)
- Ethernet port for easy printer networking

and Label Printer:



Best-of-the-Best Materials.

Brady's sign and label materials lead the industry in durability and performance. They withstand harsh conditions, stay stuck on the most challenging surfaces and they simply last longer than other materials on the market. With the BBP85 Sign and Label Printer, you can choose from over one hundred supply options, including:

- Huge selection of 101.60 mm wide to 254 mm wide industrial grade outdoor materials
- Specialty materials including Reflective and Glow-in-the-Dark
- Pre-printed sign header supplies for CLP (GHS), arc flash and OSHA or ANSI safety signs, which means only one print pass!

Applications

Safety & Facility Identification



Multi-colour signs



Large visuals for maximum safety



Pipe Markers



CLP labels with pre-printed red diamonds



Tough materials for harsh environments



Reflective signs



Photoluminescent signs



Warehouse identification




Hazard warning signs



Large text for maximum readability



Create any kind of sign for a situation that's specific to your site




Perfect printer for LEAN applications

B-595 HIGH PERFORMANCE INDOOR/OUTDOOR VINYL

FOR GENERAL FACILITY AND SAFETY IDENTIFICATION: OUR BEST INDUSTRIAL VINYL YET

- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to “difficult” low-surface energy items (PVC piping, blow-molded equipment cases, ABS plastics, recycled plastics)
- Service temp: -40 °C to 82 °C
- Application temp: -18 °C to 82 °C



i Safety and Facility Identification:
SS Labels, Pipe Markers, Safety & Warning Labels, Equipment & Panel Labels, Arc Flash & Chemical Labels and More!

Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon	Diagram
BBP85;Powermark	B85-100x15M-595-YL	Yellow	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-595-YL	Yellow	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-595-YL	Yellow	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-200x15M-595-YL	Yellow	200.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-595-YL	Yellow	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-595-WT	White	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-595-WT	White	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-595-WT	White	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-200x15M-595-WT	White	200.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-595-WT	White	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-595-RD	Red	100.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-150x15M-595-RD	Red	150.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-178x15M-595-RD	Red	178.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-200x15M-595-RD	Red	200.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-250x15M-595-RD	Red	250.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-100x15M-595-PL	Purple	100.00	15.00	1	B85-R-158x60-WT	⊙
BBP85;Powermark	B85-150x15M-595-PL	Purple	150.00	15.00	1	B85-R-158x60-WT	⊙
BBP85;Powermark	B85-200x15M-595-PL	Purple	200.00	15.00	1	B85-R-220x60-WT	⊙
BBP85;Powermark	B85-250x15M-595-PL	Purple	250.00	15.00	1	B85-R-220x60-WT	⊙
BBP85;Powermark	B85-100x15M-595-OR	Orange	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-595-OR	Orange	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-595-OR	Orange	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-200x15M-595-OR	Orange	200.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-595-OR	Orange	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-595-GY	Grey	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-595-GY	Grey	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-200x15M-595-GY	Grey	200.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-595-GY	Grey	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-595-GN	Green	100.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-150x15M-595-GN	Green	150.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-178x15M-595-GN	Green	178.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-200x15M-595-GN	Green	200.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-250x15M-595-GN	Green	250.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-100x15M-595-GD	Gold	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-595-GD	Gold	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-200x15M-595-GD	Gold	200.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-595-GD	Gold	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-595-BR	Dark Brown	100.00	15.00	1	B85-R-158x60-WT	⊙
BBP85;Powermark	B85-150x15M-595-BR	Dark Brown	150.00	15.00	1	B85-R-158x60-WT	⊙
BBP85;Powermark	B85-200x15M-595-BR	Dark Brown	200.00	15.00	1	B85-R-220x60-WT	⊙
BBP85;Powermark	B85-250x15M-595-BR	Dark Brown	250.00	15.00	1	B85-R-220x60-WT	⊙
BBP85;Powermark	B85-100x15M-595-CL	Clear	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-595-CL	Clear	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-200x15M-595-CL	Clear	200.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-595-CL	Clear	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-595-BL	Blue	100.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-150x15M-595-BL	Blue	150.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-178x15M-595-BL	Blue	178.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-200x15M-595-BL	Blue	200.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-250x15M-595-BL	Blue	250.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-100x15M-595-BK	Black	100.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-150x15M-595-BK	Black	150.00	15.00	1	B85-R-158x60WT	⊙
BBP85;Powermark	B85-200x15M-595-BK	Black	200.00	15.00	1	B85-R-220x60WT	⊙
BBP85;Powermark	B85-250x15M-595-BK	Black	250.00	15.00	1	B85-R-220x60WT	⊙

U.S. Patent Nos. 5,318,370; 5,823,689; 6,570,602. Additional Patents Pending.




B-595 PRE-PRINTED RIGHT-TO-KNOW CHEMICAL LABELS

FOR QUICKLY CREATING NFPA AND COLOUR BAR LABELS

- Allows the printer to produce 5 colour chemical labels in a single print pass
- Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling
- Service temp: -40 °C to 82 °C
- Application temp: -18 °C to 82 °C



Fits Printer Model(s)	Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon	Diagram
BBP85	B85-102x152-595-NFPADIA		102.00	152.00	95	B85-R-158x60-BK	<input type="checkbox"/>
BBP85	B85-178x254-595-NFPADIA		178.00	254.00	60	B85-220x60-BK	<input checked="" type="checkbox"/>
BBP85	B85-152x152-595-NFPA		152.00	152.00	95	B85-R-158x60-BK	<input type="checkbox"/>
BBP85	B85-102x152-595-COLOURBAR		102.00	152.00	95	B85-R-158x60-BK	<input checked="" type="checkbox"/>
BBP85	B85-178x254-595-COLOURBAR		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>




B-595 PRE-PRINTED PRE-CUT BLANK SIGN HEADERS

FOR CREATING ARC FLASH AND SAFETY WARNING LABELS IN SECONDS.

- Allows the printer to create multi-colour signs fast - in a single print pass
- Headers meet OSHA 1910.145 and ASME/ANSI Z535 standards
- Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces
- Service temp: -40 °C to 82 °C
- Application temp: -18 °C to 82 °C



Fits Printer Model(s)	Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon	Diagram
BBP85	B85-254x356-595-ANSICA		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-102x152-595-ANSICA		102.00	152.00	95	B85-R-158x60-BK	<input checked="" type="checkbox"/>
BBP85	B85-178x254-595-ANSICA		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-254x356-595-ANSIDA		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-102x152-595-ANSIDA		102.00	152.00	95	B85-R-158x60-BK	<input checked="" type="checkbox"/>
BBP85	B85-178x254-595-ANSIDA		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-254x356-595-ANSINO		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-102x152-595-ANSINO		102.00	152.00	95	B85-R-158x60-BK	<input checked="" type="checkbox"/>
BBP85	B85-178x254-595-ANSINO		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-254x356-595-ANSIWA		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-102x152-595-ANSIWA		102.00	152.00	95	B85-R-158x60-BK	<input type="checkbox"/>
BBP85	B85-178x254-595-ANSIWA		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-254x356-595-OSHACA		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-102x152-595-OSHACA		102.00	152.00	95	B85-R-158x60-BK	<input checked="" type="checkbox"/>
BBP85	B85-178x254-595-OSHACA		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-254x356-595-OSHADA		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-102x152-595-OSHADA		102.00	152.00	95	B85-R-158x60-BK	<input checked="" type="checkbox"/>
BBP85	B85-178x254-595-OSHADA		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-254x356-595-WT		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-178x254-595-WT		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-254x356-595-YL		254.00	356.00	40	B85-220x60-BK	<input type="checkbox"/>
BBP85	B85-178x254-595-YL		178.00	254.00	60	B85-220x60-BK	<input type="checkbox"/>




B-7569 INDOOR/OUTDOOR VINYL

GENERAL PURPOSE INDUSTRIAL VINYL FOR OUTDOOR/INDOOR USAGE

- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl
- Service temp: -20 °C to 75 °C
- Application temp: 10 °C to 75 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon	Diagram
BBP85;Powermark	B85-100x15M-7569YL	Yellow	100.00	15.00	1	B85-R-158x60-BK	
BBP85;Powermark	B85-150x15M-7569YL	Yellow	150.00	15.00	1	B85-R-158x60-BK	
BBP85;Powermark	B85-200x15M-7569YL	Yellow	200.00	15.00	1	B85-R-220x60-BK	
BBP85;Powermark	B85-250x15M-7569YL	Yellow	250.00	15.00	1	B85-R-220x60-BK	
BBP85;Powermark	B85-100x15M-7569WT	White	100.00	15.00	1	B85-R-158x60-BK	
BBP85;Powermark	B85-150x15M-7569WT	White	150.00	15.00	1	B85-R-158x60-BK	
BBP85;Powermark	B85-200x15M-7569WT	White	200.00	15.00	1	B85-R-220x60-BK	
BBP85;Powermark	B85-250x15M-7569WT	White	250.00	15.00	1	B85-R-220x60-BK	
BBP85;Powermark	B85-100x15M-7569RD	Red	100.00	15.00	1	B85-R-158x60WT	
BBP85;Powermark	B85-200x15M-7569RD	Red	200.00	15.00	1	B85-R-220x60WT	
BBP85;Powermark	B85-250x15M-7569RD	Red	250.00	15.00	1	B85-R-220x60WT	
BBP85;Powermark	B85-250x15M-7569OR	Orange	250.00	15.00	1	B85-R-220x60-BK	
BBP85;Powermark	B85-100x15M-7569GN	Green	100.00	15.00	1	B85-R-158x60WT	
BBP85;Powermark	B85-200x15M-7569GN	Green	200.00	15.00	1	B85-R-220x60WT	
BBP85;Powermark	B85-250x15M-7569GN	Green	250.00	15.00	1	B85-R-220x60WT	
BBP85;Powermark	B85-100x15M-7569BL	Blue	100.00	15.00	1	B85-R-158x60WT	
BBP85;Powermark	B85-200x15M-7569BL	Blue	200.00	15.00	1	B85-R-220x60WT	
BBP85;Powermark	B85-250x15M-7569BL	Blue	250.00	15.00	1	B85-R-220x60WT	
BBP85;Powermark	B85-100x15M-7569BK	Black	100.00	15.00	1	B85-R-158x60WT	
BBP85;Powermark	B85-250x15M-7569BK	Black	250.00	15.00	1	B85-R-220x60WT	




B-7569 PRE-PRINTED CLP (GHS) CHEMICAL LABELS

PRINT 2 COLOUR CLP (GHS) LABELS IN ONE FAST PRINT PASS!

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour CLP (GHS) labels in one print pass
- 3 sizes of labels, each with 6 diamond layouts that match templates in MarkWare™ Software
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- MarkWare Software 3.9.3 or higher required (upgrades available for current MarkWare owners)
- Service temp: -20 °C to 75 °C
- Application temp: 10 °C to 75 °C




Fits Printer Model(s)	Order Reference	Diagram	Size - Width A (mm)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon	Diagram
BBP85	B85-105x155-7569-CLP1		105.00	155.00	90	B85-R-158x60-BK	
BBP85	B85-105x155-7569-CLP2		105.00	155.00	90	B85-R-158x60-BK	
BBP85	B85-105x155-7569-CLP3A		105.00	155.00	90	B85-R-158x60-BK	
BBP85	B85-105x155-7569-CLP3B		105.00	155.00	90	B85-R-158x60-BK	
BBP85	B85-105x155-7569-CLP4A		105.00	155.00	90	B85-R-158x60-BK	
BBP85	B85-105x155-7569-CLP4B		105.00	155.00	90	B85-R-158x60-BK	
BBP85	B85-155x210-7569-CLP1		155.00	210.00	70	B85-R-158x60-BK	
BBP85	B85-155x210-7569-CLP2		155.00	210.00	70	B85-R-158x60-BK	
BBP85	B85-155x210-7569-CLP3A		155.00	210.00	70	B85-R-158x60-BK	
BBP85	B85-155x210-7569-CLP3B		155.00	210.00	70	B85-R-158x60-BK	
BBP85	B85-155x210-7569-CLP4A		155.00	210.00	70	B85-R-158x60-BK	
BBP85	B85-155x210-7569-CLP4B		155.00	210.00	70	B85-R-158x60-BK	



B-569 HIGH PERFORMANCE POLYESTER

FOR LABELLING STAINLESS STEEL AND SMOOTH SURFACES

- Low-halide content for labelling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels
- Service temp: -40 °C to 100 °C
- Application temp: -18 °C to 100 °C




Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon	Diagram
BBP85;Powermark	B85-100x15M-569-CL	Clear	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-569-CL	Clear	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-569-CL	Clear	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-569-CL	Clear	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-569-LB	Light Blue	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-569-LB	Light Blue	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-569-LB	Light Blue	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-569-LB	Light Blue	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-569-OC	Ochre	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-569-OC	Ochre	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-569-OC	Ochre	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-569-OC	Ochre	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-569-OR	Orange	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-569-OR	Orange	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-569-OR	Orange	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-569-PK	Pink	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-569-WT	White	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-569-WT	White	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-569-WT	White	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-569-WT	White	250.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x15M-569-YL	Yellow	100.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-150x15M-569-YL	Yellow	150.00	15.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x15M-569-YL	Yellow	178.00	15.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x15M-569-YL	Yellow	250.00	15.00	1	B85-R-220x60-BK	⊙

B-584 RETRO REFLECTIVE TAPE

FOR HIGHLY REFLECTIVE IDENTIFICATION THAT SHINES BACK BRIGHTLY WHEN STRUCK BY LIGHT.

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended low light or inclement weather conditions
- Class 1 Reflectivity (Fed. Spec. L-S-300)
- Service Temp: -40 °C to 70 °C
- Application temp: -18 °C (Orange & Yellow) / 10 °C (Silver) to 70 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon	Diagram
BBP85;Powermark	B85-100x10M-584-OR	Orange	100.00	10.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x10M-584-OR	Orange	178.00	10.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x10M-584-OR	Orange	250.00	10.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x10M-584-SV	Silver	100.00	10.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x10M-584-SV	Silver	178.00	10.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x10M-584-SV	Silver	250.00	10.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-100x10M-584-YL	Yellow	100.00	10.00	1	B85-R-158x60-BK	⊙
BBP85;Powermark	B85-178x10M-584-YL	Yellow	178.00	10.00	1	B85-R-220x60-BK	⊙
BBP85;Powermark	B85-250x10M-584-YL	Yellow	250.00	10.00	1	B85-R-220x60-BK	⊙


B-526 BRADYGLO™ HIGH-INTENSITY PHOTOLUMINESCENT TAPE

FOR GLOW-IN-THE DARK IDENTIFICATION - UP TO 10 HOURS!

- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls
- Class B material according to the PSPA Performance classification
- Service temp: -40 °C to 60 °C
- Application temp: 10 °C to 60 °C



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon	Diagram
BBP85;Powermark	B85-100x10M-526-GN	Luminous Green	100.00	10.00	1	B85-R-158x60-BK	
BBP85;Powermark	B85-178x10M-526-GN	Luminous Green	178.00	10.00	1	B85-R-220x60-BK	
BBP85;Powermark	B85-250x10M-526-GN	Luminous Green	250.00	10.00	1	B85-R-220x60-BK	




B-582 PHOTOLUMINESCENT POLYESTER

USED FOR EXIT SIGNS AND FIRE EXTINGUISHER SIGNS, THIS MATERIAL REMAINS VISIBLE IN CASE OF A POWER FAILURE AND WHEN LIGHT SOURCES ARE OBSCURED BY SMOKE.

- Class A material according to the PSPA Performance classification
- Adhesive type: Permanent Acrylic
- Service temperature from -40 °C to 80 °C
- Indoor use only.



Fits Printer Model(s)	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon	Diagram
BBP85;Powermark	B85-100x10M-582-PH	Photoluminescent	100.00	10.00	1	B85-R-158x60-BK	
BBP85;Powermark	B85-178x10M-582-PH	Photoluminescent	178.00	10.00	1	B85-R-220x60-BK	
BBP85;Powermark	B85-250x10M-582-PH	Photoluminescent	250.00	10.00	1	B85-R-220x60-BK	



MARKWARE™ FACILITY IDENTIFICATION SOFTWARE

- Create custom safety signs including pipe markers, ANSI signs, Lockout Tags, GHS labels, RTK chemical labels and custom labels with barcodes and graphics
- Built-in EN ISO 7010:2012 pictograms allow you to create your own custom safety signs
- Template wizard walks you through label creation process
- Built-in graphics and database of 2000 chemicals for RTK
- Pre-formatted CLP (GHS) label templates
- Printer automatically reads supply and sets up label part for full hassle-free use when using Brady's MarkWare software



Art. No.	Order Reference	Description
710669	MarkWare - EUR	MarkWare Industrial Signmaking Software
710670	MarkWare Upgrade	MarkWare Industrial Signmaking Software Upgrade

Print Ribbons

CHOOSE FROM A VARIETY OF HEAVY-DUTY, SMEAR-PROOF RIBBONS, INCLUDING SINGLE COLOUR AND MULTI-COLOUR PANELLED RIBBONS. THESE RIBBONS ARE UNIQUELY DESIGNED WITH MEMORY CELLS THAT COMMUNICATE INFORMATION TO THE BBP™85 SIGN & LABEL PRINTER.

PRINTER NOTIFIES USER IF THE INSTALLED RIBBON IS NOT RECOMMENDED FOR THE INSTALLED LABELS.



SINGLE COLOUR PRINT RIBBONS

Order Reference	Colour	Width (mm)	Length (m)
B85-R-158x60-BK	Black	158.00	60
B85-R-220x60-BK	Black	220.00	60
B85-R-158x60-BL	Blue	158.00	60
B85-R-220x60-BL	Blue	220.00	60
B85-R-158x60-GN	Green	158.00	60
B85-R-220x60-GN	Green	220.00	60
B85-R-158x60-MA	Magenta	158.00	60
B85-R-220x60-MA	Magenta	220.00	60
B85-R-158x60-OR	Orange	158.00	60
B85-R-220x60-OR	Orange	220.00	60
B85-R-158x60-RD	Red	158.00	60
B85-R-220x60-RD	Red	220.00	60
B85-R-158x60WT	White	158.00	60
B85-R-220x60WT	White	220.00	60
B85-R-158x60-YL	Yellow	158.00	60
B85-R-220x60-YL	Yellow	220.00	60



TWO COLOUR PANELLED PRINT RIBBONS

Order Reference	Colour	Additional Information	Width (mm)	Length (m)
B85-R-158x60-BK/BL-380P	Black & Blue	Two Colour Ribbon 380mm long Panels	158.00	60
B85-R-220x60-BK/BL-380P	Black & Blue	Two Colour Ribbon 380mm long Panels	220.00	60
B85-R-158x60-BK/GN-200P	Black & Green	Two Colour Ribbon 200mm long Panels	158.00	60
B85-R-158x60-BK/GN-380P	Black & Green	Two Colour Ribbon 380mm long Panels	158.00	60
B85-R-220x60-BK/GN-200P	Black & Green	Two Colour Ribbon 200mm long Panels	220.00	60
B85-R-220x60-BK/GN-380P	Black & Green	Two Colour Ribbon 380mm long Panels	220.00	60
B85-R-158x60-BK/OR-200P	Black & Orange	Two Colour Ribbon 200mm long Panels	158.00	60
B85-R-220x60-BK/OR-380P	Black & Orange	Two Colour Ribbon 380mm long Panels	220.00	60
B85-R-158x60-BK/RD-380P	Black & Red	Two Colour Ribbon 380mm long Panels	158.00	60
B85-R-158x60-BK/RD-200P	Black & Red	Two Colour Ribbon 200mm long Panels	158.00	60
B85-R-220x60-BK/RD-380P	Black & Red	Two Colour Ribbon 380mm long Panels	220.00	60
B85-R-220x60-BK/RD-200P	Black & Red	Two Colour Ribbon 200mm long Panels	220.00	60
B85-R-158x60-BK/YL-200P	Black & Yellow	Two Colour Ribbon 200mm long Panels	158.00	60
B85-R-220x60-BK/YL-380P	Black & Yellow	Two Colour Ribbon 380mm long Panels	220.00	60



FOUR COLOUR PANELLED PRINT RIBBONS

Order Reference	Colour	Additional Information	Width (mm)	Length (m)
B85-R-158x60-KRBG-380P	Black, Red, Blue, Green	Four Colour Ribbon 380mm long Panels	158.00	60
B85-R-158x60-KRBG-200P	Black, Red, Blue, Green	Four Colour Ribbon 200mm long Panels	158.00	60
B85-R-220x60-KRBG-380P	Black, Red, Blue, Green	Four Colour Ribbon 380mm long Panels	220.00	60
B85-R-220x60-KRBG-200P	Black, Red, Blue, Green	Four Colour Ribbon 200mm long Panels	220.00	60
B85-R-158x60-KRBY-380P	Black, Red, Blue, Yellow	Four Colour Ribbon 380mm long Panels	158.00	60
B85-R-158x60-KRBY-200P	Black, Red, Blue, Yellow	Four Colour Ribbon 200mm long Panels	158.00	60
B85-R-220x60-KRBY-380P	Black, Red, Blue, Yellow	Four Colour Ribbon 380mm long Panels	220.00	60
B85-R-220x60-KRBY-200P	Black, Red, Blue, Yellow	Four Colour Ribbon 200mm long Panels	220.00	60
B85-R-220x60-KROB-200P	Black, Red, Orange, Blue	Four Colour Ribbon 200mm long Panels	220.00	60

BBP™85 SIGN & LABEL PRINTER



BBP85 PRINTER ACCESSORIES



Art. No.	Order Reference
711190	BBP™85 QWERTZ PRINTER + MarkWare
711191	BBP™85 CYRILLIC PRINTER + MarkWare
711192	BBP™85 AZERTY PRINTER + MarkWare
711193	BBP™85 QWERTY EU PRINTER + MarkWare
711194	BBP™85 QWERTY UK PRINTER + MarkWare

Art. No.	Order Reference	Description
013644	Replacement Wiper Pads	Replacement Wiper Pads
064692	Cleaning Pen	Cleaning Pen for DIY systems
134001	B85-DC	BBP85 Dust Cover
142115	STYLUS PENS	Replacement Stylus 3 Pack
142265	NET-BT	Bluetooth Network Card
142266	NET-WIFI	Bluetooth/WiFi Network Card
142267	NET-LAN	LAN Network Card
142268	NET-BT-WIFI-LAN	Bluetooth/WiFi/ LAN Network Card
266116	Cleaning Kit	Cleaning Kit

PRINTER TECHNICAL DATA

Specifications	
Print Resolution (dpi)	300 dpi
Print Technology	Thermal Transfer
Colour Capability	Multicolour, Monocolour
Continuous vs Die Cut Labels	Continuous Tape & Die Cut Labels
Max. Label Width	254.00 mm
Max. Print Width	216.00 mm
Max. Print Length	5000 mm
Cutter	Standard built-in self-cleaning autocutter
Stand Alone Printing (Detached from PC)	Yes
PC Connectivity	Yes
Software Compatibility	MarkWare 3.9.3, Windows based driver for 3rd party software use
Connectivity Options	Standard: 1 USB host port + 2 USB device ports, Ethernet with Brady Network Card. Optional: Wireless Ethernet with Brady Network Card
Physical Properties	
Depth x Height x Width	500 mm x 310 mm x 500 mm
Weight (kg)	22
Keyboard	Full size fold down keyboard QWERTY, AZERTY, QWERTZ, CYRILLIC
Display	7" wide colour touch screen LCD display
Operating Temperature	10°C to 40°C, 20 to 80% RH non-condensing
Approval/Compliance	UL, cUL, CE, WEEE RoHS, C-Trick (Australia), GOST R (Russia)
Warranty	12 months

BLS LAMINATING SYSTEM AND PANELS

BRADY'S BLS2000™ LAMINATING SYSTEM QUICKLY MOUNTS PRINTED SIGNS TO ACRYLIC PANELS.

Offers rigidity and protection for signs affected by external factors such as acid spills, solvents, etc. The end result makes the signs look even more professional, allowing the panel to be mounted to, or suspended from the structure of your choice.

Art. No.	Description
013506	BLS 2000 Laminating System
013400	Clear Acrylic Semi-Rigid Panel 100 mm x 152 mm
013401	Clear Acrylic Semi-Rigid Panel 203 mm x 203 mm
013403	Clear Acrylic Semi-Rigid Panel 254 mm x 177 mm
013402	Clear Acrylic Semi-Rigid Panel 254 mm x 254 mm
013404	Clear Acrylic Semi-Rigid Panel 254 mm x 355 mm
013405	Clear Acrylic Semi-Rigid Panel 254 mm x 760 mm



Brady Corporation

Our mission is To Identify and Protect Premises, Products and People



Company Overview

BRADY was founded in 1914 in Eau Claire, Wisconsin, as W.H. BRADY Co., and renamed BRADY Corporation in 1998. The company began selling products internationally in 1947. In 1984, BRADY went public, with stock trading on the Nasdaq Stock Market, and in 1999, moved trading of its stock to the New York Stock Exchange, where it trades under the symbol BRC. The company's global headquarters is in Milwaukee, Wisconsin.

Brady manufactures and markets:

- products for identification and safety applications such as signs and markers, and printing systems and software to produce identification products on site and on demand.
- products for wire identification, including labelling materials and tools for wire and cable marking in the electrical and telecommunication markets
- high-performance identification products, including labels and signs that remain legible and highly adhesive even in harsh environments
- precision die-cut parts, including custom die-cut and slit materials for use in mobile handset, consumer electronics, medical, hard disk drive and automotive markets
- identify people and enhance security by ensuring the right persons are in the right places at the right time

Operations – Some facts:

- 6500 employees around the world
- Operations in 29 countries
- Distribution in more than 100 countries through more than 4,400 distributor partners



BRADY Africa
361 Olympic Drive
Northlands Business Park
Newmarket Road
Randburg
Tel: +27 11 704 3295
Fax: +27 86 501 7775

BRADY Benelux
Industriepark C/3
Lindestraat 20
9240 Zele, Belgium
Tel. +32 (0) 52 45 78 11
Fax +32 (0) 52 45 78 12

Brady Central & Eastern Europe
Na Pántoch 18
831 06 Bratislava, Slovakia
Tel. +421 2 3300 4800
Fax +421 2 3300 4801

BRADY Denmark
Svendborgvej 39D
5260 Odense S
Tel. +45 66 14 44 00
Fax +45 66 14 44 50

BRADY France
Parc EUROCIT
45, avenue de l'Europe
59436 Roncq Cedex
Tel. +33 (0) 3 20 01 08 70
Fax +33 (0) 3 20 01 08 76

BRADY Germany
Büchenhöfe 2
63329 Egelsbach
Tel. +49 (0) 6103 7598 660
Fax +49 (0) 6103 7598 670

BRADY Hungary
Puskás Tivadar u. 4.
2040 Budaörs
Tel. +36 23 500 275
Fax +36 23 500 276

BRADY Italy
Via Degli Abeti 44
20064 Gorgonzola (MI)
Tel. +39 02 26 00 00 22
Fax +39 02 25 75 351

BRADY Middle East FZE
PO BOX 18015
Jebel Ali, Dubai, UAE
Tel. +971 4881 2524
Fax +971 4881 3183

BRADY Norway
Kjeller Vest 2
2007 Kjeller
Tel: +47 70 13 40 00
Fax: +47 70 13 40 01

BRADY Spain & Portugal
Diputación, 260
08007 Barcelona, Spain
Tel. +34 900 902 993
Fax +34 900 902 994

BRADY Sweden
Vallgatan 5
170 67 Solna
Tel. +46 (0) 8 590 057 30
Fax +46 (0) 8 590 818 68

BRADY Turkey
Selvili Sok. No: 3/4
4. Levent Istanbul 34330
Tel. +90 212 264 02 20 / 264 02 21
Fax +90 212 270 83 19

BRADY UK & Ireland
Wildmere Industrial Estate
Banbury, Oxon – OX16 3JU, UK
Tel. +44 (0) 1295 228 288
Fax +44 (0) 1295 228 100

BRADY WORLDWIDE

Australia	612-8717-6300
Brazil	55-11-3686-4720
Canada	1-800-263-6179
China (Beijing)	86-10-6788-7799
China (Shanghai)	86-21-6886-3666
China (Wuxi)	86-510-528-2222
Hong Kong	852-2359-3149
Japan	81-45-461-3600
Korea	82-31-451-6600
Latin America	1-414-540-5560
Malaysia	60-4-646-2700
Mexico	525-399-6963
New Zealand	61-2-8717-2200
Philippines	63-2-658-2077
Singapore	65-6477-7261
Taiwan	886-3-327-7788
Thailand	66-2-793-9200
USA	1-800-537-8791

Your distributor