



One smart printer **to print it all**




BMP™ 71
LABEL PRINTER

	BMP™71 Label Printer & Accessories	3
	Software	5
	Applications	6
	Materials and Ribbons Cross Reference Chart	8
	Ribbons	10
	High Performance Industrial Identification / Safety Identification	11
	General and Industrial Identification Labels	12
	Wire and Cable Marking	17
	Electrical Component Marking	23
	Datacom Labels	25
	Circuit Board and Component Identification Labels	28
	Security Identification Labels	30
	Laboratory Identification	30



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase. The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady. Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

Microsoft is a trademark of Microsoft Corporation, Bluetooth is a trademark of Bluetooth Sig, Inc., Android is a trademark of Google Inc.



BMP™ 71 LABEL PRINTER

The BMP71 mobile label printer can print on more than 30 different types of label material – all designed with Brady’s industrial-strength durability. Whether you need heat-shrink sleeves, die-cut labels or indoor/outdoor vinyl, you can be confident that the BMP71 printer has the right label material for your application.

Speed up your labelling

The powerful BMP71 prints faster than any other printer in it’s class (38 mm/sec). Don’t wait longer than necessary for your labels.

The full keyboard lets you type labels in less time

The BMP71 has a full keyboard, available in 4 different versions: QWERTY, AZERTY, QWERTZ and CYRILLIC. Use both your hands to type your label instead of one finger and save time!

The enlarged full colour screen makes your label printing so much easier

The enlarged screen of the BMP71 enables to see the whole label at once, helping you to compose the label in the most efficient way, eliminating trial and error!

One smart printer to print it all

The BMP71 is your essential tool that handles all your label printing needs.

BMP™71 LABEL PRINTER

Art. No.	Order Reference	Description
710599	BMP71-QWERTY-EU	BMP71 Label Printer with QWERTY Keyboard - EU Power Supply - 220V
710600	BMP71-QWERTY-UK	BMP71 Label Printer with QWERTY keyboard - UK Power Supply - 240V
710601	BMP71-AZERTY-EU	BMP71 Label Printer with AZERTY Keyboard - EU Power Supply - 220V
710603	BMP71-QWERTZ-EU	BMP71 Label Printer with QWERTZ Keyboard - EU Power Supply - 220V
710604	BMP71-CYRILLIC-EU	BMP71 Label Printer with CYRILLIC Keyboard - EU Power Supply - 220V

Printer, Hard Carry Case, 2 Label Rolls, 1 Black Ink Ribbon Cartridge, Rechargeable Battery Pack, AC Adaptor, USB Communications Cable, TLS2200 / HandiMark Material Roll Adaptor, Quick Start Guide, Product CD (w/ Printer Driver, Tutorials, Full User’s Guide), Cleaning Kit

BMP™71 ACCESSORIES

Art. No.	Order Reference	Description
710612	M41-50-71-AC-BC-EU	AC Adaptor - Europe 220V
710613	M41-50-71-AC-BC-UK	AC Adaptor - UK 240V
114886	M71-CLEAN	Cleaning Kit
114881	M71-HC	Hard-sided Carry Case
147998	M71-ADAPT-BK	Media Adaptor for BMP71 Printer
710614	M71-QC-EU	Quick Charger - Europe 220V
710615	M71-QC-UK	Quick Charger - UK 240V
114882	M71-SC	Soft Carry Case
114885	M71-BATT	Spare Battery



Printer Specifications	
Language Support	Bulgarian, Czech, Danish, Dutch, English, Finnish, French, German, Hungarian, Italian, Norwegian, Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish
Software Compatibility	LabelMark, MarkWare
Bar Code Capability	Code 39 and 128
Recommended Usage per Day	1000
Built-in Symbols	500+ symbols included
Colour Capability	Monocolour
Stand-alone Printing (Detached from PC)	Stand-alone & Peripheral
Connectivity Options	USB
Internal Memory Capacity	200 MB - up to 100,000 labels
Print Speed (mm/sec)	38.10
Print Technology	Thermal Transfer
Print Resolution (dpi)	300 dpi
Smart Cell	Yes
Text Sizes (pt)	4 - 174
Serialisation	Simple & Simultaneous & Single Advanced & Multiple Advanced
Max. Label Width	50.80 mm
Max. Print Width	45.97 mm
Materials Supported	Over 400 Stock Parts, Continuous, Die Cut and Bulk Label Rolls
Keyboard Type	QWERTY, QWERTZ, AZERTY, CYRILLIC
Display	Colour LCD screen
Cutter	Manual cut Between labels or at end of print job
Power Supply	Rechargeable NiMH Battery, AC Power
Height x Width x Depth	116.80 mm x 241.30 mm x 332.70 mm
Weight (kg)	2.49 kg

Labels



- The pre-defined application templates and wizards save time and make it easy to print the exact label you need
- Adjustable to six different widths of labels
- Can print up to 25 lines per label
- Batch label printing or print multiple copies of one label
- Ability to serialise data
- Prints mirror image
- Built-in Smart Cell Technology in labels and ribbons

Battery

- Prints 4000 labels per battery charge (25.40 x 50.80 mm labels)
- Rechargeable Battery and AC power/battery charger
- Sleep mode conserves battery power when printer is not in use
- UL and CUL listed battery charger

Symbols & Barcodes

- Standard electrical and datacom symbols included
- Barcode symbologies: Code 39 and Code 128
- Over 500 built in graphics
- Built in time/date stamp



Text

- Auto font sizing
- Custom True Type Font
- Text size 4 pt to 174pt (scaleable)



Prints all TLS2000® and Handimark™ label parts including bulk rolls. Users interested in upgrading to BMP™71 Printer, do not need to invest in a new set of consumables.

EASY WAY TO CREATE LABELS ON YOUR PC WITH LABELMARK™ LABELLING SOFTWARE

Brady's LabelMark™ software lets you easily create labels for Asset ID, Component Marking, Telecom/Datacom Labelling, Wire Markers and more. It allows users to design, edit and print their Brady labels. Integrates completely with Microsoft® Office, AutoCAD® applications and more.

Easy to Use Graphical Interface Label Design

- Option for line-edit or free-form mode for label design
- Several common barcode symbologies available
- Ability to import graphical images
- Data import support including spreadsheets, ASCII, ODBC and OLE DB

Label Editing

- Easy to use single screen editing
- Multiple document interface for working with different labels at the same time
- Ability to flip/flop data on label (i.e. flip/flop "to"/"from" order)

Label Printing

- Compatible with all Brady media, stock and custom formats
- Works with a variety of different printers to suit various applications



ENHANCE YOUR LABELS WITH ADVANCED GRAPHICS AND SYMBOLS WITH MARKWARE™ SOFTWARE

With Brady's MarkWare™ software you can combine text with graphics, symbols and barcodes. Labels can be used as visual tools throughout your facility. For lean enterprises, Brady's MarkWare™ software provides additional graphics and templates for Signs, Labels, Pipe Markers and Tags - perfect for 5S, TPM and lean visuals.

Quick & Easy Label Design

- Includes label template designs. The size of the template adjusts automatically to the size of the installed material, regardless of width
- Over 600 standardised symbols available
- Ability to import drawings, signs and diagrams
- Supports European CLP Hazardous Substances Identification labels containing GHS and ADR graphics
- Creation of pipe markers guaranteeing compliance based on your choice of national standard
- 5 Barcode protocols and 19 languages

Label Editing

- Advanced functions allow quick label creation ("align objects", "group objects", foreground/background, zoom, rotation...)
- Employs all the basic functions of Windows® applications (copy/paste within the application print preview, etc ...).


Label Printing

- Windows®-compatible print driver included
- Windows® print driver adds the Brady printer to your printer list. This authorises printing directly from other software such as drawing and other widely used creative programs




Art. No.	Order Reference	Description
710627	BMP71-AZERTY-EU + LM	BMP71 Label Printer with LabelMark software - AZERTY Keyboard - EU 220V Power Supply
710628	BMP71-CYRILLIC-EU + LM	BMP71 Label Printer with LabelMark software - CYRILLIC Keyboard - EU 220V Power Supply
710629	BMP71-QWERTY-EU +LM	BMP71 Label Printer with LabelMark software - QWERTY Keyboard - EU 220V Power Supply
710630	BMP71-QWERTY-UK + LM	BMP71 Label Printer with LabelMark software - QWERTY Keyboard - UK 240V Power Supply
710631	BMP71-QWERTZ-EU + LM	BMP71 Label Printer with LabelMark software - QWERTZ Keyboard - EU 220V Power Supply
710632	BMP71-AZERTY-EU + MW	BMP71 Label Printer with MarkWare software - AZERTY Keyboard - EU 220V Power Supply
710633	BMP71-CYRILLIC-EU + MW	BMP71 Label Printer with MarkWare software - CYRILLIC Keyboard - EU 220V Power Supply
710634	BMP71-QWERTY-EU + MW	BMP71 Label Printer with MarkWare software - QWERTY Keyboard - EU 220V Power Supply
710635	BMP71-QWERTY-UK + MW	BMP71 Label Printer with MarkWare software - QWERTY Keyboard - UK 240V Power Supply
710636	BMP71-QWERTZ-EU + MW	BMP71 Label Printer with MarkWare software - QWERTZ Keyboard - EU 220V Power Supply
710637	BMP71-AZERTY-EU + LM + MW	BMP71 Label Printer with LabelMark & MarkWare - AZERTY Keyboard - EU 220V Power Supply
710638	BMP71-CYRILLIC-EU + LM + MW	BMP71 Label Printer with LabelMark & MarkWare - CYRILLIC Keyboard - EU 220V Power Supply
710639	BMP71-QWERTY-EU + LM + MW	BMP71 Label Printer with LabelMark & MarkWare - QWERTY Keyboard - EU 220V Power Supply
710640	BMP71-QWERTY-UK + LM + MW	BMP71 Label Printer with LabelMark & MarkWare - QWERTY Keyboard - UK 240V Power Supply
710641	BMP71-QWERTZ-EU + LM + MW	BMP71 Label Printer with LabelMark & MarkWare - QWERTZ Keyboard - EU 220V Power Supply


Patch Panel ID




Electrical Panel ID



Face Plate ID




Wire & Cable Self-Laminating Labels




Wire & Cable Sleeves



Terminal Block Markers



Wire & Cable Wrap Around Labels



Tag Printing



Desi-Strip Inserts



Flag Labels



Logistics Labelling



Safety Identification




Pipe Marking



Asset ID



Laboratory ID



Information Signs



Circuit Board & Component Labelling



Industrial Barcode Labelling



Security ID




Materials and Ribbons Cross Reference Chart

Brady Material No.	Material Description	Colour	Finish	Temp (°C) (Tested for 30 days)		Application	Additional Features	Approval/Compliance	Printer Ribbon
				Min.	Max.				
Heat-shrink Polyolefin Sleeve									
B-342	PermaSleeve heat shrink polyolefin sleeves	White	Matt	-70 °C	130 °C	Wire & Cable Marking	Heat-shrinkable, Self-Extinguishing. Available in White or Yellow.	UL Recognised to UL224, SAE-AMS-DTL-23053/5 C (Class 1), SAE-AS-81531	M71-R4300
B-7641		White	Matt	-70 °C	110 °C	Panel Identification, Wire & Cable Marking		BS-6853 (1999) Vehicle Category 1A, EN-45545-2, requirement 24, Vehicle Category HL3, Zero Halogen	M71-R6600
Nylon Cloth									
B-499	Nylon cloth with permanent acrylic pressure sensitive adhesive	White	Matt	-196 °C	90 °C	Wire & Cable Marking, Laboratory Identification	Permanent adhesion, write-on capabilities. Temperature range increases to 121°C when used in autoclave process. Tested 3 cycles of 1 hour in 121°C at 15 psi for autoclave process. Available in white or yellow.	UL Recognised, CSA Accepted, Halogen Free (DIN VDE 0472/part 815)	M71-R4300, M71-R6000HF, M71-R6200
Paper									
B-424	General purpose paper with permanent latex adhesive	White	Matt	-80 °C	50 °C	General & Industrial Identification	Permanent adhesive, write-on capabilities, good contrast and smear resistance.		M71-R4300
Polyester									
B-422	Polyester with permanent acrylic adhesive	White	Gloss	-40 °C	100 °C	General & Industrial Identification, Rating & Nameplate Labels, Voice & Data Communication	2 mil adhesive recommended for application on textured surfaces.	UL Recognised, CSA Accepted	M71-R6000HF
B-423	Polyester with permanent acrylic adhesive	White	Gloss	-70 °C	120 °C	Asset Identification, Rating & Nameplate Labels	Permanent acrylic adhesive, ideal for flat surfaces. Suitable to adhering to glass, but not polypropylene.	UL Recognised, CSA Accepted, AGA Approved, Halogen Free (DIN VDE 0472/part 815)	M71-R6000HF, M71-R4410
B-428	Metallised polyester with permanent acrylic adhesive	Silver	Matt	-40 °C	120 °C	Rating & Nameplate Labels	Designed for rating or serial plates, product information, warranty labels and inventory control labels.	UL Recognised, CSA Accepted, Halogen Free (DIN VDE 0472/part 815)	M71-R4300
B-430	Clear polyester with permanent acrylic adhesive	Clear	Gloss	-80 °C	120 °C	Voice & Data Communication	Clear polyester with permanent acrylic based adhesive, withstands numerous solvents and can be applied to variable surfaces.	UL Recognised, CSA Accepted	M71-R6000HF
B-459	Polyester with permanent acrylic adhesive	White	Matt	-40 °C	100 °C	Circuit Board & Component Identification		UL Recognised, CSA Accepted	M71-R6000HF
B-461	Self-laminating polyester with permanent acrylic adhesive	White/Transparent	Matt	-196 °C	130 °C	Laboratory Identification	Permanent adhesive, suitable for liquid nitrogen application if material is wrapped around itself, as in self-lamination, write-on capabilities. Temperature range increases to 121°C when used in autoclave process.		M71-R4300
B-473	Polyester with static dissipative permanent acrylic adhesive	White	Gloss	-40 °C	120 °C	Circuit Board & Component Identification, Panel Identification	Static dissipative adhesive & liner	UL Recognised, CSA Accepted, Meets surface resistivity values in the recommended range for dissipative ESD packaging materials as defined by ANSI/ESD S541-2008 (between 10 ⁸ and 10 ¹¹ ohms)	M71-R6000HF
B-483	Polyester with permanent rubber adhesive	White	Gloss	-40 °C	120 °C	General & Industrial Identification, Rating & Nameplate Labels, Voice & Data Communication	Ultra-aggressive adhesive, Designed for powder coated surfaces. Available in Black, Blue, Green, Orange, Red, White and Yellow.	UL Recognised, CSA Accepted	M71-R6000HF
B-486	Metallised polyester with permanent rubber adhesive	Silver	Matt	-40 °C	120 °C	Rating & Nameplate Labels	Ultra-aggressive adhesive, Designed for powder coated surfaces	UL Recognised, CSA Accepted	M71-R4300
B-488	Polyester with permanent acrylic adhesive	White	Matt	-80 °C	120 °C	Laboratory Identification	Permanent acrylic adhesive, ideal for flat surface, write-on capabilities, excellent solvent resistance and xylene resistance.	UL Recognised, CSA Accepted	M71-R4300
B-489	Polyester with permanent rubber adhesive	White	Matt	-40 °C	120 °C	General & Industrial Identification, Rating & Nameplate Labels	Ultra-aggressive adhesive, Designed for powder coated surfaces	UL Recognised, CSA Accepted	M71-R6200
B-582	BradyGlo Photoluminescent Polyester with acrylic adhesive	Photoluminescent	Gloss	-40 °C	80 °C	General & Industrial Identification	Phosphorescent Polyester is used for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuations routes.	ASTM E-2072-00 / ASTM E-2073-00, ASTM E-162, ASTM E-648, ASTM E-662, IMO Resolution A.752(18), ISO/CD 15370, Marine Safety Committee MSC.27(61), DIN 67 510 (Parts 1 - 4), PSPA Standard 002 Part 2 1993 Class A Rev2:09/99, OSHA 1910.37, Lloyd's Register SAS F050294.p	M71-R6000HF
B-7593	EPREP - laminated polyester tag on polyethylene-foam carrier with permanent acrylic adhesive	White, Yellow, Red, Green, Silver, Black	Gloss	-40 °C	100 °C	Electrical Component Marking	EPREP (Engraved Panel REplacement labels) are designed for patch panel identification in identifying external push-buttons, switches and internal connection points. Also available in black, green, red, silver and yellow.		M71-R6000HF
Polyethylene									
B-109	Polyethylene tag	White	Matt	-40 °C	49 °C	Voice & Data Communication	Cross-laminated polyethylene provides extreme tear resistance and excellent cold-weather performance.	Halogen Free (DIN VDE 0472/part 815)	M71-R4300
B-145	Polyethylene tag	Grey	Matt	-40 °C	100 °C	Voice & Data Communication, Wire & Cable Marking	Tear-resistant	UL94 V2	M71-R6000HF
B-7599	Polyethylene tag	Yellow	Matt	-40 °C	50 °C	Voice & Data Communication, Wire & Cable Marking	Provides high tear-, smudge- and abrasion resistance		M71-R6200

Materials and Ribbons Cross Reference Chart

Brady Material No.	Material Description	Colour	Finish	Temp (°C) (Tested for 30 days)		Application	Additional Features	Approval/Compliance	Printer Ribbon
				Min.	Max.				
Polyimide									
B-717		White	Gloss	-70 °C	300 °C	Circuit Board & Component Identification	Static dissipative adhesive	UL Recognised?, Meets the requirements of ANSI/ESD S541-2008 (between 10" Band 10" Bohms) for dissipative ESD packaging materials, ? Meets the performance requirements of MIL-STD-202G, Method 215K?	M71-R6000HF
B-718		White	Gloss	-70 °C	300 °C	Circuit Board & Component Identification	Static dissipative adhesive, Low profile	UL Recognised?, Meets the requirements of ANSI/ESD S541-2008 (between 10" Band 10" Bohms) for dissipative ESD packaging materials, ? Meets the performance requirements of MIL-STD-202G, Method 215K?	M71-R6000HF
B-724		Amber	Matt	-70 °C	330 °C	Circuit Board & Component Identification	Excellent resistance to harsh fluxing and wave solder environments, Resists all commonly employed methods of cleaning	Meets the performance requirements of MIL-STD-202G, Notice 12, Method 215K, Meets the requirements of SAE AS81531 Marking of Electrical Insulating Material	M71-R4300
B-727		White	Gloss	-70 °C	300 °C	Circuit Board & Component Identification	Excellent resistance to harsh fluxing and wave solder environments, Resists all commonly employed methods of cleaning	UL Recognised, Meets the performance requirements of MIL-STD-202G, Notice 12, Method 215K, Dibutyltin and Dioctyltin free.	M71-R6000HF
Polypropylene									
B-412	Polypropylene Tag	White	Matt	-40 °C	100 °C	Voice & Data Communication	Highly durable labels, ideal for wire & cable identification or product inventory identification, where legibility & tensile strength are needed. Available in White.		M71-R6200
B-425	Economy polypropylene with acrylic adhesive	White	Matt	-70 °C	100 °C	Asset Identification, Rating & Nameplate Labels	Excellent solvent resistance.	UL Recognised, CSA Accepted, Halogen Free (DIN VDE 0472/part 815)	M71-R6400
B-529	Economy polypropylene with acrylic adhesive	White	Gloss	-40 °C	100 °C	General & Industrial Identification	Indoor use only.		M71-R6000HF
Polyvinylfluoride									
B-642		White/Transparent	Matt	-70 °C	120 °C	Voice & Data Communication, Wire & Cable Marking	Self-Extinguishing, Provided in a self-laminated format with a white printable zone and a translucent overlaminating area. Dot matrix printable.		M71-R4310
Self-laminating Vinyl									
B-427		White/Transparent	Matt	-40 °C	70 °C	Wire & Cable Marking	Self-laminating, Self-extinguishing, Excellent water & oil resistance, Excellent abrasion and smudge resistance. Available in White, Yellow, Red, Blue, Green and Purple.		M71-R4300
Tamper-resistant Vinyl									
B-351	Tamper-resistant vinyl	White	Matt	-80 °C	120 °C	General & Industrial Identification, Laboratory Identification	Tamper-evident with a permanent acrylic adhesive, fractures easily to prevent removal.		M71-R6200
Tamper-resistant vinyl									
B-352	Tamper-resistant metallised vinyl	Silver	Matt	-40 °C	80 °C	Security Identification	Fractures easily, prevents one-piece removal	UL Recognised	M71-R6000HF
Thermoplastic Polyether Polyurethane (PUR)									
B-7643	Thermoplastic polyether polyurethane tag	White, Yellow	Matt	-40 °C	90 °C	Voice & Data Communication, Wire & Cable Marking	Tough, imperishable wire and cable bundle tags with a very high degree of mark permanence in almost any environment.	Halogen free per IEC 61249-2-21 (2003-11), Adherence: SAE-AS81531-1998, Flame retardant: MIL-STD-202G	M71-R6000HF
ToughStripe™ Polyester									
B-483/B-634	Polyester with Polyester Overlaminant	White	Gloss	-40 °C	120 °C	Floor Marking			M71-R6000HF
ToughWash™ Metal Detectable Polyester									
B-854		White	Matt	-40 °C	110 °C	Facility & Safety Identification	Tough against harsh washdown environments, metal detectable		M71-R6000HF
ToughWash™ Polyester									
B-855		White	Matt	-40 °C	110 °C	Facility & Safety Identification	Tough against harsh washdown environments		M71-R6000HF
Vinyl									
B-530	Tamper evident vinyl with acrylic adhesive	White		-40 °C	90 °C	Security Identification	Fractures easily, prevents one-piece removal		M71-R6000HF
B-581	Repositionable vinyl with acrylic adhesive	White	Gloss	-40 °C	82 °C	General & Industrial Identification	Only indoor use, where frequent repositioning is required		M71-R6000HF
B-584	Reflective vinyl with acrylic adhesive	Orange	Gloss	-40 °C	70 °C	General & Industrial Identification	Suitable for outdoor use. Available in White and Yellow.	Class 1 (Fed. Spec. L-S-300)	M71-R6000HF
B-595	High Performance vinyl with permanent acrylic adhesive	White	Gloss	-40 °C	82 °C	General & Industrial Identification, Pipe Marking	Available in a wide range of colours.		M71-R6000HF, M71-R4400, M71-R6900
B-7696	Rigid vinyl tag - Durasleeve	White, Yellow	Gloss	-40 °C	70 °C	Voice & Data Communication, Wire & Cable Marking	Rigid DuraSleeve® Tag	UL94V0	M71-R6000HF
Vinyl Cloth									
B-498	Vinyl cloth with repositionable rubber based adhesive	White	Semi-gloss	-40 °C	80 °C	Wire & Cable Marking, Laboratory Identification	Removable from flat surfaces, write-on capabilities. Available in White.	UL Recognised	M71-R4300



Order Reference	Colour	Roll Width	Roll Length	Formulation	Notes / Details
M71-R4400-WT	White	50.80	46.00	Resin	High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance.
M71-R6000HF	Black	50.80	46.00	Resin	High density ribbon, excellent solvent resistance, high heat resistance, and super scratch resistance.
M71-R6200	Black	50.80	46.00	Resin	Designed for harsh environment labelling applications. Superior abrasion, chemical and heat resistance.
M71-R6400	Black	50.80	46.00	Resin	Ultra high chemical resistance at high temperatures. Superior solvent resistance.
M71-R6600	Black	50.80	46.00	Resin	Diesel resistant ribbon for thermal printing on Brady PermaSleeve™ and Heatex™ Sleeves. This ribbon has excellent chemical and abrasion resistance
M71-R6900-BL	Blue	50.80	46.00	Resin	High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance.
M71-R6900-GN	Green	50.80	46.00	Resin	High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance.
M71-R6900-MA	Magenta	50.80	46.00	Resin	High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance.
M71-R6900-RD	Red	50.80	46.00	Resin	High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance.
M71-R6900-YL	Yellow	50.80	46.00	Resin	High density ribbon with excellent solvent resistance, high heat resistance, and super scratch resistance.
M71-R4300	Black	50.80	46.00	Wax/Resin	Strong environmental resistance against smearing and chemicals. Also, reliable, sharp-edge print quality to maximise bar code readability.
M71-R6800-WT	White	50.80	46.00	Wax/Resin	Strong environmental resistance against smearing and chemicals. Also, reliable, sharp-edge print quality to maximise bar code readability.



Bulk Packaging

Bulk labels are designed for the BMP™71 Label Printer as a cost-effective solution for high volume labelling needs.

Order references beginning with “B” indicate bulk rolls.




Custom labels are also available. Contact your local Brady Distributor or Brady Customer Service for ordering information.

HIGH PERFORMANCE INDOOR/OUTDOOR VINYL

- Brady's indoor/outdoor grade vinyl tape adheres well to pipes, walls, equipment, windows – most clean, dry surfaces.
- Conforms well to irregular, curved or rough surfaces – it even stands up to grease, oil and most industrial chemicals.
- 8 to 10** year outdoor durability average in temperatures from -40°C to 82°C, can be applied as low as -18°C.

Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Labels per Cartridge/Roll	Printer Ribbon Series
B-595: Vinyl							
⊙	M71C-500-595-TN	Beige	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-BK	Black	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-BL	Blue	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-BR	Brown	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-CL	Clear	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-GD	Gold	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-GN	Green	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-GY	Grey	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-LB	Light Blue	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-OC	Ochre	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-OR	Orange	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-PK	Pink	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-PL	Purple	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-RD	Red	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-SB	Sky Blue	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-WT	White	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-500-595-YL	Yellow	Gloss	12.70	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-TN	Beige	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-BK	Black	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-BL	Blue	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-BR	Brown	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-CL	Clear	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-GD	Gold	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-GN	Green	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-GY	Grey	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-LB	Light Blue	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-OC	Ochre	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-OR	Orange	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-PK	Pink	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-PL	Purple	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-RD	Red	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-SB	Sky Blue	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-WT	White	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-1000-595-YL	Yellow	Gloss	25.40	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-TN	Beige	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-BK	Black	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-BL	Blue	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-BR	Brown	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-CL	Clear	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-GD	Gold	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-GN	Green	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-GY	Grey	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-LB	Light Blue	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-OC	Ochre	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-OR	Orange	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-PK	Pink	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-PL	Purple	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-RD	Red	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-SB	Sky Blue	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-WT	White	Gloss	50.80	15.24 m	1	M71-R6000HF
⊙	M71C-2000-595-YL	Yellow	Gloss	50.80	15.24 m	1	M71-R6000HF



**Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlaminat is recommended for harsh environments - long term exposure to wind and rain.


i Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.



REFLECTIVE VINYL

- The reflective quality of this material makes it ideal for reading labels in low light conditions (with flashlights).


Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Printer Ribbon Series
B-584: Reflective Tape						
⊙	BM71C-1000-584-OR	Orange		25.40	22.86 m	M71-R6000HF
⊙	BM71C-1000-584-WT	White		25.40	22.86 m	M71-R6000HF
⊙	BM71C-1000-584-YL	Yellow		25.40	22.86 m	M71-R6000HF
⊙	BM71C-2000-584-OR	Orange		50.80	22.86 m	M71-R6000HF
⊙	BM71C-2000-584-WT	White		50.80	22.86 m	M71-R6000HF
⊙	BM71C-2000-584-YL	Yellow		50.80	22.86 m	M71-R6000HF



PHOTOLUMINESCENT POLYESTER TAPES

- Glow-in-the-dark material. Ideal for exit and directional signs, identification of fire alarms and extinguishers, low location egress pathway markings, and directional systems for escape or evacuation routes.


Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Printer Ribbon Series
B-582: Phosphorescent Polyester						
⊙	BM71C-1000-582	Photoluminescent		25.40	22.86 m	M71-R6000HF
⊙	BM71C-2000-582	Photoluminescent		50.80	22.86 m	M71-R6000HF



TOUGHSTRIPES™ AREA MARKING TAPE

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine.
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine.


Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Printer Ribbon Series
B-483/B-634: Polyester with Polyester Overlamine						
⊙	M71-1000-483-BK-KT	Black	Gloss	25.40	15.24 m	M71-R4400-WT
⊙	M71-1000-483-BL-KT	Blue	Gloss	25.40	15.24 m	M71-R4400-WT
⊙	M71-1000-483-GN-KT	Green	Gloss	25.40	15.24 m	M71-R4400-WT
⊙	M71-1000-483-OR-KT	Orange	Gloss	25.40	15.24 m	M71-R6000HF
⊙	M71-1000-483-RD-KT	Red	Gloss	25.40	15.24 m	M71-R4400-WT
⊙	M71-1000-483-WT-KT	White	Gloss	25.40	15.24 m	M71-R6000HF
⊙	M71-1000-483-YL-KT	Yellow	Gloss	25.40	15.24 m	M71-R6000HF
⊙	M71-2000-483-BK-KT	Black	Gloss	50.80	15.24 m	M71-R4400-WT
⊙	M71-2000-483-BL-KT	Blue	Gloss	50.80	15.24 m	M71-R4400-WT
⊙	M71-2000-483-GN-KT	Green	Gloss	50.80	15.24 m	M71-R4400-WT
⊙	M71-2000-483-OR-KT	Orange	Gloss	50.80	15.24 m	M71-R6000HF
⊙	M71-2000-483-RD-KT	Red	Gloss	50.80	15.24 m	M71-R4400-WT
⊙	M71-2000-483-WT-KT	White	Gloss	50.80	15.24 m	M71-R6000HF
⊙	M71-2000-483-YL-KT	Yellow	Gloss	50.80	15.24 m	M71-R6000HF



TOUGHWASH™ SERIES LABELS

- Durable label construction resists harsh washdown environments and has been tested at washdown temperatures up to 80°C (175° F) and pressures up to 1500 PSI.
- B-854 is a metal detectable version, capable of being detected by commercially available metal detectors.

Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Printer Ribbon Series
B-854: Metal-detectable Polyester						
⊙	BM71C-1000-854-YL	Yellow		25.40	22.86 m	M71-R6000HF
⊙	BM71C-1000-854-WT	White		25.40	22.86 m	M71-R6000HF
⊙	BM71C-2000-854-YL	Yellow		50.80	22.86 m	M71-R6000HF
⊙	BM71C-2000-854-WT	White		50.80	22.86 m	M71-R6000HF
B-855: Polyester						
⊙	BM71C-1000-855-YL	Yellow		25.40	22.86 m	M71-R6000HF
⊙	BM71C-1000-855-WT	White		25.40	22.86 m	M71-R6000HF
⊙	BM71C-2000-855-YL	Yellow		50.80	22.86 m	M71-R6000HF
⊙	BM71C-2000-855-WT	White		50.80	22.86 m	M71-R6000HF



GENERAL INDUSTRIAL LABELS

- Choose from several materials with aggressive adhesives for use in commercial/ industrial applications, including low surface energy and textured surfaces.
- Pliable vinyl that conforms well to smooth or rough surfaces such as walls, doors, panels, shelving and equipment. Excellent resistance to oils, detergents, dirt, grime and many solvents.




Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-422: Polyester									
▲	BM71-20-422	White	Gloss	25.40	50.80		53.98	1000	M71-R6000HF
▲	M71-30-422	White	Gloss	38.10	19.05		22.23	250	M71-R6000HF
▲	M71-45-422	White	Gloss	38.10	9.53		12.70	500	M71-R6000HF
▲	M71-37-422	White	Gloss	76.20	48.26		79.38	100	M71-R6000HF
○	M71C-375-422	White	Gloss	9.53	–	15.24 m	–	1	M71-R6000HF
○	M71C-475-422	White	Gloss	12.07	–	15.24 m	–	1	M71-R6000HF
○	M71C-500-422	White	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
○	M71C-625-422	White	Gloss	15.88	–	15.24 m	–	1	M71-R6000HF
○	M71C-1000-422	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
○	M71C-1900-422	White	Gloss	48.26	–	15.24 m	–	1	M71-R6000HF
B-430: Polyester									
○	M71C-375-430	Clear	Gloss	9.53	–	15.24 m	–	1	M71-R6000HF
○	M71C-1000-430	Clear	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
○	M71C-1900-430	Clear	Gloss	48.26	–	15.24 m	–	1	M71-R6000HF
B-483: Polyester									
▲	M71-16-483	White	Gloss	25.40	9.53		12.70	500	M71-R6000HF
▲	M71-19-483	White	Gloss	25.40	25.40		28.58	250	M71-R6000HF
▲	M71-23-483	White	Gloss	25.40	101.60		104.78	100	M71-R6000HF
▲	M71-17-483	White	Gloss	25.40	12.70		15.88	500	M71-R6000HF
▲	M71-20-483	White	Gloss	25.40	50.80		53.98	100	M71-R6000HF
▲	M71-29-483	White	Gloss	38.10	12.70		15.88	500	M71-R6000HF
▲	M71-30-483	White	Gloss	38.10	19.05		22.23	250	M71-R6000HF
▲	M71-31-483	White	Gloss	38.10	25.40		28.58	250	M71-R6000HF
▲	M71-38-483	White	Gloss	48.26	101.60		104.78	100	M71-R6000HF
▲	M71-37-483	White	Gloss	76.20	48.26		79.38	100	M71-R6000HF
○	M71C-500-483	White	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
○	M71C-1000-483	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
○	M71C-1900-483	White	Gloss	48.26	–	15.24 m	–	1	M71-R6000HF
B-489: Polyester									
▲	M71-17-489	White	Matt	25.40	12.70		15.88	500	M71-R6200
▲	M71-29-489	White	Matt	38.10	12.70		15.88	500	M71-R6200
▲	M71-32-489	White	Matt	38.10	38.10		41.28	250	M71-R6200
▲	M71-38-489	White	Matt	48.26	101.60		104.78	100	M71-R6200
B-529: Polypropylene									
○	M71C-1000-529	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
○	M71C-2000-529	White	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF

>>

i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.

GENERAL INDUSTRIAL LABELS (CONTINUED)





Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
⊙	M71C-500-595-TN	Beige	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-BK	Black	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-BL	Blue	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-BR	Brown	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-CL	Clear	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-GD	Gold	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-GN	Green	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-GY	Grey	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-LB	Light Blue	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-OC	Ochre	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-OR	Orange	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-PK	Pink	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-PL	Purple	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-RD	Red	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-SB	Sky Blue	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-WT	White	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-595-YL	Yellow	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-TN	Beige	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-BK	Black	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-BL	Blue	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-BR	Brown	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-CL	Clear	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-GD	Gold	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-GN	Green	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-GY	Grey	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-LB	Light Blue	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-OC	Ochre	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-OR	Orange	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-PK	Pink	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-PL	Purple	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-RD	Red	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-SB	Sky Blue	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-WT	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-595-YL	Yellow	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-TN	Beige	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-BK	Black	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-BL	Blue	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-BR	Brown	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-CL	Clear	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-GD	Gold	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-GN	Green	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-GY	Grey	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-LB	Light Blue	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-OC	Ochre	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-OR	Orange	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-PK	Pink	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-PL	Purple	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-RD	Red	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-SB	Sky Blue	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-WT	White	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-595-YL	Yellow	Gloss	50.80	–	15.24 m	–	1	M71-R6000HF

i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.

PRE-PRINTED LABELS

- BMP71 printable labels with pre-printed headers allow customers to print variable information next to highly visible titles.



Order Reference	Legend	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Repeat (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-428: Metallised Polyester								
M71-30-428-CALI	CALIBRATION	Green on Silver	Matt	38.10	19.05	22.23	250	M71-R4300
M71-35-428-PROP	PROPERTY TAG	Black on Silver	Matt	41.40	19.05	22.23	250	M71-R4300
B-423: Polyester								
M71-30-423-TEST	TESTED	Green on White	Gloss	38.10	19.05	22.23	250	M71-R6000HF
B-483: Polyester								
M71-38-483-CAUT	CAUTION	Black on Yellow & White	Gloss	48.26	101.60	104.78	100	M71-R6000HF
M71-38-483-NOTI	NOTICE	Blue on White	Gloss	48.26	101.60	104.78	100	M71-R6000HF
M71-38-483-DANG	DANGER	Red & White	Gloss	48.26	101.60	104.78	100	M71-R6000HF
M71-38-483-WARN	WARNING	Black & Orange on White	Gloss	48.26	101.60	104.78	100	M71-R6000HF

RATING, NAMEPLATE LABELS

- Choose from several materials with aggressive adhesives for use in commercial/ industrial applications, including low surface energy and textured surfaces.




Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-422: Polyester									
▲	M71-30-422	White	Gloss	38.10	19.05		22.23	250	M71-R6000HF
▲	M71-37-422	White	Gloss	76.20	48.26		79.38	100	M71-R6000HF
⊙	M71C-375-422	White	Gloss	9.53	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-475-422	White	Gloss	12.07	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-625-422	White	Gloss	15.88	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-422	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1900-422	White	Gloss	48.26	–	15.24 m	–	1	M71-R6000HF
B-423: Polyester									
▲	M71-22-423	White	Gloss	25.40	76.20		79.38	100	M71-R6000HF
▲	M71-23-423	White	Gloss	25.40	101.60		104.78	100	M71-R6000HF
▲	BM71-19-423	White	Gloss	25.40	25.40		28.58	2500	M71-R6000HF
▲	M71-19-423	White	Gloss	25.40	25.40		28.58	250	M71-R6000HF
◐	M71-24-423-BK	White with 1.6 mm Black Border	Gloss	28.70	12.70		15.88	500	M71-R6000HF
▲	M71-25-423	White	Gloss	31.75	6.35		9.53	750	M71-R6000HF
▲	M71-26-423	White	Gloss	31.75	69.85		73.03	100	M71-R6000HF
▲	M71-38-423	White	Gloss	48.26	101.60		104.78	100	M71-R6000HF
▲	M71-37-423	White	Gloss	76.20	48.26		79.38	100	M71-R6000HF
⊙	M71C-500-423	White	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
B-430: Polyester									
⊙	M71C-375-430	Clear	Gloss	9.53	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-430	Clear	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1900-430	Clear	Gloss	48.26	–	15.24 m	–	1	M71-R6000HF
B-483: Polyester									
▲	M71-16-483	White	Gloss	25.40	9.53		12.70	500	M71-R6000HF
▲	M71-19-483	White	Gloss	25.40	25.40		28.58	250	M71-R6000HF
▲	M71-23-483	White	Gloss	25.40	101.60		104.78	100	M71-R6000HF
▲	M71-17-483	White	Gloss	25.40	12.70		15.88	500	M71-R6000HF
▲	M71-20-483	White	Gloss	25.40	50.80		53.98	100	M71-R6000HF
▲	M71-29-483	White	Gloss	38.10	12.70		15.88	500	M71-R6000HF
▲	M71-30-483	White	Gloss	38.10	19.05		22.23	250	M71-R6000HF
▲	M71-38-483	White	Gloss	48.26	101.60		104.78	100	M71-R6000HF
▲	M71-37-483	White	Gloss	76.20	48.26		79.38	100	M71-R6000HF
⊙	M71C-500-483	White	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-483	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1900-483	White	Gloss	48.26	–	15.24 m	–	1	M71-R6000HF

>>

i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.



RATING, NAMEPLATE LABELS (CONTINUED)





Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon
B-488: Polyester									
▲	M71-80-488	White	Matt	19.05	22.86		28.58	250	M71-R4300
▲	M71-97-488	White	Matt	22.86	22.86		28.58	250	M71-R4300
▲	M71-81-488	White	Matt	48.26	6.35		9.53	750	M71-R4300
B-489: Polyester									
▲	M71-17-489	White	Matt	25.40	12.70		15.88	500	M71-R6200
▲	M71-29-489	White	Matt	38.10	12.70		15.88	500	M71-R6200
▲	M71-38-489	White	Matt	48.26	101.60		104.78	100	M71-R6200
B-424: Paper									
▲	M71-20-424	White	Matt	25.40	50.80		53.98	100	M71-R4300
▲	BM71-20-424	White	Matt	25.40	50.80		53.98	1000	M71-R4300
B-499: Nylon Cloth									
▲	M71-84-499	White	Matt	22.86	12.70		15.88	500	M71-R4300
▲	M71-30-499	White	Matt	38.10	19.05		22.23	250	M71-R4300
▲	M71-78-499	White	Matt	48.26	25.40		28.58	250	M71-R4300
▲	M71-81-499	White	Matt	48.26	6.35		9.53	750	M71-R4300
B-428: Metallised Polyester									
▲	M71-17-428	Silver	Matt	25.40	12.70		15.88	500	M71-R4300
▲	M71-20-428	Silver	Matt	25.40	50.80		53.98	100	M71-R4300
▲	M71-22-428	Silver	Matt	25.40	76.20		79.38	100	M71-R4300
▲	BM71-17-428	Silver	Matt	25.40	12.70		15.88	5000	M71-R4300
▲	BM71-20-428	Silver	Matt	25.40	50.80		53.98	1000	M71-R4300
▲	M71-26-428	Silver	Matt	31.75	69.85		73.03	100	M71-R4300
▲	M71-29-428	Silver	Matt	38.10	12.70		15.88	500	M71-R4300
▲	M71-38-428	Silver	Matt	48.26	101.60		104.78	100	M71-R4300
◎	M71C-500-428	Silver	Matt	12.70	–	15.24 m	–	1	M71-R4300
B-486: Metallised Polyester									
▲	M71-17-486	Silver	Matt	25.40	12.70		15.88	500	M71-R4300
▲	M71-20-486	Silver	Matt	25.40	50.80		53.98	100	M71-R4300
▲	M71-29-486	Silver	Matt	38.10	12.70		15.88	500	M71-R4300
▲	M71-30-486	Silver	Matt	38.10	19.05		22.23	250	M71-R4300
▲	M71-37-486	Silver	Matt	76.20	48.26		79.38	100	M71-R4300



REPOSITIONABLE VINYL

- Best choice for indoor marking where frequent repositioning is required, such as shelves. Special adhesive allows easy removal of label to re-apply again and again.

Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Printer Ribbon
B-581: Vinyl						
◎	M71C-500-581-WT	White	Gloss	12.70	15.24 m	M71-R6000HF
◎	M71C-500-581-YL	Yellow	Gloss	12.70	15.24 m	M71-R6000HF
◎	M71C-1000-581-WT	White	Gloss	25.40	15.24 m	M71-R6000HF
◎	M71C-1000-581-YL	Yellow	Gloss	25.40	15.24 m	M71-R6000HF
◎	M71C-2000-581-WT	White	Gloss	50.80	15.24 m	M71-R6000HF
◎	M71C-2000-581-YL	Yellow	Gloss	50.80	15.24 m	M71-R6000HF



i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.

WRAP AROUND LABELS

- Durable vinyl or nylon cloth wraps around wires and cables. These markers are available with either an adhesive that allows the markers to be removed cleanly and reapplied if necessary (vinyl) or made with a permanent adhesive (nylon).





Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Max. Wire Diameter (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-498: Vinyl Cloth									
▲	M71-16-498	White	9.53	25.40	–	12.70	6.06	500	M71-R6200
▲	M71-7-498	White	12.70	12.70	–	15.88	3.03	500	M71-R6200
▲	M71-10-498	White	19.05	6.35	–	9.53	4.55	750	M71-R6200
▲	BM71-11-498	White	19.05	12.70	–	15.88	4.55	5000	M71-R6200
▲	M71-11-498	White	19.05	12.70	–	15.88	4.55	500	M71-R6200
▲	M71-17-498	White	25.40	12.70	–	15.88	6.06	500	M71-R6200
▲	M71-18-498	White	25.40	19.05	–	22.23	6.06	250	M71-R6200
▲	M71-19-498	White	25.40	25.40	–	28.58	6.06	250	M71-R6200
▲	M71-21-498	White	25.40	63.50	–	66.68	15.60	100	M71-R6200
▲	BM71-18-498	White	25.40	19.05	–	22.23	6.06	2500	M71-R6200
▲	BM71-19-498	White	25.40	25.40	–	28.58	6.06	2500	M71-R6200
▲	M71-29-498	White	38.10	12.70	–	15.88	9.10	500	M71-R6200
▲	M71-30-498	White	38.10	19.05	–	22.23	9.10	250	M71-R6200
▲	M71-31-498	White	38.10	25.40	–	28.58	9.10	250	M71-R6200
▲	M71-32-498	White	38.10	38.10	–	41.28	9.10	250	M71-R6200
▲	M71-33-498	White	38.10	101.60	–	104.78	24.26	100	M71-R6200
▲	BM71-29-498	White	38.10	12.70	–	15.88	9.10	5000	M71-R6200
◎	M71C-500-498	White	12.70	–	9.10 m	–	–	1	M71-R6200
◎	M71C-1000-498	White	25.40	–	9.10 m	–	–	1	M71-R6200
◎	M71C-1900-498	White	48.26	–	9.10 m	–	–	1	M71-R6200
B-499: Nylon Cloth									
▲	M71-16-499	White	9.53	25.40	–	12.70	6.06	500	M71-R4300
▲	M71-7-499	White	12.70	12.70	–	15.88	3.03	500	M71-R4300
▲	BM71-11-499	White	19.05	12.70	–	15.88	4.55	5000	M71-R4300
▲	M71-11-499	White	19.05	12.70	–	15.88	4.55	500	M71-R4300
▲	M71-84-499	White	22.86	12.70	–	15.88	6.06	500	M71-R4300
▲	M71-18-499	White	25.40	19.05	–	22.23	6.06	250	M71-R4300
▲	M71-19-499	White	25.40	25.40	–	28.58	6.06	250	M71-R4300
▲	M71-21-499	White	25.40	63.50	–	66.68	15.60	100	M71-R4300
▲	M71-29-499	White	38.10	12.70	–	15.88	9.10	500	M71-R4300
▲	M71-30-499	White	38.10	19.05	–	22.23	9.10	250	M71-R4300
▲	M71-31-499	White	38.10	25.40	–	28.58	9.10	250	M71-R4300
▲	M71-28-499	White	38.10	6.35	–	9.53	9.10	750	M71-R4300
▲	M71-78-499	White	48.26	25.40	–	28.58	10.00	250	M71-R4300
▲	M71-81-499	White	48.26	6.35	–	9.53	10.00	750	M71-R4300
◎	M71C-500-499	White	12.70	–	9.10 m	–	–	1	M71-R4300
◎	M71C-1000-499	White	25.40	–	9.10 m	–	–	1	M71-R4300
◎	M71C-1900-499	White	48.26	–	9.10 m	–	–	1	M71-R4300

i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.




Wire and Cable Marking



SELF-LAMINATING LABELS

- Features a clear, non-printable area that wraps around the cable and serves as an overlaminate to the printed text. Offers superior resistance to abrasion, dirt, oils, solvents, and water.

Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-427: Self-laminating Vinyl											
▶	M71-10-427	White/Transparent	6.35	19.05	6.35	9.53	9.53	2.00	3.00	750	M71-R4300
▶	M71-28-427	White/Transparent	6.35	38.10	6.35	12.70	9.53	4.00	8.10	750	M71-R4300
▶	BM71-11-427	White/Transparent	12.70	19.05	12.70	9.53	15.88	2.00	3.00	5000	M71-R4300
▶	M71-11-427	White/Transparent	12.70	19.05	12.70	9.53	15.88	2.00	3.00	500	M71-R4300
▶	BM71-17-427	White/Transparent	12.70	25.40	12.70	9.53	15.88	2.70	5.10	5000	M71-R4300
▶	M71-17-427	White/Transparent	12.70	25.40	12.70	9.53	15.88	2.70	5.10	500	M71-R4300
▶	M71-29-427	White/Transparent	12.70	38.10	12.70	12.70	15.88	4.00	8.10	500	M71-R4300
▶	BM71-29-427	White/Transparent	12.70	38.10	12.70	12.70	15.88	4.00	8.10	5000	M71-R4300
▶	BM71-18-427	White/Transparent	19.05	25.40	19.05	9.53	22.23	2.70	5.10	2500	M71-R4300
▶	M71-18-427	White/Transparent	19.05	25.40	19.05	9.53	22.23	2.70	5.10	250	M71-R4300
▶	M71-30-427	White/Transparent	19.05	38.10	19.05	12.70	22.23	4.00	8.10	250	M71-R4300
▶	BM71-30-427	White/Transparent	19.05	38.10	19.05	12.70	22.23	4.00	8.10	2500	M71-R4300
▶	M71-30-427-BL	Blue/Transparent	19.05	38.10	19.05	12.70	22.23	4.00	8.10	250	M71-R4300
▶	M71-30-427-PL	Purple/Transparent	19.05	38.10	19.05	12.70	22.23	4.00	8.10	250	M71-R4300
▶	M71-30-427-RD	Red/Transparent	19.05	38.10	19.05	12.70	22.23	4.00	8.10	250	M71-R4300
▶	M71-96-427	White/Transparent	25.40	19.05	25.40	9.53	22.23	2.00	3.00	250	M71-R4300
▶	M71-19-427-YL	Yellow/Transparent	25.40	25.40	25.40	9.53	28.58	2.70	5.10	250	M71-R4300
▶	M71-19-427	White/Transparent	25.40	25.40	25.40	9.53	28.58	2.70	5.10	250	M71-R4300
▶	BM71-19-427	White/Transparent	25.40	25.40	25.40	9.53	28.58	2.70	5.10	2500	M71-R4300
▶	M71-103-427	White/Transparent	25.40	31.75	25.40	12.70	34.93	3.40	6.10	250	M71-R4300
▶	M71-31-427-YL	Yellow/Transparent	25.40	38.10	25.40	12.70	28.58	4.00	8.10	250	M71-R4300
▶	BM71-31-427	White/Transparent	25.40	38.10	25.40	12.70	28.58	4.00	8.10	2500	M71-R4300
▶	M71-31-427-GN	Green/Transparent	25.40	38.10	25.40	12.70	28.58	4.00	8.10	250	M71-R4300
▶	M71-31-427-RD	Red/Transparent	25.40	38.10	25.40	12.70	28.58	4.00	8.10	250	M71-R4300
▶	M71-31-427	White/Transparent	25.40	38.10	25.40	12.70	28.58	4.00	8.10	250	M71-R4300
▶	BM71-21-427	White/Transparent	25.40	63.50	25.40	19.05	66.68	6.70	14.20	1000	M71-R4300
▶	M71-21-427-YL	Yellow/Transparent	25.40	63.50	25.40	19.05	66.68	6.70	14.20	100	M71-R4300
▶	M71-21-427	White/Transparent	25.40	63.50	25.40	19.05	66.68	6.70	14.20	100	M71-R4300
★	BM71-64-427	White/Transparent	25.40	85.73	25.40	28.58	88.90	9.10	18.20	1000	M71-R4300
★	M71-64-427	White/Transparent	25.40	85.73	25.40	28.58	88.90	9.10	18.20	100	M71-R4300
▶	BM71-23-427	White/Transparent	25.40	101.60	25.40	25.40	104.78	10.80	24.30	1000	M71-R4300
▶	M71-23-427	White/Transparent	25.40	101.60	25.40	25.40	104.78	10.80	24.30	100	M71-R4300
▶	M71-104-427	White/Transparent	38.10	25.40	38.10	9.53	28.58	2.70	5.10	250	M71-R4300
▶	BM71-32-427	White/Transparent	38.10	38.10	38.10	12.70	41.28	4.00	8.10	1000	M71-R4300
▶	M71-32-427-YL	Yellow/Transparent	38.10	38.10	38.10	12.70	41.28	4.00	8.10	250	M71-R4300
▶	M71-32-427	White/Transparent	38.10	38.10	38.10	12.70	41.28	4.00	8.10	250	M71-R4300
▶	M71-33-427-YL	Yellow/Transparent	38.10	101.60	38.10	25.40	104.78	10.80	24.30	100	M71-R4300
▶	BM71-33-427	White/Transparent	38.10	101.60	38.10	25.40	104.78	10.80	24.30	500	M71-R4300
▶	M71-109-427	White/Transparent	38.10	101.60	38.10	38.10	104.78	10.80	20.20	100	M71-R4300
▶	BM71-109-427	White/Transparent	38.10	101.60	38.10	38.10	104.78	10.80	20.20	500	M71-R4300
▶	M71-33-427	White/Transparent	38.10	101.60	38.10	25.40	104.78	10.80	24.30	100	M71-R4300
▶	M71-34-427	White/Transparent	38.10	152.40	38.10	38.10	155.58	16.20	36.40	50	M71-R4300
▶	BM71-34-427	White/Transparent	38.10	152.40	38.10	38.10	155.58	16.20	36.40	500	M71-R4300
▶	M71-88-427	White/Transparent	44.45	38.10	44.45	12.70	41.28	4.00	8.10	250	M71-R4300
▶	M71-66-427	White/Transparent	49.28	80.00	49.28	25.40	83.57	8.50	17.40	100	M71-R4300
▶	M71-107-427	White/Transparent	50.80	38.10	50.80	12.70	53.98	4.00	8.10	100	M71-R4300
▶	BM71-107-427	White/Transparent	50.80	38.10	50.80	12.70	53.98	4.00	8.10	1000	M71-R4300
B-642: Polyvinylfluoride											
▶	M71-19-642	White/Transparent	25.40	25.40	25.40	9.53	28.58	3.00	5.00	250	M71-R4300
▶	M71-31-642	White/Transparent	25.40	38.10	25.40	12.70	28.58	4.00	8.00	250	M71-R4300
▶	M71-21-642	White/Transparent	25.40	63.50	25.40	19.05	66.68	6.00	14.00	100	M71-R4300



Apply the printed area to your wire.



Wrap the clear area around the wire, covering the printed area.



Once applied the clear laminate will protect your legend for years to come.

i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.

PERMASLEEVES™ WIRE MARKING SLEEVES, 3:1 SHRINK RATIO

- These heat-shrink sleeves are the ultimate in marker identification, protection, durability and aesthetic appearance.
- Fast shrink rate saves time and costs during installation. Available as individual die-cut markers or continuous cut-to-length tubing.






Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Cartridge/ Roll	Printer Ribbon Series
B-342: Heat-shrink Polyolefin Sleeve									
V	BM71-187-175-342-4	White	11.21	8.50	–	1.57	3.81	4000	M71-R4300
V	BM71-375-1-342-2	White	12.89	16.40	–	3.18	8.13	2000	M71-R4300
V	BM71-94-1-342-2	White	12.89	4.60	–	.58	2.03	5000	M71-R4300
V	BM71-125-1-342-2	White	12.89	6.00	–	1.17	2.79	2000	M71-R4300
V	BM71-187-1-342-2	White	12.89	8.50	–	1.57	3.81	2000	M71-R4300
V	BM71-500-175-342-YL-3	Yellow	14.94	21.60	–	4.75	11.43	3000	M71-R4300
V	BM71-125-175-342-3	White	14.94	6.00	–	1.17	2.79	3000	M71-R4300
V	BM71-187-175-342-3	White	14.94	8.50	–	1.57	3.81	3000	M71-R4300
V	BM71-375-175-342-2	White	22.41	16.40	–	3.18	8.13	2000	M71-R4300
V	BM71-94-175-342-2	White	22.41	4.60	–	.58	2.03	5000	M71-R4300
V	BM71-125-175-342-2	White	22.41	6.00	–	1.17	2.79	2000	M71-R4300
V	BM71-187-175-342-2	White	22.41	8.50	–	1.57	3.81	2000	M71-R4300
V	M71-250-1-342YL	Yellow	25.78	11.15	–	2.39	5.46	100	M71-R4300
V	BM71-250-1-342	White	25.78	11.15	–	2.39	5.46	1000	M71-R4300
V	M71-250-1-342	White	25.78	11.15	–	2.39	5.46	100	M71-R4300
V	BM71-250-1-342-YL	Yellow	25.78	11.15	–	2.39	5.46	1000	M71-R4300
V	M71-375-1-342	White	25.78	16.40	–	3.18	8.13	100	M71-R4300
V	M71-375-1-342YL	Yellow	25.78	16.40	–	3.18	8.13	100	M71-R4300
V	BM71-375-1-342	White	25.78	16.40	–	3.18	8.13	1000	M71-R4300
V	BM71-375-1-342-YL	Yellow	25.78	16.40	–	3.18	8.13	1000	M71-R4300
V	M71-500-1-342	White	25.78	21.60	–	4.75	11.43	100	M71-R4300
V	M71-500-1-342YL	Yellow	25.78	21.60	–	4.75	11.43	100	M71-R4300
V	BM71-500-1-342	White	25.78	21.60	–	4.75	11.43	1000	M71-R4300
V	BM71-500-1-342YL	Yellow	25.78	21.60	–	4.75	11.43	1000	M71-R4300
V	M71-94-1-342YL	Yellow	25.78	4.60	–	.58	2.03	100	M71-R4300
V	BM71-94-1-342	White	25.78	4.60	–	.58	2.03	2500	M71-R4300
V	BM71-94-1-342YL	Yellow	25.78	4.60	–	.58	2.03	2500	M71-R4300
V	M71-94-1-342	White	25.78	4.62	–	.58	2.03	100	M71-R4300
V	M71-125-1-342YL	Yellow	25.78	6.00	–	1.17	2.79	100	M71-R4300
V	BM71-125-1-342	White	25.78	6.00	–	1.17	2.79	1000	M71-R4300
V	M71-125-1-342	White	25.78	6.00	–	1.17	2.79	100	M71-R4300
V	BM71-125-1-342-YL	Yellow	25.78	6.00	–	1.17	2.79	1000	M71-R4300
V	M71-187-1-342YL	Yellow	25.78	8.50	–	1.57	3.81	100	M71-R4300
V	BM71-187-1-342-YL	Yellow	25.78	8.50	–	1.57	3.81	1000	M71-R4300
V	M71-187-1-342	White	25.78	8.50	–	1.57	3.81	100	M71-R4300
V	BM71-187-1-342	White	25.78	8.50	–	1.57	3.81	1000	M71-R4300
V	M71-250-175-342YL	Yellow	44.83	11.15	–	2.39	5.46	100	M71-R4300
V	BM71-250-175-342	White	44.83	11.15	–	2.39	5.46	1000	M71-R4300
V	BM71-250-175-342YL	Yellow	44.83	11.15	–	2.39	5.46	1000	M71-R4300
V	M71-250-175-342	White	44.83	11.15	–	2.39	5.46	100	M71-R4300
V	BM71-250-175-342-RD	Red	44.83	11.15	–	2.39	5.46	1000	M71-R4300
V	M71-375-175-342	White	44.83	16.40	–	3.18	8.13	100	M71-R4300
V	M71-375-175-342YL	Yellow	44.83	16.40	–	3.18	8.13	100	M71-R4300
V	BM71-375-175-342	White	44.83	16.40	–	3.18	8.13	1000	M71-R4300
V	BM71-375-175-342-YL	Yellow	44.83	16.40	–	3.18	8.13	1000	M71-R4300
V	M71-500-175-342	White	44.83	21.60	–	4.75	11.43	100	M71-R4300
V	M71-500-175-342YL	Yellow	44.83	21.60	–	4.75	11.43	100	M71-R4300
V	BM71-500-175-342	White	44.83	21.60	–	4.75	11.43	1000	M71-R4300
V	BM71-500-175-342YL	Yellow	44.83	21.60	–	4.75	11.43	1000	M71-R4300
V	BM71-500-175-342-RD	Red	44.83	21.60	–	4.75	11.43	1000	M71-R4300
V	M71-94-175-342	White	44.83	4.60	–	.58	2.03	100	M71-R4300
V	M71-94-175-342YL	Yellow	44.83	4.60	–	.58	2.03	100	M71-R4300
V	BM71-94-175-342	White	44.83	4.60	–	.58	2.03	2500	M71-R4300
V	BM71-94-175-342YL	Yellow	44.83	4.60	–	.58	2.03	2500	M71-R4300
V	BM71-1000-175-342	White	44.83	42.16	–	9.53	24.13	500	M71-R4300
V	M71-125-175-342	White	44.83	6.00	–	1.17	2.79	100	M71-R4300
V	M71-125-175-342YL	Yellow	44.83	6.00	–	1.17	2.79	100	M71-R4300
V	BM71-125-175-342	White	44.83	6.00	–	1.17	2.79	1000	M71-R4300
V	BM71-125-175-342YL	Yellow	44.83	6.00	–	1.17	2.79	1000	M71-R4300
V	M71-187-175-342YL	Yellow	44.83	8.50	–	1.57	3.81	100	M71-R4300
V	BM71-187-175-342	White	44.83	8.50	–	1.57	3.81	1000	M71-R4300
V	BM71-187-175-342YL	Yellow	44.83	8.50	–	1.57	3.81	1000	M71-R4300
V	M71-187-175-342	White	44.83	8.50	–	1.57	3.81	100	M71-R4300

>>



PERMASLEEVES™ WIRE MARKING SLEEVES, 3:1 SHRINK RATIO

Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-342: Heat-shrink Polyolefin Sleeve									
V	BM71-187-175-342-ORG	Orange	44.83	8.50	–	1.57	3.81	1000	M71-R4300
V	BM71-187-175-342-RD	Red	44.83	8.50	–	1.57	3.81	1000	M71-R4300
♥	BM71C-125-342	White	6.00	–	15.24 m	1.17	2.79	1	M71-R4300
♥	BM71C-187-342	White	8.50	–	15.24 m	1.57	3.81	1	M71-R4300
♥	BM71C-250-342	White	11.15	–	15.24 m	2.39	5.46	1	M71-R4300
♥	BM71C-375-342	White	16.40	–	15.24 m	3.18	8.13	1	M71-R4300
♥	BM71C-500-342	White	21.60	–	15.24 m	4.75	11.43	1	M71-R4300
♥	BM71C-1000-342	White	42.16	–	15.24 m	9.53	24.13	1	M71-R4300

PERMASLEEVE™ LOW SMOKE ZERO HALOGEN WIRE MARKING SLEEVES, 2:1 SHRINK RATIO



- These heat-shrink sleeves are the ultimate in marker identification, protection, durability and aesthetic appearance.
- These low smoke zero halogen wire marking sleeves offer outstanding fire safety properties and minimal smoke emission.
- Fast shrink rate saves time and costs during installation. Available as individual die-cut markers or continuous cut-to-length tubing.






Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-7641: Heat-shrink Polyolefin Sleeve								
V	M71-94-1-7641	White	25.78	4.60	1.19	2.03	100	M71-R4300
V	M71-94-1-7641Y	Yellow	25.78	4.60	1.19	2.03	100	M71-R4300
V	BM71-94-1-7641	White	25.78	4.60	1.19	2.03	2500	M71-R4300
V	BM71-94-1-7641Y	Yellow	25.78	4.60	1.19	2.03	2500	M71-R4300
V	M71-125-1-7641	White	25.78	6.00	1.57	2.79	100	M71-R4300
V	M71-125-1-7641Y	Yellow	25.78	6.00	1.57	2.79	100	M71-R4300
V	BM71-125-1-7641	White	25.78	6.00	1.57	2.79	1000	M71-R4300
V	BM71-125-1-7641Y	Yellow	25.78	6.00	1.57	2.79	1000	M71-R4300
V	M71-187-1-7641	White	25.78	8.50	2.39	3.83	100	M71-R4300
V	M71-187-1-7641Y	Yellow	25.78	8.50	2.39	3.83	100	M71-R4300
V	BM71-187-1-7641	White	25.78	8.50	2.39	3.83	1000	M71-R4300
V	BM71-187-1-7641Y	Yellow	25.78	8.50	2.39	3.83	1000	M71-R4300
V	M71-250-1-7641	White	25.78	11.15	3.17	5.46	100	M71-R4300
V	M71-250-1-7641Y	Yellow	25.78	11.15	3.17	5.46	100	M71-R4300
V	BM71-250-1-7641	White	25.78	11.15	3.17	5.46	1000	M71-R4300
V	BM71-250-1-7641Y	Yellow	25.78	11.15	3.17	5.46	1000	M71-R4300
V	BM71-375-1-7641	White	25.78	16.38	4.77	8.13	1000	M71-R4300
V	BM71-375-1-7641Y	Yellow	25.78	16.38	4.77	8.13	1000	M71-R4300
V	M71-375-1-7641	White	25.78	16.40	4.77	8.13	100	M71-R4300
V	M71-375-1-7641Y	Yellow	25.78	16.40	4.77	8.13	100	M71-R4300
V	M71-500-1-7641	White	25.78	21.60	6.35	11.43	100	M71-R4300
V	M71-500-1-7641Y	Yellow	25.78	21.60	6.35	11.43	100	M71-R4300
V	BM71-500-1-7641	White	25.78	21.60	6.35	11.43	600	M71-R4300
V	BM71-500-1-7641Y	Yellow	25.78	21.60	6.35	11.43	600	M71-R4300
V	M71-750-1-7641	White	25.78	31.40	9.52	17.78	75	M71-R4300
V	M71-750-1-7641Y	Yellow	25.78	31.40	9.52	17.78	75	M71-R4300
V	BM71-750-1-7641	White	25.78	31.40	9.52	17.78	600	M71-R4300
V	BM71-750-1-7641Y	Yellow	25.78	31.40	9.52	17.78	600	M71-R4300
V	M71-94-175-7641	White	44.83	4.60	1.19	2.03	100	M71-R4300
V	M71-94-175-7641Y	Yellow	44.83	4.60	1.19	2.03	100	M71-R4300
V	BM71-94-175-7641	White	44.83	4.60	1.19	2.03	2500	M71-R4300
V	BM71-94-175-7641Y	Yellow	44.83	4.60	1.19	2.03	2500	M71-R4300
V	M71-125-175-7641	White	44.83	6.00	1.57	2.79	100	M71-R4300
V	M71-125-175-7641Y	Yellow	44.83	6.00	1.57	2.79	100	M71-R4300
V	BM71-125-175-7641	White	44.83	6.00	1.57	2.79	1000	M71-R4300
V	BM71-125-175-7641Y	Yellow	44.83	6.00	1.57	2.79	1000	M71-R4300
V	M71-187-175-7641	White	44.83	8.50	2.39	3.83	100	M71-R4300
V	M71-187-175-7641Y	Yellow	44.83	8.50	2.39	3.83	100	M71-R4300
V	BM71-187-175-7641	White	44.83	8.50	2.39	3.83	1000	M71-R4300
V	BM71-187-175-7641Y	Yellow	44.83	8.50	2.39	3.83	1000	M71-R4300
V	M71-250-175-7641	White	44.83	11.15	3.17	5.46	100	M71-R4300
V	M71-250-175-7641Y	Yellow	44.83	11.15	3.17	5.46	100	M71-R4300
V	BM71-250-175-7641	White	44.83	11.15	3.17	5.46	1000	M71-R4300
V	BM71-250-175-7641Y	Yellow	44.83	11.15	3.17	5.46	1000	M71-R4300

>>

i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.

PERMASLEEVE™ LOW SMOKE ZERO HALOGEN WIRE MARKING SLEEVES, 2:1 SHRINK RATIO (CONTINUED)


Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-7641: Heat-shrink Polyolefin Sleeve								
V	BM71-375-175-7641	White	44.83	16.38	4.77	8.13	1000	M71-R4300
V	BM71-375-175-7641Y	Yellow	44.83	16.38	4.77	8.13	1000	M71-R4300
V	M71-375-175-7641	White	44.83	16.40	4.77	8.13	100	M71-R4300
V	M71-375-175-7641Y	Yellow	44.83	16.40	4.77	8.13	100	M71-R4300
V	M71-500-175-7641	White	44.83	21.60	6.35	11.43	100	M71-R4300
V	M71-500-175-7641Y	Yellow	44.83	21.60	6.35	11.43	100	M71-R4300
V	BM71-500-175-7641	White	44.83	21.60	6.35	11.43	600	M71-R4300
V	BM71-500-175-7641Y	Yellow	44.83	21.60	6.35	11.43	600	M71-R4300
V	M71-750-175-7641	White	44.83	31.40	9.52	17.78	75	M71-R4300
V	M71-750-175-7641Y	Yellow	44.83	31.40	9.52	17.78	75	M71-R4300
V	BM71-750-175-7641	White	44.83	31.40	9.52	17.78	600	M71-R4300
V	BM71-750-175-7641Y	Yellow	44.83	31.40	9.52	17.78	600	M71-R4300



RIGID DURASLEEVE™ INSERTS

- Brady DuraSleeve™ printable inserts create a durable legend. The rigid construction of the DuraSleeve wire marking system provides inserts that can easily be inserted into a clean carrier. The legend can be changed before or after termination.

Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-7696: Vinyl Tag								
★	BM71D-1-7696	White	Gloss	10.00	4.40	7.56	2500	M71-R6000HF
★	M71D-1-7696	White	Gloss	10.00	4.40	7.56	500	M71-R6000HF
★	BM71D-1-7696-YL	Yellow	Gloss	10.00	4.40	7.56	2500	M71-R6000HF
★	M71D-1-7696-YL	Yellow	Gloss	10.00	4.40	7.56	500	M71-R6000HF
★	BM71D-2-7696	White	Gloss	12.00	4.40	7.56	2500	M71-R6000HF
★	M71D-2-7696	White	Gloss	12.00	4.40	7.56	500	M71-R6000HF
★	BM71D-2-7696-YL	Yellow	Gloss	12.00	4.40	7.56	2500	M71-R6000HF
★	M71D-2-7696-YL	Yellow	Gloss	12.00	4.40	7.56	500	M71-R6000HF
★	BM71D-3-7696	White	Gloss	16.00	4.40	7.56	2500	M71-R6000HF
★	M71D-3-7696	White	Gloss	16.00	4.40	7.56	500	M71-R6000HF
★	BM71D-3-7696-YL	Yellow	Gloss	16.00	4.40	7.56	5000	M71-R6000HF
★	BM71D-4-7696	White	Gloss	23.00	4.40	7.56	2500	M71-R6000HF
★	M71D-4-7696	White	Gloss	23.00	4.40	7.56	500	M71-R6000HF
★	BM71D-4-7696-YL	Yellow	Gloss	23.00	4.40	7.56	2500	M71-R6000HF
★	M71D-4-7696-YL	Yellow	Gloss	23.00	4.40	7.56	500	M71-R6000HF
★	BM71D-5-7696	White	Gloss	30.00	4.40	7.56	2500	M71-R6000HF
★	M71D-5-7696	White	Gloss	30.00	4.40	7.56	500	M71-R6000HF
★	BM71D-5-7696-YL	Yellow	Gloss	30.00	4.40	7.56	5000	M71-R6000HF



DURASLEEVE TAG CARRIER

The DuraSleeve™ markers consist of two components: a transparent tube (carrier) with a label pocket and an insert to slide into the pocket. Your text is at all times protected by the tube and can easily be replaced. Print the inserts on a Brady printer to ensure clean crisp readable legends every time.

- Temperature range: -40 °C to 60 °C
- Material: PVC
- Self-extinguishing UL94V0

Order Ref.	Length (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Packaging
AC-0-L18	18.00	1.30	2.00	2000
AC-1-L18	18.00	1.80	2.50	2000
AC-2-L18	18.00	2.50	4.00	2000
AC-3-L18	18.00	4.00	6.50	1000
AC-4-L18	18.00	6.00	10.00	1000
AC-5-L18	18.00	9.00	15.00	750
AC-6-L18	18.00	15.00	24.00	500
AC-0-L23	23.00	1.30	2.00	2000
AC-1-L23	23.00	1.80	2.50	2000
AC-2-L23	23.00	2.50	4.00	2000
AC-3-L23	23.00	4.00	6.50	1000
AC-4-L23	23.00	6.00	10.00	1000
AC-5-L23	23.00	9.00	15.00	500
AC-6-L23	23.00	15.00	24.00	500
AC-0-L30	30.00	1.30	2.00	1000
AC-1-L30	30.00	1.80	2.50	1000


Order Ref.	Length (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Packaging
AC-2-L30	30.00	2.50	4.00	1000
AC-3-L30	30.00	4.00	6.50	1000
AC-4-L30	30.00	6.00	10.00	500
AC-5-L30	30.00	9.00	15.00	500
AC-6-L30	30.00	15.00	24.00	200

CONTINUOUS CARRIERS

Order Ref.	Length (m)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Packaging
AC-0-L50M	50.00 m	1.30	2.00	1
AC-1-L50M	50.00 m	1.80	2.50	1
AC-2-L50M	50.00 m	2.50	4.00	1
AC-3-L50M	50.00 m	4.00	6.50	1
AC-4-L50M	50.00 m	6.00	10.00	1
AC-5-L25M	25.00 m	9.00	15.00	1
AC-6-L25M	25.00 m	15.00	24.00	1



Wire and Cable Marking



RAPIDO™

- Yellow coated polyethylene tag suitable for durable terminated wire marking for electrical devices and fibre installations.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-7599: Polyethylene Tag									
●	BM71R-1-7599-YL	Yellow	22.90	5.20	8.38	0.25	1.50	2500	M71-R6200
●	BM71R-2-7599-YL	Yellow	23.00	5.20	8.38	0.75	2.60	2500	M71-R6200
●	BM71R-3-7599-YL	Yellow	25.00	5.70	8.89	1.25	3.30	2500	M71-R6200
●	BM71R-4-7599-YL	Yellow	26.00	7.00	10.82	1.75	4.60	2500	M71-R6200
●	BM71R-5-7599-YL	Yellow	41.00	11.00	14.20	2.25	7.50	2500	M71-R6200



HEATEX™ CABLE MARKERS

- These cable markers are made of halogen-free polyurethane material. The markers are tough, imperishable and with a very high degree of mark permanence in almost any environment.




Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-7643: Thermoplastic Polyether Polyurethane								
▽	BM71H-1-7643-WT	White	Matt	60.00	10.00	65.88	250	M71-R6000HF
▽	BM71H-1-7643-YL	Yellow	Matt	60.00	10.00	65.88	250	M71-R6000HF
▽	BM71H-2-7643-WT	White	Matt	75.00	10.00	81.17	250	M71-R6000HF
▽	BM71H-2-7643-YL	Yellow	Matt	75.00	10.00	81.17	250	M71-R6000HF
▽	BM71H-3-7643-WT	White	Matt	75.00	25.00	82.55	250	M71-R6000HF
▽	BM71H-3-7643-YL	Yellow	Matt	75.00	25.00	82.55	250	M71-R6000HF



TEAR RESISTANT CABLE MARKERS

- These extremely tear resistant cable markers can be used for a variety of applications including identification of multiconductor cables, inventory and equipment.





Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-109: Polyethylene Tag										
△	M71-60-109	White	Matt	12.00	50.00	12.00	33.00	50.17	100	M71-R4300
△	BM71-60-109	White	Matt	12.00	50.00	12.00	33.00	50.17	1000	M71-R4300
△	M71-12-109	White	Matt	19.05	76.20	17.78	52.07	76.20	100	M71-R4300
△	BM71-12-109	White	Matt	19.05	76.20	17.78	52.07	76.20	1000	M71-R4300
+	M71-36-109	White	Matt	44.45	28.58	44.45	28.58	28.58	250	M71-R4300
B-145: Polyethylene Tag										
□	M71-111-145-GY	Grey	Matt	30.63	19.25	19.25	30.63	58.72	100	M71-R6000HF
□	M71-111-145-FR-GY	Grey	Matt	30.63	19.25	19.25	30.63	58.72	100	M71-R6000HF
□	BM71-111-145-GY	Grey	Matt	30.63	19.25	19.25	30.63	58.72	1000	M71-R6000HF
□	M71-110-145-GY	Grey	Matt	44.45	25.40	44.45	25.40	69.85	100	M71-R6000HF
□	M71-110-145-FR-GY	Grey	Matt	44.45	25.40	44.45	25.40	69.85	100	M71-R6000HF
□	BM71-110-145-GY	Grey	Matt	44.45	25.40	44.45	25.40	69.85	1000	M71-R6000HF



COLOURED NYLON TIES

- Perfect for colour coded applications.

Order Ref.	Colour	Width (mm)	Height (mm)	Quantity
229955	White	3.60	203.00	100
NYTIE-3.6X203-BK	Black	3.60	203.00	100
NYTIE-3.6X205-BL	Blue	3.60	205.00	100
NYTIE-3.6X205-RD	Red	3.60	205.00	100
NYTIE-3.6X205-OR	Orange	3.60	205.00	100
NYTIE-3.6X205-YL	Yellow	3.60	205.00	100
NYTIE-3.6X205-GR	Green	3.60	205.00	100
NYTIE-3.6X205-VT	Purple	3.60	205.00	100

TERMINAL BLOCK REPOSITIONABLE MARKERS

- Repositionable vinyl cloth marker with a firm adhesive offering excellent holding power, but can be easily removed and reapplied.





Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Length B (m)	Labels per Cartridge/Roll	Printer Ribbon Series
B-498: Vinyl Cloth							
⊙	M71C-240-498	White	Semi-gloss	6.10	9.14 m	1	M71-R6200
⊙	BM71C-240-498	White	Semi-gloss	6.10	83.80 m	1	M71-R6200
⊙	M71C-318-498	White	Semi-gloss	8.08	9.14 m	1	M71-R6200
⊙	BM71C-318-498	White	Semi-gloss	8.08	83.80 m	1	M71-R6200
⊙	M71C-375-498	White	Semi-gloss	9.53	9.14 m	1	M71-R6200
⊙	BM71C-375-498	White	Semi-gloss	9.53	83.80 m	1	M71-R6200

EPREP LABELS – ENGRAVED PLATE REPLACEMENT LABELS

- Brady EPREP labels are innovative labels specifically designed to replace engraved and plotted plates for identification of electrical components, electrical cabinets, push buttons, patch panels etc.





Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Hole Diameter C (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Layout	Printer Ribbon Series
B-7593: Polyethylene Foam Laminate Polyester										
▲	M71EP-1-7593-SL	Silver	Gloss	27.00	8.00	–	11.18	250	Roll Mounted	M71-R6000HF
▲	M71EP-2-7593-SL	Silver	Gloss	27.00	12.50	–	15.63	250	Roll Mounted	M71-R6000HF
▲	M71EP-3-7593-SL	Silver	Gloss	27.00	15.00	–	18.14	150	Roll Mounted	M71-R6000HF
▲	M71EP-4-7593-SL	Silver	Gloss	27.00	18.00	–	21.25	150	Roll Mounted	M71-R6000HF
▲	M71EP-1-7593-WT	White	Gloss	27.00	8.00	–	11.18	250	Roll Mounted	M71-R6000HF
▲	M71EP-2-7593-WT	White	Gloss	27.00	12.50	–	15.63	250	Roll Mounted	M71-R6000HF
▲	M71EP-3-7593-WT	White	Gloss	27.00	15.00	–	18.14	150	Roll Mounted	M71-R6000HF
▲	M71EP-4-7593-WT	White	Gloss	27.00	18.00	–	21.25	150	Roll Mounted	M71-R6000HF
△	M71EP-5-7593-BK	Black	Gloss	30.00	40.00	24.00	50.80	100	Fanfolded	M71-R6000HF
△	M71EP-5-7593-GN	Green	Gloss	30.00	40.00	24.00	50.80	100	Fanfolded	M71-R6000HF
△	M71EP-5-7593-RD	Red	Gloss	30.00	40.00	24.00	50.80	100	Fanfolded	M71-R6000HF
△	M71EP-5-7593-SL	Silver	Gloss	30.00	40.00	24.00	50.80	100	Fanfolded	M71-R6000HF
△	M71EP-5-7593-WT	White	Gloss	30.00	40.00	24.00	50.80	100	Fanfolded	M71-R6000HF
▲	M71EP-5-7593-YL	Yellow	Gloss	30.00	40.00	24.00	50.80	100	Fanfolded	M71-R6000HF
▲	M71EP-7-7593-SL	Silver	Gloss	35.00	18.00	–	21.49	100	Roll Mounted	M71-R6000HF
▲	M71EP-7-7593-WT	White	Gloss	35.00	18.00	–	21.49	100	Roll Mounted	M71-R6000HF
▲	M71EP-7-7593-YL	Yellow	Gloss	35.00	18.00	–	21.49	100	Roll Mounted	M71-R6000HF
▲	M71EP-6-7593-BK	Black	Gloss	45.00	15.00	–	40.37	100	Fanfolded	M71-R6000HF
▲	M71EP-6-7593-RD	Red	Gloss	45.00	15.00	–	40.37	100	Fanfolded	M71-R6000HF
▲	BM71E-6-7593-SL	Silver	Gloss	45.00	15.00	–	18.26	500	Bulk Roll	M71-R6000HF
▲	BM71E-6-7593-WT	White	Gloss	45.00	15.00	–	18.26	500	Bulk Roll	M71-R6000HF
▲	M71EP-6-7593-YL	Yellow	Gloss	45.00	15.00	–	40.37	100	Fanfolded	M71-R6000HF
▲	M71EP-8-7593-SL	Silver	Gloss	48.00	19.00	–	22.46	125	Roll Mounted	M71-R6000HF
▲	M71EP-8-7593-WT	White	Gloss	48.00	19.00	–	22.46	125	Roll Mounted	M71-R6000HF



Roll Mounted



Fanfolded



Bulk Roll

NYLON CLOTH LABELS

- Nylon cloth marker with a firm adhesive offering excellent holding power in harsh environments.




Diagram	Order Reference	Colour	Finish	Diameter C (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-499: Nylon Cloth							
✘	M71-82-499	White	Matt	9.53 mm	12.70	500	M71-R4300
✘	M71-83-499	White	Matt	12.70 mm	15.88	500	M71-R4300

i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.

SELF-LAMINATING LABELS

- Brady's most popular wire and cable marker. Self-laminating vinyl features a coloured printable area with a clear 'tail' that wraps around the cable marker to protect the print. Offers superior resistance to abrasion, dirt, oils, solvents, and water.





Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series	For Data Cables Sized to Fit
B-427: Self-laminating Vinyl										
▶	BM71-29-427	White/Transparent	12.70	38.10	12.70	12.70	15.88	5000	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-30-427	White/Transparent	19.05	38.10	19.05	12.70	22.23	250	M71-R4300	CAT 5, 4 Pair UTP
▶	BM71-30-427	White/Transparent	19.05	38.10	19.05	12.70	22.23	2500	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-30-427-RD	Red/Transparent	19.05	38.10	19.05	12.70	22.23	250	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-30-427-PL	Purple/Transparent	19.05	38.10	19.05	12.70	22.23	250	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-30-427-BL	Blue/Transparent	19.05	38.10	19.05	12.70	22.23	250	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-19-427-YL	Yellow/Transparent	25.40	25.40	25.40	9.53	28.58	250	M71-R4300	2 Pair Fibre
▶	M71-19-427	White/Transparent	25.40	25.40	25.40	9.53	28.58	250	M71-R4300	2 Pair Fibre
▶	BM71-19-427	White/Transparent	25.40	25.40	25.40	9.53	28.58	2500	M71-R4300	2 Pair Fibre
▶	M71-103-427	White/Transparent	25.40	31.75	25.40	12.70	34.93	250	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-31-427-YL	Yellow/Transparent	25.40	38.10	25.40	12.70	28.58	250	M71-R4300	4 Pair UTP, CAT 5, CAT 5E, CAT 6, RG-59 Coax, RG-6 Coax, Silver Satin
▶	BM71-31-427	White/Transparent	25.40	38.10	25.40	12.70	28.58	2500	M71-R4300	5 Pair UTP, CAT 5, CAT 5E, RG-6 Coax, RG-59 Coax
▶	M71-31-427	White/Transparent	25.40	38.10	25.40	12.70	28.58	250	M71-R4300	4 Pair UTP, CAT 5, CAT 5E, CAT 6, RG-59 Coax, RG-6 Coax, Silver Satin
▶	M71-31-427-RD	Red/Transparent	25.40	38.10	25.40	12.70	28.58	250	M71-R4300	4 Pair UTP, CAT 5, CAT 5E, CAT 6, RG-59 Coax, RG-6 Coax, Silver Satin
▶	M71-31-427-GN	Green/Transparent	25.40	38.10	25.40	12.70	28.58	250	M71-R4300	4 Pair UTP, CAT 5, CAT 5E, CAT 6, RG-59 Coax, RG-6 Coax, Silver Satin
▶	M71-21-427-YL	Yellow/Transparent	25.40	63.50	25.40	19.05	66.68	100	M71-R4300	25 Pair Copper, 4 Pair STP, 4-12 Pair Fibre
▶	BM71-21-427	White/Transparent	25.40	63.50	25.40	19.05	66.68	1000	M71-R4300	25 Pair Copper, 4 Pair STP, 4-12 Pair Fibre
▶	M71-21-427	White/Transparent	25.40	63.50	25.40	19.05	66.68	100	M71-R4300	25 Pair Copper, 4 Pair STP, 4-12 Pair Fibre
★	BM71-64-427	White/Transparent	25.40	85.73	25.40	28.58	88.90	1000	M71-R4300	Fibre/Coax
★	M71-64-427	White/Transparent	25.40	85.73	25.40	28.58	88.90	100	M71-R4300	Fibre/Coax
▶	BM71-23-427	White/Transparent	25.40	101.60	25.40	25.40	104.78	1000	M71-R4300	Backbone Cable
▶	M71-23-427	White/Transparent	25.40	101.60	25.40	25.40	104.78	100	M71-R4300	Communications Cables
▶	M71-104-427	White/Transparent	38.10	25.40	38.10	9.53	28.58	250	M71-R4300	2 Pair Fibre, Single/Multi-Mode
▶	M71-32-427-YL	Yellow/Transparent	38.10	38.10	38.10	12.70	41.28	250	M71-R4300	CAT 5, 4 Pair UTP
▶	BM71-32-427	White/Transparent	38.10	38.10	38.10	12.70	41.28	1000	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-32-427	White/Transparent	38.10	38.10	38.10	12.70	41.28	250	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-33-427-YL	Yellow/Transparent	38.10	101.60	38.10	25.40	104.78	100	M71-R4300	50 Pair Copper, 24 Pair Fibre
▶	BM71-33-427	White/Transparent	38.10	101.60	38.10	25.40	104.78	500	M71-R4300	50 Pair Copper, 24 Pair Fibre
▶	M71-109-427	White/Transparent	38.10	101.60	38.10	38.10	104.78	100	M71-R4300	50 Pair Copper, 24 Pair Fibre
▶	BM71-109-427	White/Transparent	38.10	101.60	38.10	38.10	104.78	500	M71-R4300	5 Pair Copper, 24 Pair Fibre
▶	M71-33-427	White/Transparent	38.10	101.60	38.10	25.40	104.78	100	M71-R4300	50 Pair Copper, 24 Pair Fibre
▶	M71-34-427	White/Transparent	38.10	152.40	38.10	38.10	155.58	50	M71-R4300	100 Pair Copper
▶	BM71-34-427	White/Transparent	38.10	152.40	38.10	38.10	155.58	500	M71-R4300	100 Pair Copper, 36 Pair Fibre
▶	M71-88-427	White/Transparent	44.45	38.10	44.45	12.70	41.28	250	M71-R4300	CAT 5, 4 Pair UTP
▶	M71-66-427	White/Transparent	49.28	80.00	49.28	25.40	83.57	100	M71-R4300	50 Pair Copper, 24 Pair Fibre
▶	M71-107-427	White/Transparent	50.80	38.10	50.80	12.70	53.98	100	M71-R4300	CAT 5, 4 Pair UTP
▶	BM71-107-427	White/Transparent	50.80	38.10	50.80	12.70	53.98	1000	M71-R4300	CAT 5, 4 Pair UTP



Apply the printed area to your wire.



Wrap the clear area around the wire, covering the printed area.



Once applied the clear laminate will protect your legend for years to come.


i Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.

FIBRE OPTIC LABELS/FLAGS

- These Fibre Optic Flags allow more legible information to be printed on smaller diameter wires and permits you to handle and view labels without touching the wires.



Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-425: Polypropylene							
	M71FP-1-425	White	30.00	10.00	23.50	250	M71-R4300
	M71FT-1-425	White	30.00	20.00	43.56	250	M71-R4300
	M71FP-2-425	White	44.45	12.70	66.68	100	M71-R4300



POWER AND GROUND CABLE TAGS

- These power and ground cable tags are extremely tear and cold-weather resistant.




Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	For Data Cables Sized to Fit	Printer Ribbon Series
B-109: Polyethylene Tag										
	M71-60-109	White	12.00	50.00	12.00	33.00	50.17	100	Power & Ground Cables	M71-R4300
	BM71-60-109	White	12.00	50.00	12.00	33.00	50.17	1000	Power & Ground Cables	M71-R4300
	M71-12-109	White	19.05	76.20	17.78	52.07	76.20	100	Communications Cables	M71-R4300
	BM71-12-109	White	19.05	76.20	17.78	52.07	76.20	1000	Communications Cables; Power and Ground Cables	M71-R4300
	M71-36-109	White	44.45	28.58	44.45	28.58	28.58	250	Cable Labels	M71-R4300
B-145: Polyethylene Tag										
	M71-111-145-GY	Grey	30.63	19.25	19.25	30.63	58.72	100	Cable Labels	M71-R6000HF
	M71-111-145-FR-GY	Grey	30.63	19.25	19.25	30.63	58.72	100	Cable Labels	M71-R6000HF
	BM71-111-145-GY	Grey	30.63	19.25	19.25	30.63	58.72	1000	Cable Labels	M71-R6000HF
	M71-110-145-GY	Grey	44.45	25.40	44.45	25.40	69.85	100	Cable Labels	M71-R6000HF
	M71-110-145-FR-GY	Grey	44.45	25.40	44.45	25.40	69.85	100	Cable Labels	M71-R6000HF
	BM71-110-145-GY	Grey	44.45	25.40	44.45	25.40	69.85	1000	Cable Labels	M71-R6000HF

Did You Know? - TECHNICAL DATA SHEETS

Looking for more information regarding a certain Brady material?

Brady offers online access to Technical Data Sheets for all Brady materials.

View a specific B-Number or search by relevant keywords.

Visit www.bradyeurope.com/tds for more information




i Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.

WORKSTATION LABELS



- A variety of durable and resistant materials to label your workstation.

Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	For Data Cables Sized to Fit	Printer Ribbon Series
B-412: Polypropylene Tag								
⊗	M71-40-412	White	49.23	9.53	9.53	750	Desi-Strip Inserts	M71-R6200
⊗	BM71-40-412	White	49.23	9.53	9.53	5000	Desi-Strip Inserts	M71-R6200
B-422: Polyester								
▲	M71-45-422	White	38.10	9.53	12.70	500	Location Identification	M71-R6000HF
B-430: Polyester								
▲	M71-68-430	Clear	6.10	3.81	9.53	750	Siemens Faceplates	M71-R6000HF
▲	M71-71-430	Clear	8.89	5.08	9.53	750	Siemens Faceplates	M71-R6000HF
▲	M71-16-430	Clear	25.40	9.53	12.70	500	Location Identification; 1-4 Outlet Faceplates	M71-R6000HF
▲	M71-17-430	Clear	25.40	12.70	15.88	500	Location Identification; 1-4 Outlet Faceplates	M71-R6000HF
▲	M71-45-430	Clear	38.10	9.53	12.70	500	Location Identification	M71-R6000HF




PATCH PANEL IDENTIFICATION



- These tags and labels are designed to be printed, cut to length and act as a slide-in strip for voice/data patch panel inserts. Offers high print legibility and high tensile strength.

Diagram	Order Reference	Colour	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Labels per Cartridge/Roll	Printer Ribbon Series
B-412: Polypropylene Tag							
⊙	M71C-230-412	White	5.84	–	15.24 m	1	M71-R6200
⊙	M71C-375-412	White	9.53	–	15.24 m	1	M71-R6200
⊙	M71C-500-412	White	12.70	–	15.24 m	1	M71-R6200
⊙	M71C-475-412	White	12.70	–	15.24 m	1	M71-R6200
⊙	M71C-625-412	White	15.88	–	15.24 m	1	M71-R6200
⊙	M71C-785-412	White	19.94	–	15.24 m	1	M71-R6200
B-422: Polyester							
⊙	M71C-375-422	White	9.53	–	15.24 m	1	M71-R6000HF
⊙	M71C-500-422	White	12.70	–	15.24 m	1	M71-R6000HF
B-423: Polyester							
▲	M71-10-423	White	19.05	6.35	–	750	M71-R6000HF
B-430: Polyester							
⊙	M71C-375-430	Clear	9.53	–	15.24 m	1	M71-R6000HF
⊙	M71C-500-430	Clear	12.70	–	15.24 m	1	M71-R6000HF



i Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.

RACKS, PANELS & GENERAL DATACOM ID



- Durable materials with permanent adhesive in a variety of sizes for marking racks, bays, frames, slots, and other voice/data equipment.




Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-412: Polypropylene Tag									
⊙	M71C-230-412	White	Matt	5.84	–	15.24 m	–	1	M71-R6200
⊙	M71C-375-412	White	Matt	9.53	–	15.24 m	–	1	M71-R6200
⊙	M71C-500-412	White	Matt	12.70	–	15.24 m	–	1	M71-R6200
⊙	M71C-785-412	White	Matt	19.94	–	15.24 m	–	1	M71-R6200
B-422: Polyester									
▲	BM71-20-422	White	Gloss	25.40	50.80	–	53.98	1000	M71-R6000HF
▲	M71-37-422	White	Gloss	76.20	48.26	–	79.38	100	M71-R6000HF
⊙	M71C-375-422	White	Gloss	9.53	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-422	White	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-422	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
B-423: Polyester									
▲	M71-2-423	White	Gloss	6.35	50.80	–	53.98	100	M71-R6000HF
▲	M71-15-423	White	Gloss	25.40	6.99	–	10.16	750	M71-R6000HF
▲	M71-16-423	White	Gloss	25.40	9.53	–	12.70	500	M71-R6000HF
▲	M71-17-423	White	Gloss	25.40	12.70	–	15.88	500	M71-R6000HF
▲	M71-20-423	White	Gloss	25.40	50.80	–	53.98	100	M71-R6000HF
▲	M71-26-423	White	Gloss	31.75	69.85	–	73.03	100	M71-R6000HF
▲	M71-29-423	White	Gloss	38.10	12.70	–	15.88	500	M71-R6000HF
▲	M71-38-423	White	Gloss	48.26	101.60	–	104.78	100	M71-R6000HF
▲	M71-37-423	White	Gloss	76.20	48.26	–	79.38	100	M71-R6000HF
B-430: Polyester									
⊙	M71C-375-430	Clear	Gloss	9.53	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-500-430	Clear	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-430	Clear	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
B-483: Polyester									
▲	M71-61-483	White	Gloss	12.70	50.80	–	53.98	100	M71-R6000HF
▲	M71-20-483	White	Gloss	25.40	50.80	–	53.98	100	M71-R6000HF
▲	M71-23-483	White	Gloss	25.40	101.60	–	104.78	100	M71-R6000HF
▲	M71-65-483	White	Gloss	34.93	25.40	–	28.58	250	M71-R6000HF
▲	M71-30-483	White	Gloss	38.10	19.05	–	22.23	250	M71-R6000HF
▲	M71-31-483	White	Gloss	38.10	25.40	–	28.58	250	M71-R6000HF
▲	M71-38-483	White	Gloss	48.26	101.60	–	104.78	100	M71-R6000HF
▲	M71-37-483	White	Gloss	76.20	48.26	–	79.38	100	M71-R6000HF
⊙	M71C-500-483	White	Gloss	12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-483	White	Gloss	25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1900-483	White	Gloss	48.26	–	15.24 m	–	1	M71-R6000HF



BULK PACKAGING


Bulk labels are designed for the BMP™71 Label Printer as a cost-effective solution for high volume labelling needs. Order references beginning with “B” indicate bulk rolls.



Order references with “C” (e.g. M71C) indicate continuous. Order references beginning with “B” indicate bulk rolls.



THERMAL TRANSFER PRINTABLE PRODUCTS CIRCUIT BOARD PROCESS CHART



	Through Hole Technology		Surface Mount Technology (SMT)	
	Top	Bottom	Top or Bottom	After Process
B-717, B-718, B-724, B-727	Yes	Yes	Yes	Yes
B-423, B-428, B-459, B-473, B-498*	Yes*	No	No	Yes

*In extreme high temperature, testing of this material is recommended



POLYIMIDE LABELS

- Various types of high resistant polyimide materials for relays, solenoids, PCB's, electronic components and more.




Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-717: Polyimide								
▲	M71-2-717	White	Gloss	6.35	50.80	53.98	100	M71-R6000HF
▲	M71-14-717	White	Gloss	25.40	4.75	8.26	750	M71-R6000HF
B-718: Polyimide								
▲	M71-4-718	White	Gloss	10.16	10.16	13.34	500	M71-R6000HF
▲	M71-9-718	White	Gloss	16.51	5.08	8.26	750	M71-R6000HF
▲	M71-25-718	White	Gloss	31.75	6.35	9.53	750	M71-R6000HF
B-724: Polyimide								
▲	M71-9-724	Amber	Matt	16.51	5.08	8.26	750	M71-R4300
▲	M71-13-724	Amber	Matt	22.86	6.35	9.53	750	M71-R4300
▲	M71-16-724	Amber	Matt	25.40	9.53	12.70	500	M71-R4300
▲	M71-17-724	Amber	Matt	25.40	12.70	15.88	500	M71-R4300
▲	M71-28-724	Amber	Matt	38.10	6.35	9.53	750	M71-R4300
B-727: Polyimide								
▲	M71-10-727	White	Gloss	19.05	6.35	9.53	750	M71-R6000HF
▲	M71-16-727	White	Gloss	25.40	9.53	12.70	500	M71-R6000HF



VINYL CLOTH LABELS

- Repositionable vinyl cloth label for Circuit Board and Component marking. It offers excellent holding power, while easily being repositioned and removed.




Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-498: Vinyl Cloth								
▲	M71-16-498	White	Semi-gloss	9.53	25.40	12.70	500	M71-R6200
▲	M71-7-498	White	Semi-gloss	12.70	12.70	15.88	500	M71-R6200
▲	M71-10-498	White	Semi-gloss	19.05	6.35	9.53	750	M71-R6200
▲	M71-17-498	White	Semi-gloss	25.40	12.70	15.88	500	M71-R6200
▲	M71-29-498	White	Semi-gloss	38.10	12.70	15.88	500	M71-R6200
▲	M71-32-498	White	Semi-gloss	38.10	38.10	41.28	250	M71-R6200
▲	BM71-29-498	White	Semi-gloss	38.10	12.70	15.88	5000	M71-R6200



Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.

POLYESTER LABELS

- Various types of high resistant polyester materials for relays, solenoids, PCB's, electronic components and more.





Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-423: Polyester									
▲	M71-1-423	White	Gloss	6.35	6.35		9.53	750	M71-R6000HF
▲	M71-2-423	White	Gloss	6.35	50.80		53.98	100	M71-R6000HF
▲	M71-3-423	White	Gloss	9.53	9.53		12.70	500	M71-R6000HF
▲	M71-4-423	White	Gloss	10.16	10.16		13.34	500	M71-R6000HF
▲	M71-5-423	White	Gloss	12.70	5.08		8.26	750	M71-R6000HF
▲	M71-6-423	White	Gloss	12.70	6.99		10.16	750	M71-R6000HF
▲	M71-7-423	White	Gloss	12.70	12.70		15.88	500	M71-R6000HF
▲	BM71-7-423	White	Gloss	12.70	12.70		15.88	5000	M71-R6000HF
◎	M71C-500-423	White	Gloss	12.70	-	15.24 m	-	1	M71-R6000HF
▲	M71-9-423	White	Gloss	16.51	5.08		8.26	750	M71-R6000HF
▲	M71-10-423	White	Gloss	19.05	6.35		9.53	750	M71-R6000HF
▲	M71-13-423	White	Gloss	22.86	6.35		9.53	750	M71-R6000HF
▲	M71-14-423	White	Gloss	25.40	4.75		8.26	750	M71-R6000HF
▲	M71-15-423	White	Gloss	25.40	6.99		10.16	750	M71-R6000HF
▲	M71-20-423	White	Gloss	25.40	50.80		53.98	100	M71-R6000HF
▲	BM71-17-423	White	Gloss	25.40	12.70		15.88	5000	M71-R6000HF
▲	BM71-20-423	White	Gloss	25.40	50.80		53.98	1000	M71-R6000HF
▲	BM71-16-423	White	Gloss	25.40	9.53		12.70	5000	M71-R6000HF
▲	BM71-19-423	White	Gloss	25.40	25.40		28.58	2500	M71-R6000HF
▲	M71-16-423	White	Gloss	25.40	9.53		12.70	500	M71-R6000HF
▲	M71-17-423	White	Gloss	25.40	12.70		15.88	500	M71-R6000HF
▲	M71-19-423	White	Gloss	25.40	25.40		28.58	250	M71-R6000HF
▲	M71-25-423	White	Gloss	31.75	6.35		9.53	750	M71-R6000HF
▲	M71-26-423	White	Gloss	31.75	69.85		73.03	100	M71-R6000HF
▲	M71-27-423	White	Gloss	38.10	3.18		6.35	750	M71-R6000HF
▲	M71-28-423	White	Gloss	38.10	6.35		9.53	750	M71-R6000HF
▲	M71-29-423	White	Gloss	38.10	12.70		15.88	500	M71-R6000HF
▲	BM71-29-423	White	Gloss	38.10	12.70		15.88	5000	M71-R6000HF
▲	M71-38-423	White	Gloss	48.26	101.60		104.78	100	M71-R6000HF
▲	M71-37-423	White	Gloss	76.20	48.26		79.38	100	M71-R6000HF
B-428: Metallised Polyester									
▲	M71-15-428	Silver	Matt	25.40	6.99		10.16	750	M71-R4300
▲	M71-17-428	Silver	Matt	25.40	12.70		15.88	500	M71-R4300
B-459: Polyester									
▲	M71-20-459	White	Matt	25.40	50.80		53.98	100	M71-R6000HF
▲	M71-29-459	White	Matt	38.10	12.70		15.88	500	M71-R6000HF
▲	M71-30-459	White	Matt	38.10	19.05		22.23	250	M71-R6000HF
B-473: Static Dissipative Polyester									
▲	M71-6-473	White	Gloss	12.70	6.99		10.16	750	M71-R6000HF
▲	M71-9-473	White	Gloss	16.51	5.08		8.26	750	M71-R6000HF
▲	M71-10-473	White	Gloss	19.05	6.35		9.53	750	M71-R6000HF
▲	M71-16-473	White	Gloss	25.40	9.53		12.70	500	M71-R6000HF
▲	M71-17-473	White	Gloss	25.40	12.70		15.88	500	M71-R6000HF
▶	M71-28-473	White	Gloss	38.10	6.35		9.53	750	M71-R6000HF



CUSTOM LABELS

Custom labels are also available. Contact your local Brady Distributor or Brady Customer Service for ordering information.



Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.


Security Identification Labels



SECURITY IDENTIFICATION LABELS

- Tamper-resistant tape destructs into tiny fragments when being removed, makes any attempts to remove the label very difficult and time consuming.

Diagram	Order Reference	Colour	Finish	Label Width A (mm)	Label Height B (mm)	Label Length B (m)	Vertical Repeat D (mm)	Labels per Cartridge/Roll	Printer Ribbon Series
B-351: Tamper-resistant Vinyl									
▲	M71-17-351	White	Matt	25.40	12.70	15.88	500	M71-R6000HF	
▲	M71-20-351	White	Matt	25.40	50.80	53.98	100	M71-R6000HF	
▲	M71-31-351	White	Matt	38.10	25.40	28.58	250	M71-R6000HF	
▲	M71-37-351	White	Matt	76.20	48.26	79.38	100	M71-R6000HF	
B-530: Tamper-resistant Vinyl									
⊙	M71C-500-530	White		12.70	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-1000-530	White		25.40	–	15.24 m	–	1	M71-R6000HF
⊙	M71C-2000-530	White		50.80	–	15.24 m	–	1	M71-R6000HF
B-352: Tamper-resistant Metallised Vinyl									
▲	M71-20-352	Silver	Matt	25.40	50.80	53.98	100	M71-R6000HF	
▲	M71-17-352	Silver	Matt	25.40	12.70	15.88	500	M71-R6000HF	
▲	M71-31-352	Silver	Matt	38.10	25.40	28.58	250	M71-R6000HF	
▲	M71-37-352	Silver	Matt	76.20	48.26	79.38	100	M71-R6000HF	



Laboratory Identification

- F** Freezer environment **A** Autoclave environment **S** Self-laminating label **R** Removable
N Liquid nitrogen environment **H** Hot water bath (100°C) **L** Low-profile (extremely thin) label



SELF-LAMINATING LABELS

- B-427 Vinyl: excellent abrasion and smudge resistance
- B-461 Polyester: resistant to extreme temperatures (-196°C to 130°C)




Diagram	Order Reference	Special Properties	Label Width A (mm)	Label Height B (mm)	Printable Label Width (mm)	Printable Label Height (mm)	Labels/Package	Application	Vial/Tube (ml)	Straw Size	Printer Ribbon Series
B-427: Self-laminating Vinyl											
▶	M71-19-427-YL	F N S	25.40	25.40	25.40	9.53	250	Straws & Rods	0.25	0.25 ml Straw	M71-R4300
▶	M71-19-427	F N S	25.40	25.40	25.40	9.53	250	Straws & Rods	0.25	0.25 ml Straw	M71-R4300
▶	BM71-19-427	F N S	25.40	25.40	25.40	9.53	2500	Straws & Rods	0.25	0.25 ml Straw	M71-R4300
▶	BM71-21-427	F N S	25.40	63.50	25.40	19.05	1000	Straws & Rods	0.50	0.50 ml Straw	M71-R4300
▶	M71-21-427-YL	F N S	25.40	63.50	25.40	19.05	100	Straws & Rods	0.50	0.50 ml Straw	M71-R4300
▶	M71-21-427	F N S	25.40	63.50	25.40	19.05	100	Straws & Rods	0.50	0.50 ml Straw	M71-R4300
▶	BM71-30-427	F N S	19.05	38.10	19.05	12.70	2500	Bottles, Flasks & Dishes; Conical & Large Tubes	50.00	–	M71-R4300
▶	M71-30-427-AW	F N S	38.10	19.05	38.10	19.05	250	Conical & Large Tubes; Bottles, Flasks & Dishes; Well Plates	50.00	–	M71-R4300
B-461: Self-laminating Polyester											
▶	M71-19-461	F N A H S L	25.40	25.40	25.40	9.53	250	Straws & Rods	0.25	0.25 ml Straw	M71-R4300
▶	M71-73-461	F N A H S L	9.53	45.72	9.53	19.05	250	Centrifuge, Eppendorf & PCR Tubes; Vials & Tubes	0.50 - 0.7	–	M71-R6200
◊	M71-116-461	F A H S L	15.24	41.28	15.24	30.00	150	Conical & Large Tubes; Vials & Tubes; Vial Tops	1.00 - 2.0	–	M71-R6200
▶	M71-100-461	F N A H S L	15.24	38.10	15.24	33.00	500	Conical & Large Tubes; Vials & Tubes	1.00 - 2.0	–	M71-R6200
▶	M71-101-461	F A H S L	40.00	15.00	30.00	15.00	250	Conical & Large Tubes; Vials & Tubes; Vial Tops	1.00 - 2.0	–	M71-R6200
▶	M71-106-461	F N A H S L	25.40	44.45	25.40	25.40	250	Vials & Tubes	1.00 - 2.0	–	M71-R6200
▶	BM71-75-461	F N A H S L	25.40	66.68	25.40	25.40	1000	Cryo Tubes & Vials; Conical & Large Tubes	1.00 - 8.0	–	M71-R6200
▶	M71-86-461	F N A H S L	15.24	66.68	15.24	25.40	100	Centrifuge, Eppendorf & PCR Tubes; Conical & Large Tubes; Vials & Tubes	1.00 - 8.0	–	M71-R6200
▶	M71-115-461	F N A H S L	25.40	66.68	25.40	25.40	100	Conical & Large Tubes; Vials & Tubes	1.00 - 8.0	–	M71-R6200
▶	M71-76-461	F N A H S L	15.24	41.28	15.24	25.40	500	Centrifuge, Eppendorf & PCR Tubes; Conical & Large Tubes; Vials & Tubes	1.00 - 8.0	–	M71-R6200
▶	M71-119-461	F N A H S L	15.24	48.26	15.24	40.00	500	Conical & Large Tubes; Vials & Tubes	2.00 - 4.0	–	M71-R6200
▶	M71-31-461	F N A H S L	25.40	38.10	25.40	12.70	250	Conical & Large Tubes	50.00	–	M71-R6200

*AW = All White (no transparent area)

i Order references with "C" (e.g. M71C) indicate continuous. Order references beginning with "B" indicate bulk rolls.

VINYL & NYLON CLOTH LABELS

- B-498 Vinyl Cloth: repositionable adhesive
- B-499 Nylon Cloth: high adhesion




Diagram	Order Reference	Special Properties	Label Width A (mm)	Label Height B (mm)	Diameter C (mm)	Labels/Package	Application	Vial/Tube (ml)	Printer Ribbon Series
B-498: Vinyl Cloth									
▲	M71-16-498	F R	9.53	25.40	-	500	Centrifuge, Eppendorf & PCR Tubes	0.50 - 0.7	M71-R6200
▲	BM71-11-498	F R	19.05	12.70	-	5000	Centrifuge, Eppendorf & PCR Tubes; Vials & Tubes	0.50 - 0.7	M71-R6200
▲	M71-11-498	F R	19.05	12.70	-	500	Centrifuge, Eppendorf & PCR Tubes; Vials & Tubes	0.50 - 0.7	M71-R6200
▲	M71-29-498	F R	38.10	12.70	-	500	Conical & Large Tubes; Cryo Tubes & Vials	12.00 - 24.0	M71-R6200
▲	BM71-29-498	F R	38.10	12.70	-	5000	Cryo Tubes & Vials; Conical & Large Tubes; Well Plates	12.00 - 24.0	M71-R6200
▲	M71-17-498	F R	25.40	12.70	-	500	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates; General Identification	50.00	M71-R6200
▲	M71-31-498	F R	38.10	25.40	-	250	Conical & Large Tubes; Well Plates	50.00	M71-R6200
B-499: Nylon Cloth									
▲	M71-81-499	F N A	48.26	6.35	-	750	Well Plates	-	M71-R4300
▲	M71-16-499	F N A	9.53	25.40	-	500	Centrifuge, Eppendorf & PCR Tubes	0.50 - 0.7	M71-R4300
⊗	M71-98-499	F A	25.40	9.53	9.53	500	Centrifuge, Eppendorf & PCR Tubes; Vials & Tubes; Vial Tops; Conical & Large Tubes	0.50 - 0.7	M71-R4300
▲	M71-11-499	F N A	19.05	12.70	-	500	Centrifuge, Eppendorf & PCR Tubes; Cryo Tubes & Vials; Conical & Large Tubes	0.50 - 0.7	M71-R4300
⊗	M71-82-499	F A	-	-	9.53	500	Vial Tops	0.60 - 1.5	M71-R4300
▲	M71-84-499	F N A	22.86	12.70	-	500	Centrifuge, Eppendorf & PCR Tubes; Vials & Tubes; Well Plates; Conical & Large Tubes	0.60	M71-R4300
⊗	M71-83-499	F A	-	-	12.70	500	Vial Tops	1.00 - 2.0	M71-R4300
▲	M71-78-499	F N A	48.26	25.40	-	250	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	1.00 - 8.0	M71-R4300
▲	M71-29-499	F N A	38.10	12.70	-	500	Conical & Large Tubes; Cryo Tubes & Vials; Bottles, Flasks & Dishes; Well Plates	12.00 - 24.0	M71-R4300
▲	M71-30-499	F N A	38.10	19.05	-	250	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	50.00	M71-R4300
▲	M71-31-499	F N A	38.10	25.40	-	250	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	50.00	M71-R4300

POLYESTER LABELS

- B-423 Glossy White Polyester
- B-430 Glossy Clear Polyester
- B-488 Matt White Polyester




Diagram	Order Reference	Special Properties	Label Width A (mm)	Label Height B (mm)	Labels/Package	Application	Printer Ribbon Series
B-423: Polyester							
▲	M71-2-423	F A H	6.35	50.80	100	Well Plates	M71-R6000HF
▲	M71-7-423	F A H	12.70	12.70	500	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	M71-R6000HF
▲	BM71-7-423	F A H	12.70	12.70	5000	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	M71-R6000HF
▲	M71-14-423	F A H	25.40	4.75	750	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	M71-R6000HF
▲	M71-15-423	F A H	25.40	6.99	750	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	M71-R6000HF
▲	M71-17-423	F A H	25.40	12.70	500	Bottles, Flasks & Dishes; Conical & Large Tubes; Well Plates	M71-R6000HF
▲	M71-20-423	F A H	25.40	50.80	100	Bottles, Flasks & Dishes; Conical & Large Tubes	M71-R6000HF
▲	BM71-20-423	F A H	25.40	50.80	1000	Bottles, Flasks & Dishes; Conical & Large Tubes	M71-R6000HF
▲	M71-22-423	F A H	25.40	76.20	100	Bottles, Flasks & Dishes; Conical & Large Tubes	M71-R6000HF
▲	M71-31-423	F A H	38.10	25.40	250	Bottles, Flasks & Dishes; Conical & Large Tubes	M71-R6000HF
B-430: Polyester							
⊙	M71C-500-430	F A H	12.70	-	1	Bottles, Flasks & Dishes; General Identification; Well Plates	M71-R6000HF
▲	M71-17-430	F A H	25.40	12.70	500	General Identification; Well Plates	M71-R6000HF
B-488: Polyester							
▲	M71-80-488	F A	19.05	22.86	250	Slides	M71-R4300
▲	M71-97-488	F A	22.86	22.86	250	Slides	M71-R4300
▲	M71-81-488	F A	48.26	6.35	750	Well Plates	M71-R4300

Brady Corporation

Our mission is To Identify and Protect People, Products and Places



COMPANY OVERVIEW

BRADY was founded in 1914 in Eau Claire, Wisconsin, as W.H. BRADY Co., and renamed BRADY Corporation in 1998. The company began selling products internationally in 1947. In 1984, BRADY went public, with stock trading on the Nasdaq Stock Market, and in 1999, moved trading of its stock to the New York Stock Exchange, where it trades under the symbol BRC. The company's global headquarters is in Milwaukee, Wisconsin.

BRADY MANUFACTURES AND MARKETS:

- products for identification and safety applications such as signs and markers, printing systems and software to produce identification products on-site and on demand
- products for wire identification, including labelling materials and tools for wire and cable marking in the electrical, datacom and telecommunication markets
- high-performance identification products, including labels and signs that remain legible and highly adhesive even in harsh environments
- products that identify people and enhance security by ensuring the right persons are in the right places at the right time

OPERATIONS – SOME FACTS:

- 6500 employees around the world
- Operations in 29 countries
- Distribution in more than 100 countries through more than 4,400 distributor partners



BRADY Africa

361 Olympic Duel,
Northlands Business Park
Newmarket Road
Randburg
Tel: +27 11 704 3295
Fax: +27 86 501 7775

BRADY Benelux

Industriepark C/3
Lindestraat 20
9240 Zele, Belgium
Tel. +32 (0) 52 45 78 11
Fax +32 (0) 52 45 78 12

BRADY Central & Eastern Europe

Na Pántoch 18
831 06 Bratislava, Slovakia
Tel. +421 2 3300 4800
Fax +421 2 3300 4801

BRADY Denmark

Svendborgvej 39D
5260 Odense S
Tel. +45 66 14 44 00
Fax +45 66 14 44 50

BRADY France

Parc EURO CIT
45, avenue de l'Europe
59436 Roncq Cedex
Tel. +33 (0) 3 20 01 08 70
Fax +33 (0) 3 20 01 08 76

BRADY Germany

Brady-Straße 1
63329 Egelsbach
Tel. +49 (0) 6103 7598 660
Fax +49 (0) 6103 7598 670

BRADY Hungary

Puskás Tivadar u. 4.
2040 Budaörs
Tel. +36 23 500 275
Fax +36 23 500 276

BRADY Italy

Via Degli Abeti 44
20064 Gorgonzola (MI)
Tel: +39 02 26 00 00 22
Fax: +39 02 25 75 351

BRADY Middle East FZE

PO BOX 18015
Jebel Ali, Dubai, UAE
Tel. +971 4881 2524
Fax +971 4881 3183

BRADY Norway

Kjeller Vest 2
2007 Kjeller
Tel. +47 70 13 40 00
Fax +47 70 13 40 01

BRADY Romania

World Trade Center
Piata Montreal, nr 10
Intrarea F, Etajul 1, Birou 1.16,
Sector 1,
Bucharest, 011469
Tel: +40 21 202 3032
Fax: +40 21 202 3100

BRADY Russia

Turgenevskaya Square
building 2, office 402
101000 Moscow
Tel: +7 495 225 93 62

BRADY Spain & Portugal

Av. Ventisquero de la condesa 13,
local 17 y 18
28035 Madrid, Spain
Tel. +34 900 902 993
Fax +34 900 902 994

BRADY Sweden

Vallgatan 5
170 67 Solna
Tel. +46 (0) 8 590 057 30
Fax +46 (0) 8 590 818 68

BRADY Turkey

Konaklar Mah. Selvili Sokak
C13 Blok No.8 Kat:3 Daire:5
34330 4.Levent-Besiktas
Istanbul
Tel. +90 212 264 02 20 / 264 02 21
Fax +90 212 270 83 19

BRADY UK & Ireland

Wildmere Industrial Estate
Banbury, Oxon – OX16 3JU, UK
Tel. +44 (0) 1295 228 288
Fax +44 (0) 1295 228 219

BRADY WORLDWIDE

Australia	612-8717-6300
Brazil	55-11-3686-4720
Canada	1-800-263-6179
China (Beijing)	86-10-6788-7799
China (Shanghai)	86-21-6886-3666
China (Wuxi)	86-510-528-2222
Hong Kong	852-2359-3149
Japan	81-45-461-3600
Korea	82-31-451-6600
Latin America	1-414-540-5560
Malaysia	60-4-646-2700
Mexico	525-399-6963
New Zealand	61-2-8717-2200
Philippines	63-2-658-2077
Singapore	65-6477-7261
Taiwan	886-3-327-7788
Thailand	66-2-793-9200
USA	1-800-537-8791

Your distributor

EUR-M-710-EN 19/05/2016



Y1165537