

Area Marking

Create a safer, more efficient workplace

About BRADY



Once you have worked with BRADY, our name will stick with you, (just like our labels) because BRADY is one of the world's leading labelling and identification specialists.

Innovative

At BRADY we continue to improve. We have many customers from all industries, and we strive to be ahead of their needs by continuing to invest in research for even more performant solutions.

By developing more user-friendly and efficient concepts, we give our thousands of customers the best in the market.

Strength

At BRADY, we believe our biggest strength is the wide range of identification and safety solutions we can offer our customers, whether it's labelling the smallest component or complete signage for an entire warehouse. We're also proud to offer many products and services - from printers, scanners and software to service contracts and on-site training - that compliment any identification job. And don't forget, our wide network of expert distributors can always offer you a tailor-made solution to meet your specific requirements.

Trust

For over a hundred years, BRADY has been connected with quality, trust and stability. We demand the best for your products and services, because we know, better than anyone, the importance of good and reliable identification. Identification looks like a small detail, but every professional knows that this kind of detail is crucial to any business.

Inform

We also have specialised dealers in your region, who can answer all your identification, safety and labelling questions, specific to your activity. They will be happy to provide you with all kinds of options and solutions with no obligation.

Microsoft is a trademark of Microsoft Corporation, Bluetooth is a trademark of Bluetooth Sig, Inc., Android is a trademark of Google Inc.



Brady products are sold on the condition that the purchaser will test them in actual use and determine for himself/herself their suitability to his/her intended purpose. Brady warrants to the purchaser that Brady products are free from defects in material and workmanship but limits its obligation under this warranty to the replacement of the product which has been shown to Brady's satisfaction to have been defective at the time of its purchase.

The warranty does not extend to any persons who have acquired the product from the purchaser. It is in lieu of any other warranty, including every warranty of sale-ability, marketability or suitability for the intended purpose, and is also in lieu of any other obligation or liability on the part of Brady.

Under no circumstances will Brady be liable for losses, damage, costs or subsequent damage of whatever nature which may arise in connection with the use of, or inability to use, Brady's products.

Area Marking: why?

Floor marking plays an important role in creating and maintaining a safer, leaner and more efficient facility.

Creating a totally safe work environment requires several elements: clear signage and lockout tagout procedures are essential but should be complimented by clear area marking. Brady offers a complete range of additional marking methods to ensure that floor areas, steps, railings and other relevant areas can be identified as danger zones.

Brady will help you find the solution that works best for your environment!

By using a standard colour-coding for floor tape and paint, you can easily warn workers at-a-glance of hazardous areas, equipment for forklift traffic paths. Workplace safety is improved when employees are visually aware of unsafe areas that should be kept clear, items are stored in their designated areas to reduce trip hazards, safe walking paths are marked, and exit routes are clearly marked.

Brady will help you find the solution that works best for your environment!!




Floor marking tape



Paintstripe & floor marking area



Photoluminescent area marking



Anti-skid products



TABLE OF CONTENTS

- 4 Compliance
- 6 ToughStripe Max
- 9 ToughStripe
- 17 ToughStripe Cold
- 18 Floor Signs
- 19 Area marking tape
- 20 Floor marking paint
- 21 PaintStripe
- 22 Photoluminescent area marking
- 26 Anti-skid products
- 27 Barricade & underground tapes
- 28 Warning posts & chains
- 30 Floor stands
- 31 Safety bumpers



Warning posts & chains



Barricade tape

Compliance

Floor marking can support compliance with European Union laws & regulations. In EU Directive Annexes, colour codes are mentioned for a number of floor marking applications.

Directive 92/58/EEC Minimum requirements for the provision of safety and /or health signs at work

The directive includes that employers shall provide safety and/or health signs where hazards cannot be avoided or adequately reduced by techniques for collective protection or measures, methods or procedures used in the organisation of work.

Effective floor marking: 9 tips



1. Use as few colours as possible.



2. Colour-code work cell and equipment borders.



3. Colour-code material storage areas.



4. Colour-code non-material storage fixtures.



5. Colour-code areas to be kept clear for safety and compliance.



6. Colour-code areas in front of electrical panels.



7. Colour-code operational "keep clear" areas.




8. Colour-code hazardous areas or equipment.



9. Mark means of egress.

ToughStripe™ Floor Tape Adhesion Rates



Request a sample to try ToughStripe in your own environment, visit www.bradyeurope.com/ToughStripe

- ▶ ToughStripe is the ideal floor marking tape in a lean environment where the regular application and replacement of floor marking is crucial.

Superior durability

Spend less time replacing damaged or worn lines for a better looking, more efficient facility.

- Withstands forklift traffic without tearing or lifting
- Low profile design minimises tears and scratches from skids, pallet jacks, etc.
- Rugged polyester with ultra aggressive adhesive



High visibility

Get the same visibility of painted floor markings – and pay less.

- High gloss surface shines like new paint
- Low-profile minimises debris build-up along the edges that occurs with thicker (extruded) floor tapes
- Surface resists marks and smudges and cleans up like new
- Available in a variety of high impact colours



Painless Removal


Easily remove floor markings without damaging the floor or leaving adhesive residue.

- Does not chip and flake when being removed - comes off in one piece
- Clean removal without any unsightly adhesive residue or damage to the floor

Easy application

Quickly lay down smooth, straight lines – without the help of co-workers.

- Can be easily applied by one person working alone
- Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy uneven lines
- No special floor preparation required – just clean with common detergents
- For maximum performance, apply ToughStripe Floor Marking products to flat, non-coated concrete



Die-Cut shapes

Use different shapes, colours and sizes for more effective, durable floor markings.

- Dashes, dots, arrows, footprints, numbers, letters and corner marks (L,T and shapes)
- Longer lasting markings – Minimises the risk of damage and facilitates fast repair
- Selected dashes, dots and arrows are pre-spaced on transfer tape, making it incredibly easy to lay down straight evenly spaced lines



Floor marking tapes



| Best | Better | Good | Economy | Other |
|--|---|--|--|---|
| ToughStripe Max | ToughStripe | GuideStripe | Aisle marking tape | ToughStripe Cold |
| B-543 | ToughStripe | | B-726 | B-505 |
| Vinyl | Polyester | Vinyl | Vinyl | Polyester |
| 1 length, 3 widths, 10 colours, 7 shapes | 1 length, 3 widths, 19 colours, 12 shapes | 1 length, 3 widths, 11 colours, 1 shape (optional other shapes) | 1 length, 2 widths, 6 colours, 1 shape | 1 length, 3 widths, 9 colours |
| Applications | | | | |
| Permanent application | Permanent application | Semi-temporary application | Short term application | Refrigerator |
| Regular foot traffic | Regular foot traffic | Regular foot traffic | Marking out pedestrian lanes | Freezer floor marking |
| Heavy foot traffic | Heavy foot traffic | B-3 | | Light industrial traffic |
| Light industrial traffic | Light industrial traffic | | | |
| Industrial traffic | | | | |
| Key features | | | | |
| <ul style="list-style-type: none"> Highly resistant to specific hazards Powerful adhesive Can resist light industrial vehicle traffic Easy application Long lifespan Extremely durable | <ul style="list-style-type: none"> Strong material, no stretching Powerful adhesive Can resist very light industrial traffic Long lifespan Widest range on sizes, shapes and colour Excellent in LEAN applications Easy to clean | <ul style="list-style-type: none"> Good permanent adhesive Flexible material can conform to irregular, smooth or rough surfaces Perfect for semi-temporary marking For aisle marking Good for LEAN/5S application | <ul style="list-style-type: none"> Good adhesive Most cost effective Perfect for short term marking | <ul style="list-style-type: none"> Suitable for cold surfaces Applied at -17.7 °C Aggressive adhesive performance Easy installation and removal Withstands heavy foot traffic and medium vehicle traffic Great for organisation within large cold storage areas |

ToughStripe Max - Floor Marking Tape

B-543 Floor marking vinyl


- 1.27 mm mm thickness
- Service temperature range of -18 °C to 60 °C
- Application conditions: min. 10 °C, dry floor
- Not recommended for outdoor use
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22



| Order Ref. | Width (mm) | Length (m) | Colour |
|------------|------------|------------|-----------------|
| 149636 | 76.20 | 30.48 m | Yellow |
| 149637 | 76.20 | 30.48 m | Black, Yellow |
| 149638 | 76.20 | 30.48 m | Blue |
| 149639 | 76.20 | 30.48 m | Green |
| 149640 | 76.20 | 30.48 m | White |
| 149641 | 76.20 | 30.48 m | Red |
| 149642 | 76.20 | 30.48 m | Orange |
| 170028 | 76.20 | 30.48 m | Purple |
| 170036 | 76.20 | 30.48 m | Grey |
| 170042 | 76.20 | 30.48 m | Brown |
| 170047 | 76.20 | 30.48 m | Black |
| 170053 | 76.20 | 30.48 m | Black, White |
| 170059 | 76.20 | 30.48 m | Green, White |
| 170066 | 76.20 | 30.48 m | Magenta, Yellow |
| 170072 | 76.20 | 30.48 m | Red, White |
| 170077 | 76.20 | 30.48 m | Blue, White |
| 170084 | 76.20 | 30.48 m | Black, Orange |
| 170091 | 76.20 | 30.48 m | Blue, Yellow |
| 170097 | 76.20 | 30.48 m | Red, Yellow |
| 149629 | 50.80 | 30.48 m | Yellow |
| 149630 | 50.80 | 30.48 m | Black, Yellow |
| 149631 | 50.80 | 30.48 m | Blue |
| 149632 | 50.80 | 30.48 m | Green |
| 149633 | 50.80 | 30.48 m | White |
| 149634 | 50.80 | 30.48 m | Red |
| 149635 | 50.80 | 30.48 m | Orange |
| 170006 | 50.80 | 30.48 m | Purple |
| 170033 | 50.80 | 30.48 m | Grey |

| Order Ref. | Width (mm) | Length (m) | Colour |
|------------|------------|------------|-----------------|
| 170040 | 50.80 | 30.48 m | Brown |
| 170045 | 50.80 | 30.48 m | Black |
| 170051 | 50.80 | 30.48 m | Black, White |
| 170057 | 50.80 | 30.48 m | Green, White |
| 170063 | 50.80 | 30.48 m | Magenta, Yellow |
| 170070 | 50.80 | 30.48 m | Red, White |
| 170075 | 50.80 | 30.48 m | Blue, White |
| 170081 | 50.80 | 30.48 m | Black, Orange |
| 170089 | 50.80 | 30.48 m | Blue, Yellow |
| 170095 | 50.80 | 30.48 m | Red, Yellow |
| 149643 | 101.60 | 30.48 m | Yellow |
| 149644 | 101.60 | 30.48 m | Black, Yellow |
| 149645 | 101.60 | 30.48 m | Blue |
| 149646 | 101.60 | 30.48 m | Green |
| 149647 | 101.60 | 30.48 m | White |
| 149648 | 101.60 | 30.48 m | Red |
| 170030 | 101.60 | 30.48 m | Purple |
| 170032 | 101.60 | 30.48 m | Orange |
| 170038 | 101.60 | 30.48 m | Grey |
| 170044 | 101.60 | 30.48 m | Brown |
| 170049 | 101.60 | 30.48 m | Black |
| 170055 | 101.60 | 30.48 m | Black, White |
| 170061 | 101.60 | 30.48 m | Green, White |
| 170068 | 101.60 | 30.48 m | Magenta, Yellow |
| 170074 | 101.60 | 30.48 m | Red, White |
| 170079 | 101.60 | 30.48 m | Blue, White |
| 170086 | 101.60 | 30.48 m | Black, Orange |
| 170093 | 101.60 | 30.48 m | Blue, Yellow |

B-543 Dots - 350 / roll



| Order Ref. | Diameter (mm) | Colour |
|------------|---------------|--------|
| 170071 | 88.90 | Black |
| 170073 | 88.90 | Blue |
| 170076 | 88.90 | Green |
| 170078 | 88.90 | Red |
| 170080 | 88.90 | White |
| 170082 | 88.90 | Yellow |

B-543 Footprints 10 /package



| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|--------|
| 170083 | 101.60 | 254.00 | Black |
| 170085 | 101.60 | 254.00 | Blue |
| 170087 | 101.60 | 254.00 | Green |
| 170088 | 101.60 | 254.00 | Red |
| 170090 | 101.60 | 254.00 | White |
| 170092 | 101.60 | 254.00 | Yellow |

B-543 Centre marks - “+” 20 / package



| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|--------|
| 170009 | 50.80 | 127.00 | Black |
| 170012 | 50.80 | 127.00 | Blue |
| 170015 | 50.80 | 127.00 | Green |
| 170018 | 50.80 | 127.00 | Red |
| 170021 | 50.80 | 127.00 | White |
| 170024 | 50.80 | 127.00 | Yellow |
| 170010 | 76.20 | 203.20 | Black |
| 170013 | 76.20 | 203.20 | Blue |
| 170016 | 76.20 | 203.20 | Green |
| 170019 | 76.20 | 203.20 | Red |
| 170022 | 76.20 | 203.20 | White |
| 170025 | 76.20 | 203.20 | Yellow |
| 170011 | 101.60 | 254.00 | Black |
| 170014 | 101.60 | 254.00 | Blue |
| 170017 | 101.60 | 254.00 | Green |
| 170020 | 101.60 | 254.00 | Red |
| 170023 | 101.60 | 254.00 | White |
| 170026 | 101.60 | 254.00 | Yellow |

B-543 Arrows - 100 / package



| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|--------|
| 170094 | 50.80 | 127.00 | Black |
| 170100 | 50.80 | 127.00 | Blue |
| 170107 | 50.80 | 127.00 | Green |
| 170113 | 50.80 | 127.00 | Red |
| 170119 | 50.80 | 127.00 | White |
| 170125 | 50.80 | 127.00 | Yellow |
| 170007 | 76.20 | 203.20 | Yellow |
| 170096 | 76.20 | 203.20 | Black |
| 170103 | 76.20 | 203.20 | Blue |
| 170109 | 76.20 | 203.20 | Green |
| 170115 | 76.20 | 203.20 | Red |
| 170121 | 76.20 | 203.20 | White |
| 170008 | 101.60 | 254.00 | Yellow |
| 170098 | 101.60 | 254.00 | Black |
| 170105 | 101.60 | 254.00 | Blue |
| 170111 | 101.60 | 254.00 | Green |
| 170117 | 101.60 | 254.00 | Red |
| 170123 | 101.60 | 254.00 | White |

**B-543 Divider marks -
“T” 20 / package**



| Order Ref. | Width (mm) | Height (mm) | Colour | |
|------------|------------|-------------|--------|--|
| 170035 | 127.00 | 127.00 | Black | |
| 170041 | 127.00 | 127.00 | Blue | |
| 170048 | 127.00 | 127.00 | Green | |
| 170054 | 127.00 | 127.00 | Red | |
| 170060 | 127.00 | 127.00 | White | |
| 170065 | 127.00 | 127.00 | Yellow | |
| 170037 | 203.20 | 203.20 | Black | |
| 170043 | 203.20 | 203.20 | Blue | |
| 170050 | 203.20 | 203.20 | Green | |
| 170056 | 203.20 | 203.20 | Red | |
| 170062 | 203.20 | 203.20 | White | |
| 170067 | 203.20 | 203.20 | Yellow | |
| 170039 | 254.00 | 254.00 | Black | |
| 170046 | 254.00 | 254.00 | Blue | |
| 170052 | 254.00 | 254.00 | Green | |
| 170058 | 254.00 | 254.00 | Red | |
| 170064 | 254.00 | 254.00 | White | |

**B-543 Corner marks -
“L” 20 / package**



| Order Ref. | Width (mm) | Height (mm) | Colour | |
|------------|------------|-------------|--------|--|
| 170029 | 127.00 | 127.00 | Yellow | |
| 170101 | 127.00 | 127.00 | Black | |
| 170106 | 127.00 | 127.00 | Blue | |
| 170112 | 127.00 | 127.00 | Green | |
| 170118 | 127.00 | 127.00 | Red | |
| 170124 | 127.00 | 127.00 | White | |
| 170031 | 203.20 | 203.20 | Yellow | |
| 170102 | 203.20 | 203.20 | Black | |
| 170108 | 203.20 | 203.20 | Blue | |
| 170114 | 203.20 | 203.20 | Green | |
| 170120 | 203.20 | 203.20 | Red | |
| 170126 | 203.20 | 203.20 | White | |
| 170027 | 254.00 | 254.00 | White | |
| 170034 | 254.00 | 254.00 | Yellow | |
| 170104 | 254.00 | 254.00 | Black | |
| 170110 | 254.00 | 254.00 | Blue | |
| 170116 | 254.00 | 254.00 | Green | |
| 170122 | 254.00 | 254.00 | Red | |

Get the Floor Marking guide



Toughstripe - Brady B-514 Floor Marking polyester

ToughStripe floor marking products are made with Brady's B-514 polyester. ToughStripe products are ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths.

- 0.2 mm thickness
- Service temperature range of -18°C to 54°C
- Application conditions: min. 5°C, dry floor
- Recommended for indoor use and dry environment
- Resistant to harsh chemicals
- Exceeds safety standards for clean, dry non-slip surfaces per OSHA 1910.22



| Order Ref. | Width (mm) | Length (m) | Colour | |
|------------|------------|------------|---------------|--|
| 104340 | 76.20 | 30.48 m | Black | |
| 104341 | 76.20 | 30.48 m | White | |
| 104342 | 76.20 | 30.48 m | Yellow | |
| 104343 | 76.20 | 30.48 m | Red | |
| 104344 | 76.20 | 30.48 m | Blue | |
| 104345 | 76.20 | 30.48 m | Green | |
| 104346 | 76.20 | 30.48 m | Orange | |
| 104347 | 76.20 | 30.48 m | Black, Yellow | |
| 104348 | 76.20 | 30.48 m | Red, White | |
| 104349 | 76.20 | 30.48 m | Black, White | |
| 121914 | 76.20 | 30.48 m | Black, White | |
| 121917 | 76.20 | 30.48 m | Red, White | |
| 132431 | 76.20 | 30.48 m | Red, Yellow | |
| 132434 | 76.20 | 30.48 m | Black, Orange | |
| 132437 | 76.20 | 30.48 m | Green, White | |
| 132440 | 76.20 | 30.48 m | Blue, Yellow | |
| 134087 | 76.20 | 30.48 m | Purple | |
| 134090 | 76.20 | 30.48 m | Brown | |
| 134093 | 76.20 | 30.48 m | Grey | |
| 104310 | 50.80 | 30.48 m | Black | |
| 104311 | 50.80 | 30.48 m | White | |
| 104312 | 50.80 | 30.48 m | Yellow | |
| 104313 | 50.80 | 30.48 m | Red | |
| 104314 | 50.80 | 30.48 m | Blue | |
| 104315 | 50.80 | 30.48 m | Green | |
| 104316 | 50.80 | 30.48 m | Orange | |
| 104317 | 50.80 | 30.48 m | Black, Yellow | |
| 104318 | 50.80 | 30.48 m | Red, White | |
| 104319 | 50.80 | 30.48 m | Black, White | |

| Order Ref. | Width (mm) | Length (m) | Colour | |
|------------|------------|------------|---------------|--|
| 121913 | 50.80 | 30.48 m | Black, White | |
| 121916 | 50.80 | 30.48 m | Red, White | |
| 132430 | 50.80 | 30.48 m | Red, Yellow | |
| 132433 | 50.80 | 30.48 m | Black, Orange | |
| 132436 | 50.80 | 30.48 m | Green, White | |
| 132439 | 50.80 | 30.48 m | Blue, Yellow | |
| 134086 | 50.80 | 30.48 m | Purple | |
| 134089 | 50.80 | 30.48 m | Brown | |
| 134092 | 50.80 | 30.48 m | Grey | |
| 104370 | 101.60 | 30.48 m | Black | |
| 104371 | 101.60 | 30.48 m | White | |
| 104372 | 101.60 | 30.48 m | Yellow | |
| 104373 | 101.60 | 30.48 m | Red | |
| 104374 | 101.60 | 30.48 m | Blue | |
| 104375 | 101.60 | 30.48 m | Green | |
| 104376 | 101.60 | 30.48 m | Orange | |
| 104377 | 101.60 | 30.48 m | Black, Yellow | |
| 104378 | 101.60 | 30.48 m | Red, White | |
| 104379 | 101.60 | 30.48 m | Black, White | |
| 121915 | 101.60 | 30.48 m | Black, White | |
| 121918 | 101.60 | 30.48 m | Red, White | |
| 132432 | 101.60 | 30.48 m | Red, Yellow | |
| 132435 | 101.60 | 30.48 m | Black, Orange | |
| 132438 | 101.60 | 30.48 m | Green, White | |
| 132441 | 101.60 | 30.48 m | Blue, Yellow | |
| 134088 | 101.60 | 30.48 m | Purple | |
| 134091 | 101.60 | 30.48 m | Brown | |
| 134094 | 101.60 | 30.48 m | Grey | |

► Custom ToughStripe tape


- Pre-printed tape with your custom message
- Die cut numbers and letters for safety, lean and other applications
- Specific die cut shape sizes
- Any colour you need, just provide a PMS number
- Striped or checkered tape available

Caution ESD area floor marking tape




| Order Ref. | Width (mm) | Length (m) | Colour | |
|------------|------------|------------|-----------------|--|
| 121364 | 50.80 | 30.48 | Black on Orange | |
| 121365 | 76.20 | 30.48 | Black on Orange | |
| 121366 | 101.60 | 30.48 | Black on Orange | |
| 121367 | 50.80 | 30.48 | Black on Yellow | |
| 121368 | 76.20 | 30.48 | Black on Yellow | |
| 121369 | 101.60 | 30.48 | Black on Yellow | |

Dots - 400 / roll



| Order Ref. | Diameter (mm) | Colour | |
|------------|---------------|--------|--|
| 104400 | 88.90 | Red | |
| 104401 | 88.90 | Green | |
| 104402 | 88.90 | Blue | |
| 104403 | 88.90 | Yellow | |
| 104404 | 88.90 | Black | |
| 104405 | 88.90 | White | |

Arrows - 100 / package



| Order Ref. | Width (mm) | Height (mm) | Colour | |
|------------|------------|-------------|--------|--|
| 104412 | 50.80 | 127.00 | Red | |
| 104413 | 50.80 | 127.00 | Green | |
| 104414 | 50.80 | 127.00 | Blue | |
| 104415 | 50.80 | 127.00 | Yellow | |
| 104416 | 50.80 | 127.00 | Black | |
| 104417 | 50.80 | 127.00 | White | |

Centre marks - “+” 20 / package




| Order Ref. | Width (mm) | Height (mm) | Colour | |
|------------|------------|-------------|--------|--|
| 104466 | 50.80 | 127.00 | Red | |
| 104467 | 50.80 | 127.00 | Green | |
| 104468 | 50.80 | 127.00 | Blue | |
| 104469 | 50.80 | 127.00 | Yellow | |
| 104470 | 50.80 | 127.00 | Black | |
| 104471 | 50.80 | 127.00 | White | |
| 104472 | 76.20 | 203.20 | Red | |
| 104473 | 76.20 | 203.20 | Green | |
| 104474 | 76.20 | 203.20 | Blue | |
| 104475 | 76.20 | 203.20 | Yellow | |
| 104476 | 76.20 | 203.20 | Black | |
| 104477 | 76.20 | 203.20 | White | |
| 104478 | 101.60 | 254.00 | Red | |
| 104479 | 101.60 | 254.00 | Green | |
| 104480 | 101.60 | 254.00 | Blue | |
| 104481 | 101.60 | 254.00 | Yellow | |
| 104482 | 101.60 | 254.00 | Black | |
| 104483 | 101.60 | 254.00 | White | |

▶ Watch the ToughStripe™ Floor Marking videos on www.bradyeurope.com/toughstripe

▶ Use ToughStripe floor marking products to mark:

- aisleways and traffic lanes
- work cell outlines
- equipment storage areas
- material storage areas
- QA inspection areas
- defects/scrap/rework areas
- “Keep clear” zones
- hazard areas

**Footprints - 10 / package
(5 Right - 5 Left)**



| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|--------|
| 104406 | 88.90 | 254.00 | Red |
| 104407 | 88.90 | 254.00 | Green |
| 104408 | 88.90 | 254.00 | Blue |
| 104409 | 88.90 | 254.00 | Yellow |
| 104410 | 88.90 | 254.00 | Black |
| 104411 | 88.90 | 254.00 | White |

**Corner marks - “L”
20 / package**



| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|--------|
| 104430 | 127.00 | 127.00 | Red |
| 104431 | 127.00 | 127.00 | Green |
| 104432 | 127.00 | 127.00 | Blue |
| 104433 | 127.00 | 127.00 | Yellow |
| 104434 | 127.00 | 127.00 | Black |
| 104435 | 127.00 | 127.00 | White |
| 104442 | 203.20 | 203.20 | Red |
| 104443 | 203.20 | 203.20 | Green |
| 104444 | 203.20 | 203.20 | Blue |
| 104445 | 203.20 | 203.20 | Yellow |
| 104446 | 203.20 | 203.20 | Black |
| 104447 | 203.20 | 203.20 | White |
| 104454 | 254.00 | 254.00 | Red |
| 104455 | 254.00 | 254.00 | Green |
| 104456 | 254.00 | 254.00 | Blue |
| 104457 | 254.00 | 254.00 | Yellow |
| 104458 | 254.00 | 254.00 | Black |
| 104459 | 254.00 | 254.00 | White |

**Divider marks - “T”
20/ package**



| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|--------|
| 104436 | 127.00 | 127.00 | Red |
| 104437 | 127.00 | 127.00 | Green |
| 104438 | 127.00 | 127.00 | Blue |
| 104439 | 127.00 | 127.00 | Yellow |
| 104440 | 127.00 | 127.00 | Black |
| 104441 | 127.00 | 127.00 | White |
| 104448 | 203.20 | 203.20 | Red |
| 104449 | 203.20 | 203.20 | Green |
| 104450 | 203.20 | 203.20 | Blue |
| 104451 | 203.20 | 203.20 | Yellow |
| 104452 | 203.20 | 203.20 | Black |
| 104453 | 203.20 | 203.20 | White |
| 104460 | 254.00 | 254.00 | Red |
| 104461 | 254.00 | 254.00 | Green |
| 104462 | 254.00 | 254.00 | Blue |
| 104463 | 254.00 | 254.00 | Yellow |
| 104464 | 254.00 | 254.00 | Black |
| 104465 | 254.00 | 254.00 | White |

Floor marking numbers & letters

- Width: 146.05 mm
- Height: 228.60 mm

| Order Ref. | Colour | |
|------------|--------|---|
| 121691 | Black | A |
| 121692 | White | A |
| 121693 | Red | A |
| 121694 | Green | A |
| 121695 | Blue | A |
| 121696 | Yellow | A |
| 121697 | Black | B |
| 121698 | White | B |
| 121699 | Red | B |
| 121700 | Green | B |
| 121701 | Blue | B |
| 121702 | Yellow | B |
| 121703 | Black | C |
| 121704 | White | C |
| 121705 | Red | C |
| 121706 | Green | C |
| 121707 | Blue | C |
| 121708 | Yellow | C |
| 121709 | Black | D |
| 121710 | White | D |
| 121711 | Red | D |
| 121712 | Green | D |
| 121713 | Blue | D |
| 121714 | Yellow | D |
| 121715 | Black | E |
| 121716 | White | E |
| 121717 | Red | E |
| 121718 | Green | E |
| 121719 | Blue | E |
| 121720 | Yellow | E |
| 121721 | Black | F |
| 121722 | White | F |
| 121723 | Red | F |
| 121724 | Green | F |
| 121725 | Blue | F |
| 121726 | Yellow | F |
| 121727 | Black | G |
| 121728 | White | G |
| 121729 | Red | G |
| 121730 | Green | G |
| 121731 | Blue | G |
| 121732 | Yellow | G |
| 121733 | Black | H |
| 121734 | White | H |
| 121735 | Red | H |
| 121736 | Green | H |
| 121737 | Blue | H |
| 121738 | Yellow | H |

| Order Ref. | Colour | |
|------------|--------|---|
| 121739 | Black | I |
| 121740 | White | I |
| 121741 | Red | I |
| 121742 | Green | I |
| 121743 | Blue | I |
| 121744 | Yellow | I |
| 121745 | Black | J |
| 121746 | White | J |
| 121747 | Red | J |
| 121748 | Green | J |
| 121749 | Blue | J |
| 121750 | Yellow | J |
| 121751 | Black | K |
| 121752 | White | K |
| 121753 | Red | K |
| 121754 | Green | K |
| 121755 | Blue | K |
| 121756 | Yellow | K |
| 121757 | Black | L |
| 121758 | White | L |
| 121759 | Red | L |
| 121760 | Green | L |
| 121761 | Blue | L |
| 121762 | Yellow | L |
| 121763 | Black | M |
| 121764 | White | M |
| 121765 | Red | M |
| 121766 | Green | M |
| 121767 | Blue | M |
| 121768 | Yellow | M |
| 121769 | Black | N |
| 121770 | White | N |
| 121771 | Red | N |
| 121772 | Green | N |
| 121773 | Blue | N |
| 121774 | Yellow | N |
| 121775 | Black | O |
| 121776 | White | O |
| 121777 | Red | O |
| 121778 | Green | O |
| 121779 | Blue | O |
| 121780 | Yellow | O |
| 121781 | Black | P |
| 121782 | White | P |
| 121783 | Red | P |
| 121784 | Green | P |
| 121785 | Blue | P |
| 121786 | Yellow | P |

| Order Ref. | Colour | |
|------------|--------|---|
| 121787 | Black | Q |
| 121788 | White | Q |
| 121789 | Red | Q |
| 121790 | Green | Q |
| 121791 | Blue | Q |
| 121792 | Yellow | Q |
| 121793 | Black | R |
| 121794 | White | R |
| 121795 | Red | R |
| 121796 | Green | R |
| 121797 | Blue | R |
| 121798 | Yellow | R |
| 121799 | Black | S |
| 121800 | White | S |
| 121801 | Red | S |
| 121802 | Green | S |
| 121803 | Blue | S |
| 121804 | Yellow | S |
| 121805 | Black | T |
| 121806 | White | T |
| 121807 | Red | T |
| 121808 | Green | T |
| 121809 | Blue | T |
| 121810 | Yellow | T |
| 121811 | Black | U |
| 121812 | White | U |
| 121813 | Red | U |
| 121814 | Green | U |
| 121815 | Blue | U |
| 121816 | Yellow | U |
| 121817 | Black | V |
| 121818 | White | V |
| 121819 | Red | V |
| 121820 | Green | V |
| 121821 | Blue | V |
| 121822 | Yellow | V |
| 121823 | Black | W |
| 121824 | White | W |
| 121825 | Red | W |
| 121826 | Green | W |
| 121827 | Blue | W |
| 121828 | Yellow | W |
| 121829 | Black | X |
| 121830 | White | X |
| 121831 | Red | X |
| 121832 | Green | X |
| 121833 | Blue | X |
| 121834 | Yellow | X |


| Order Ref. | Colour | |
|------------|--------|---|
| 121835 | Black | Y |
| 121836 | White | Y |
| 121837 | Red | Y |
| 121838 | Green | Y |
| 121839 | Blue | Y |
| 121840 | Yellow | Y |
| 121841 | Black | Z |
| 121842 | White | Z |
| 121843 | Red | Z |
| 121844 | Green | Z |
| 121845 | Blue | Z |
| 121846 | Yellow | Z |

Floor marking numbers & letters

- Width: 146.05 mm
- Height: 228.60 mm

| Order Ref. | Colour | | Order Ref. | Colour | | Order Ref. | Colour | |
|------------|--------|---|------------|--------|---|------------|--------|------|
| 121847 | Black | ○ | 121871 | Black | 4 | 121895 | Black | 8 |
| 121848 | White | ○ | 121872 | White | 4 | 121896 | White | 8 |
| 121849 | Red | ○ | 121873 | Red | 4 | 121897 | Red | 8 |
| 121850 | Green | ○ | 121874 | Green | 4 | 121898 | Green | 8 |
| 121851 | Blue | ○ | 121875 | Blue | 4 | 121899 | Blue | 8 |
| 121852 | Yellow | ○ | 121876 | Yellow | 4 | 121900 | Yellow | 8 |
| 121853 | Black | 1 | 121877 | Black | 5 | 121901 | Black | 9 |
| 121854 | White | 1 | 121878 | White | 5 | 121902 | White | 9 |
| 121855 | Red | 1 | 121879 | Red | 5 | 121903 | Red | 9 |
| 121856 | Green | 1 | 121880 | Green | 5 | 121904 | Green | 9 |
| 121857 | Blue | 1 | 121881 | Blue | 5 | 121905 | Blue | 9 |
| 121858 | Yellow | 1 | 121882 | Yellow | 5 | 121906 | Yellow | 9 |
| 121859 | Black | 2 | 121883 | Black | 6 | 121907 | Black | FUNC |
| 121860 | White | 2 | 121884 | White | 6 | 121908 | White | FUNC |
| 121861 | Red | 2 | 121885 | Red | 6 | 121909 | Red | FUNC |
| 121862 | Green | 2 | 121886 | Green | 6 | 121910 | Green | FUNC |
| 121863 | Blue | 2 | 121887 | Blue | 6 | 121911 | Blue | FUNC |
| 121864 | Yellow | 2 | 121888 | Yellow | 6 | 121912 | Yellow | FUNC |
| 121865 | Black | 3 | 121889 | Black | 7 | | | |
| 121866 | White | 3 | 121890 | White | 7 | | | |
| 121867 | Red | 3 | 121891 | Red | 7 | | | |
| 121868 | Green | 3 | 121892 | Green | 7 | | | |
| 121869 | Blue | 3 | 121893 | Blue | 7 | | | |
| 121870 | Yellow | 3 | 121894 | Yellow | 7 | | | |

Pre-spaced Shapes (Spaced 431,80 mm apart)



| Order Ref. | Diameter (mm) | Width (mm) | Height (mm) | Packaging | Colour | |
|------------|---------------|------------|-------------|-----------|--------|-------|
| 104526 | - | 50.80 | 127.00 | 52 | Red | ▶▶▶ |
| 104527 | - | 50.80 | 127.00 | 52 | Green | ▶▶▶ |
| 104528 | - | 50.80 | 127.00 | 52 | Blue | ▶▶▶ |
| 104529 | - | 50.80 | 127.00 | 52 | Yellow | ▶▶▶ |
| 104554 | - | 50.80 | 127.00 | 52 | Black | ▶▶▶ |
| 104555 | - | 50.80 | 127.00 | 52 | White | ▶▶▶ |
| 104556 | - | 50.80 | 203.20 | 65 | Yellow | ■ ■ ■ |
| 142177 | - | 50.80 | 203.20 | 65 | White | □ □ □ |
| 142178 | - | 50.80 | 203.20 | 65 | Black | ■ ■ ■ |
| 142180 | - | 50.80 | 203.20 | 65 | Blue | ■ ■ ■ |
| 142181 | - | 50.80 | 203.20 | 65 | Green | ■ ■ ■ |
| 104520 | 88.90 | - | - | 80 | Green | ● ● ● |
| 104521 | 88.90 | - | - | 80 | Red | ● ● ● |
| 104522 | 88.90 | - | - | 80 | White | ○ ○ ○ |
| 104523 | 88.90 | - | - | 80 | Yellow | ● ● ● |
| 104524 | 88.90 | - | - | 80 | Blue | ● ● ● |
| 104525 | 88.90 | - | - | 80 | Black | ● ● ● |

Pre-printed floor signs

ToughStripe floor signs communicate important safety and warning messages to your employees in areas with foot traffic

| Order Ref. | Diameter (mm) | Width (mm) | Height (mm) | Packaging | Colour |
|------------|---------------|------------|-------------|-----------|----------------------|
| 104501 | 431.80 | - | - | 1 | Black on Yellow |
| 104508 | 431.80 | - | - | 1 | Black, Blue on White |
| 104511 | 431.80 | - | - | 1 | Black, Red on White |
| 104512 | 431.80 | - | - | 1 | Black on Yellow |



ToughStripe - Floor Tape Applicator

Easily draw straight lines of reliable floor tapes with the ToughStripe Floor Tape Applicator to increase safety and efficiency in your facilities.

- Applies thin and temporary up to thick, heavy duty floor tapes
- Ergonomic and lightweight for comfortable use
- Winds spent floor tape liner on an extra core
- Easy to store in tight spaces
- Adjustable guide panel can allow 25 – 100 mm (1-4 inch) floor tape widths

| Article No. | Description | Quantity |
|-------------|-----------------------------------|----------|
| 150852 | ToughStripe Floor Tape Applicator | 1 |



ToughStripe for use with the M710 Label Printer

Ideal for marking aisles, passageways and storage locations.

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine

| Order Reference | Colour | Finish | Width (mm) | Length (m) | Recommended Ribbon |
|---|--------|--------|------------|------------|--------------------|
| B-483A/B-634: Polyester with Polyester Overlamine | | | | | |
| M7-1000-483-YL-KT | Yellow | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| M7-2000-483-YL-KT | Yellow | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| M7-1000-483-WT-KT | White | Gloss | 25.40 | 15.24 | R6000HF |
| M7-2000-483-WT-KT | White | Gloss | 50.80 | 15.24 | R4400-WT |
| M7-1000-483-RD-KT | Red | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| M7-2000-483-RD-KT | Red | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| M7-1000-483-OR-KT | Orange | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| M7-2000-483-OR-KT | Orange | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| M7-1000-483-GN-KT | Green | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| M7-2000-483-GN-KT | Green | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| M7-1000-483-BL-KT | Blue | Gloss | 25.40 | 15.24 | R6000HF, R4400 |
| M7-2000-483-BL-KT | Blue | Gloss | 50.80 | 15.24 | R6000HF, R4400 |
| M7-1000-483-BK-KT | Black | Gloss | 25.40 | 15.24 | R4400-WT, R6000HF |
| M7-2000-483-BK-KT | Black | Gloss | 50.80 | 15.24 | R4400-WT, R6000HF |



ToughStripe for use with the BBP35, BBP37, i3300 and S3100 label printers

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine

| Order Reference | Colour | Finish | Width (mm) | Length (m) | Recommended Ribbon |
|---|--------|--------|------------|------------|--------------------|
| B-483A/B-634: Polyester with Polyester Overlamine | | | | | |
| B30C-1125-483YL-KT | Yellow | Gloss | 28.58 | 30.48 | B30-R6000HF |
| B30C-2250-483YL-KT | Yellow | Gloss | 57.15 | 30.48 | B30-R6000HF |
| B30C-3000-483YL-KT | Yellow | Gloss | 76.20 | 30.48 | B30-R6000HF |
| B30C-4000-483YL-KT | Yellow | Gloss | 101.60 | 30.48 | B30-R6000HF |
| B30C-1125-483WT-KT | White | Gloss | 28.58 | 30.48 | B30-R6000HF |
| B30C-2250-483WT-KT | White | Gloss | 57.15 | 30.48 | B30-R6000HF |
| B30C-3000-483WT-KT | White | Gloss | 76.20 | 30.48 | B30-R6000HF |
| B30C-4000-483WT-KT | White | Gloss | 101.60 | 30.48 | B30-R6000HF |
| B30C-1125-483RD-KT | Red | Gloss | 28.58 | 30.48 | B30-R4400 |
| B30C-2250-483RD-KT | Red | Gloss | 57.15 | 30.48 | B30-R4400 |
| B30C-4000-483RD-KT | Red | Gloss | 101.60 | 30.48 | B30-R4400 |
| B30C-1125-483OR-KT | Orange | Gloss | 28.58 | 30.48 | B30-R6000HF |
| B30C-2250-483OR-KT | Orange | Gloss | 57.15 | 30.48 | B30-R6000HF |
| B30C-4000-483OR-KT | Orange | Gloss | 101.60 | 30.48 | B30-R6000HF |
| B30C-1125-483GN-KT | Green | Gloss | 28.58 | 30.48 | B30-R4400 |
| B30C-2250-483GN-KT | Green | Gloss | 57.15 | 30.48 | B30-R4400 |
| B30C-4000-483GN-KT | Green | Gloss | 101.60 | 30.48 | B30-R4400 |
| B30C-1125-483BL-KT | Blue | Gloss | 28.58 | 30.48 | B30-R4400 |
| B30C-2250-483BL-KT | Blue | Gloss | 57.15 | 30.48 | B30-R4400 |
| B30C-4000-483BL-KT | Blue | Gloss | 101.60 | 30.48 | B30-R4400 |
| B30C-1125-483BK-KT | Black | Gloss | 28.58 | 30.48 | B30-R4400 |
| B30C-2250-483BK-KT | Black | Gloss | 57.15 | 30.48 | B30-R4400 |
| B30C-4000-483BK-KT | Black | Gloss | 101.60 | 30.48 | B30-R4400 |



Printer compatibility



BradyPrinter S3100
SIGN & LABEL PRINTER

[Scan or click the QR-code](#)



BBP35 MULTICOLOUR SIGN & LABEL PRINTER
BBP37 MULTICOLOUR & CUT SIGN & LABEL PRINTER


[Scan or click the QR-code](#)



BradyPrinter i3300
INDUSTRIAL LABEL PRINTER

[Scan or click the QR-code](#)





GuideStripe floor marking tape

Identify indoor zones and safe distances with this colourful, GuideStripe Floor Tape. It can be easily applied and removed so it's the perfect choice for temporary applications. Ideal for areas with regular foot traffic.

- Vinyl material is easy to apply in straight lines
- Stronger acrylic adhesive makes it ideal for marking areas within facilities
- Resists chemicals, oil and water
- Thickness: 0.1016 mm
- Service temperature range of -40 °C to 82 °C
- Application conditions: min. -18 °C, dry floor

| Order Ref. | Width (mm) | Length (m) | Colour |
|------------|------------|------------|-------------|
| 170618 | 50.80 | 30.48 m | Black |
| 170619 | 76.20 | 30.48 m | Black |
| 170620 | 101.60 | 30.48 m | Black |
| 170621 | 50.80 | 30.48 m | Blue |
| 170622 | 76.20 | 30.48 m | Blue |
| 170623 | 101.60 | 30.48 m | Blue |
| 170624 | 50.80 | 30.48 m | Brown |
| 170625 | 76.20 | 30.48 m | Brown |
| 170626 | 101.60 | 30.48 m | Brown |
| 170633 | 50.80 | 30.48 m | Green |
| 170634 | 76.20 | 30.48 m | Green |
| 170635 | 101.60 | 30.48 m | Green |
| 170630 | 50.80 | 30.48 m | Grey |
| 170631 | 76.20 | 30.48 m | Grey |
| 170632 | 101.60 | 30.48 m | Grey |
| 170636 | 50.80 | 30.48 m | Orange |
| 170637 | 76.20 | 30.48 m | Orange |
| 170638 | 101.60 | 30.48 m | Orange |
| 170639 | 50.80 | 30.48 m | Purple |
| 170640 | 76.20 | 30.48 m | Purple |
| 170641 | 101.60 | 30.48 m | Purple |
| 170642 | 50.80 | 30.48 m | Red |
| 170643 | 76.20 | 30.48 m | Red |
| 170644 | 101.60 | 30.48 m | Red |
| 170627 | 50.80 | 30.48 m | Transparent |
| 170628 | 76.20 | 30.48 m | Transparent |
| 170629 | 101.60 | 30.48 m | Transparent |
| 170645 | 50.80 | 30.48 m | White |
| 170646 | 76.20 | 30.48 m | White |
| 170647 | 101.60 | 30.48 m | White |
| 170648 | 50.80 | 30.48 m | Yellow |
| 170649 | 76.20 | 30.48 m | Yellow |
| 170650 | 101.60 | 30.48 m | Yellow |



ToughStripe™ Cold Floor Marking Tape

Easily increase efficiency and safety with ToughStripe Cold floor marking while limiting spoiling risks for temperature-sensitive products. The ToughStripe Cold floor marking tape enables users to organise areas and walkways in cold storage. It can be applied to the floor at a temperature of -18°C .

- Ideal for cold room and cold chain process applications
- Efficiently organise areas and walkways
- Promote safe practices to limit risks, prevent accidents and avoid injuries or worse.
- Can be applied down to a temperature of -18°C
- Service Temperature range -25°C - 15°C



| Order Ref. | Width (mm) | Length (m) | Colour | |
|------------|------------|------------|---------------|--|
| 152118 | 76.20 | 30.48 m | Yellow | |
| 152734 | 76.20 | 30.48 m | White | |
| 152737 | 76.20 | 30.48 m | Black | |
| 152740 | 76.20 | 30.48 m | Blue | |
| 152743 | 76.20 | 30.48 m | Green | |
| 152746 | 76.20 | 30.48 m | Orange | |
| 152749 | 76.20 | 30.48 m | Red | |
| 152752 | 76.20 | 30.48 m | Black, White | |
| 152755 | 76.20 | 30.48 m | Black, Yellow | |
| 152117 | 50.80 | 30.48 m | Yellow | |
| 152733 | 50.80 | 30.48 m | White | |
| 152736 | 50.80 | 30.48 m | Black | |
| 152739 | 50.80 | 30.48 m | Blue | |
| 152742 | 50.80 | 30.48 m | Green | |
| 152745 | 50.80 | 30.48 m | Orange | |
| 152748 | 50.80 | 30.48 m | Red | |
| 152751 | 50.80 | 30.48 m | Black, White | |
| 152754 | 50.80 | 30.48 m | Black, Yellow | |
| 152119 | 101.60 | 30.48 m | Yellow | |
| 152735 | 101.60 | 30.48 m | White | |
| 152738 | 101.60 | 30.48 m | Black | |
| 152741 | 101.60 | 30.48 m | Blue | |
| 152744 | 101.60 | 30.48 m | Green | |
| 152747 | 101.60 | 30.48 m | Orange | |
| 152750 | 101.60 | 30.48 m | Red | |
| 152753 | 101.60 | 30.48 m | Black, White | |
| 152756 | 101.60 | 30.48 m | Black, Yellow | |



3D Signs

Make your social distancing identification stand out with a 3D floor sign. This eye-catching design keeps everyone informed of proper spacing for social distancing. Made from a removable, repositionable vinyl can be moved and re-applied, quickly and easily, without leaving any marks.

| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|----------------|
| 307918 | 435.00 | 435.00 | White on Blue |
| 307919 | 435.00 | 435.00 | White on Blue |
| 307911 | 500.00 | 500.00 | White on Green |
| 307912 | 500.00 | 500.00 | White on Blue |
| 307913 | 500.00 | 500.00 | White on Red |
| 307914 | 500.00 | 500.00 | White on Green |
| 307915 | 500.00 | 500.00 | White on Blue |
| 307916 | 500.00 | 500.00 | White on Green |
| 307917 | 500.00 | 500.00 | White on Blue |



307918



307919



307911



307912



307913



307914



307915



307916



307917










ISO Safety Sign

- Warning Floor Sign; Fork lift trucks and other industrial vehicles
- ISO 7010 compliant
- Anti-skid laminated polyester
- 1 Sign / Card

| Order Ref. | Width (mm) | Height (mm) | Colour |
|------------|------------|-------------|-----------------|
| 828394 | 500.00 | 433.00 | Black on Yellow |

Aisle marking tapes

- Long lasting, sticks fast to surfaces
- Material: Self-adhesive Vinyl (B-726)
- Length: 32.92 m
- Packaging: 1

| Article No. | Width (mm) | Colour | |
|-------------|------------|--------|---|
| 058200 | 50.80 | Yellow |  |
| 058250 | 76.20 | Yellow |  |
| 058203 | 50.80 | White |  |
| 058253 | 76.20 | White |  |
| 058201 | 50.80 | Red |  |
| 058251 | 76.20 | Red |  |
| 058202 | 50.80 | Green |  |
| 058252 | 76.20 | Green |  |
| 058220 | 50.80 | Blue |  |
| 058221 | 76.20 | Blue |  |
| 058222 | 50.80 | Black |  |
| 058223 | 76.20 | Black |  |



Warning panels

Can be used wherever there are potential dangers to the work force.

Designed to give early warning about trucks, loading platforms, posts and fork-lift trucks.

- Material: B-7541 - Laminated Polyester

| Article No. | Height (mm) x Width (mm) | Colour | Packaging |
|-------------|--------------------------|------------|-----------|
| 255322 | 286.00 x 428.00 | Red, White | 10 |














Reflective stripes & solid colour tapes

These tapes give an extra margin of safety during blackouts, at night, or in low light conditions.

- Material: Reflective Adhesive Material (B-957)
- Length: 4.5 m
- Standard Package: 1 roll



| Article No. | Width (mm) | Colour | |
|-------------------------------------|------------|--------|---|
| Reflective Solid Colour Tape | | | |
| 078990 | 76.20 | Orange |  |
| 078989 | 50.80 | Orange |  |
| 078985 | 50.80 | White |  |
| 078987 | 76.20 | White |  |
| 078986 | 50.80 | Yellow |  |
| 078988 | 76.20 | Yellow |  |

| Article No. | Width (mm) | Colour | |
|--------------------------------|------------|---------------|---|
| Reflective Stripes Tape | | | |
| 076310 | 50.80 | Black, White |  |
| 076309 | 50.80 | Red, White |  |
| 076313 | 76.20 | Red, White |  |
| 076308 | 50.80 | Black, Yellow |  |
| 076312 | 76.20 | Black, Yellow |  |





Warning tapes

- Self-adhesive warning film for marking pillars, pylons, the edges of walls, gate arches and lifts
- Extremely durable (0.138 mm thick)
- Waterproof, oil, alkali and acid resistant
- Material: Self-adhesive PVC
- Roll length: 33.00 m
- Packaging: 1 roll

| Article No. | Width (mm) | Colour | |
|-------------|------------|---------------|--|
| 255311 | 38.00 | Black, Yellow | |
| 255312 | 50.00 | Black, Yellow | |
| 255313 | 75.00 | Black, Yellow | |
| 255295 | 38.00 | Red, White | |
| 255296 | 50.00 | Red, White | |
| 255297 | 75.00 | Red, White | |

▶ Anti-skid Laminated Polyester (B-7538)
custom tapes available on request.



Easyline™ Floor marking paint for industrial marking

- For permanent use
- Supplied in 750 ml aerosol cans which are CFC free
- Does not contain lead or chlorinated solvents
- Produces lines up to 100 metres long, depending on the surface and the width
- Resistant to oil, petrol, grease, water, etc
- Packaging: Sold in packs of 6

| Article No. | Colour | Description |
|-------------|--------|-----------------------------------|
| 225005 | Blue | Permanent Easyline Paint - Blue |
| 225006 | Green | Permanent Easyline Paint - Green |
| 225007 | Orange | Permanent Easyline Paint - Orange |
| 225008 | Black | Permanent Easyline Paint - Black |
| 225009 | Grey | Permanent Easyline Paint - Grey |
| 255353 | Yellow | Permanent Easyline Paint - Yellow |
| 255354 | White | Permanent Easyline Paint - White |
| 255355 | Red | Permanent Easyline Paint - Red |



ROCOL® EASYLINE® Edge Line Marking System II

Easy to use wheeled Rocol® EASYLINE® Edge Line Marking System II. Line width gradually adjustable from 50 to 100 mm (width setting accuracy +/- 3mm). Ensures clean, precise lines. Total visibility of line marking during application. Rear wheels are adjustable to allow for line marking close to walls and racks.

| Article No. | Description |
|-------------|-------------------------------------|
| 310233 | Easyline Precision Paint Applicator |

PaintStripe

Fast and easy floor marking with PaintStripe

Brady now offers line-painting stencils for floor-marking applications. These stencils offer a convenient and precise solution wherever painted lines are preferred to help create a safe, organised, and productive work environment. PaintStripe Floor Marking Stencils are available in both continuous and dashed line formats; line widths of 50.80 mm, 76.20 mm or 101.60 mm; and two adhesive types to suit a range of floor surface types and conditions.

Brady's PaintStripe is available with two adhesive types to suit a range of floor surface types. Painted floor marking using PaintStripe stencils is ideal to increase efficiency:

- in outdoor applications and also on high traffic factory floors
- in heavy manufacturing facilities
- in facilities with wet floors, harsh washdown or floor cleaning protocols and on floors frequently exposed to chemicals



B-518 for clean, polished floors

| Article No. | Description | Width (mm) | Length (m) |
|-------------|---------------------------------------|------------|------------|
| 148820 | PaintStripe Stencil - Continuous Line | 50.80 | 30.50 |
| 148815 | PaintStripe Stencil - Dashed Line | 50.80 | 30.50 |
| 148808 | PaintStripe Stencil - Continuous Line | 50.80 | 152.40 |
| 148823 | PaintStripe Stencil - Dashed Line | 50.80 | 152.40 |
| 148814 | PaintStripe Stencil - Continuous Line | 76.20 | 30.50 |
| 148819 | PaintStripe Stencil - Continuous Line | 76.20 | 152.40 |
| 148806 | PaintStripe Stencil - Continuous Line | 101.60 | 30.50 |
| 148816 | PaintStripe Stencil - Continuous Line | 101.60 | 152.40 |

B-519 for dull, worn surfaces and rough or textured floor applications

| Article No. | Description | Width (mm) | Length (m) |
|-------------|---------------------------------------|------------|------------|
| 148813 | PaintStripe Stencil - Continuous Line | 50.80 | 30.50 |
| 148812 | PaintStripe Stencil - Dashed Line | 50.80 | 30.50 |
| 148822 | PaintStripe Stencil - Continuous Line | 50.80 | 152.40 |
| 148818 | PaintStripe Stencil - Dashed Line | 50.80 | 152.40 |
| 148809 | PaintStripe Stencil - Continuous Line | 76.20 | 30.50 |
| 148821 | PaintStripe Stencil - Continuous Line | 76.20 | 152.40 |
| 148810 | PaintStripe Stencil - Continuous Line | 101.60 | 30.50 |
| 148807 | PaintStripe Stencil - Continuous Line | 101.60 | 152.40 |

Brady recommends that users should perform a test of the stencil/paint combination on the actual floor surface when planning floor-painting projects. Brady offers no-charge sample rolls of B-518 and B-519 stencils for this purpose.







▶ Brady offers a wide range of photoluminescent products. These indicate danger zones, even in complete darkness. In case of an emergency, these products will help your employees to find their way out of a dark room.

PSPA Material Classification Minimum Luminance

| Class | After 10 minutes | After 60 minutes |
|-------|------------------------|-----------------------|
| A | 25 mcd/m ² | 3 mcd/m ² |
| B | 50 mcd/m ² | 7 mcd/m ² |
| C | 140 mcd/m ² | 20 mcd/m ² |
| D* | 260 mcd/m ² | 35 mcd/m ² |

mcd = Millicandela


*Available via custom order process



Glow-in-the-dark warning tapes

- Material: Self-adhesive photoluminescent polyester
- Standard Package: 1 roll


| Article No. | Width (mm) | Length (m) | PSPA Photoluminescence Class |
|-------------|------------|------------|------------------------------|
| 224071 | 25.40 | 9.14 | Class A |
| 224072 | 50.80 | 9.14 | Class A |
| 836795 | 40.00 | 10.00 | Class B |
| 836796 | 50.00 | 10.00 | Class B |
| 836797 | 80.00 | 10.00 | Class B |
| 836798 | 50.00 | 10.00 | Class C |
| 836802 | 50.00 | 1.00 | Class B |
| 836803 | 50.00 | 1.00 | Class C |



Glow-in-the-dark warning tapes with legend

- Material: Self-adhesive photoluminescent polyester
- Standard Package: 1 roll (10.00 m)

| Article No. | Width (mm) | Description | Legend | PSPA Photoluminescence Class |
|-------------|------------|------------------------|-----------|------------------------------|
| 836788 | 40.00 | Emergency exit (left) | – | Class B |
| 836793 | 40.00 | Emergency exit (left) | Fire exit | Class B |
| 836789 | 80.00 | Emergency exit (left) | – | Class B |
| 836792 | 80.00 | Emergency exit (left) | Fire exit | Class B |
| 836790 | 40.00 | Emergency exit (right) | – | Class B |
| 836786 | 40.00 | Emergency exit (right) | Fire exit | Class B |
| 836791 | 80.00 | Emergency exit (right) | – | Class B |
| 836787 | 80.00 | Emergency exit (right) | Fire exit | Class B |




▶ Safety Signage

Contact your Brady distributor for the Safety Signage catalogue.

Glow-in-the-dark shapes

- Article No. 224073 - Material: Class C Rigid Photoluminescent Aluminium (B-7524)
- Article No. 224074 - Material: Class C Rigid Photoluminescent Aluminium (B-7524)
- Article No. 224077 - Material: Class C Rigid Photoluminescent Aluminium (B-7524)
- Article No. 836821 - Material: Class B Photoluminescent Polyester (B-7568)
- Article No. 836823 - Material: Class B Photoluminescent Polyester (B-7568)
- Article No. 836824 - Material: Class B Photoluminescent Polyester (B-7568)

| Article No. | Height (mm) x Width (mm) | Diameter (mm) | Description | Packaging | PSPA Photoluminescence Class |
|-------------|--------------------------|---------------|---|-----------|------------------------------|
| 836821 | 100.00 x 100.00 | | Glow-in-the-dark Arrows | 6 | Class B |
| 224073 | 210.00 x 85.00 | | Glow-in-the-dark anti-skid footprint - Right foot | 1 | Class C |
| 224074 | 210.00 x 85.00 | | Glow-in-the-dark anti-skid footprint - Left foot | 1 | Class C |
| 836824 | 90.00 x 240.00 | | Glow-in-the-dark Footprints | 20 | Class B |
| 224077 | | 50.00 | Glow-in-the-dark anti-skid floor marking dots | 10 | Class C |
| 836823 | | 75.00 | Glow-in-the-dark Dots | 20 | Class B |




Door handle backgrounds

- Material: Photoluminescent Polyester (B-324)


| Article No. | Height (mm) x Width (mm) | Description | Packaging | PSPA Photoluminescence Class |
|-------------|--------------------------|-------------------------------------|-----------|------------------------------|
| 224075 | 255.00 x 100.00 | Door handle background - Left turn | 1 | Class A |
| 224076 | 255.00 x 100.00 | Door handle background - Right turn | 1 | Class A |



Photoluminescent individual dots (self-adhesive)




| Article No. | Diameter (mm) | Description | Packaging | PSPA Photoluminescence Class |
|-------------|---------------|--|-----------|------------------------------|
| 263382 | 16.00 | Photoluminescent individual dots (Self-adhesive) | 40 | Class A |
| 263383 | 25.00 | Photoluminescent individual dots (Self-adhesive) | 15 | Class A |




Photoluminescent individual arrows (self-adhesive)



| Article No. | Height (mm) x Width (mm) | Description | Packaging | PSPA Photoluminescence Class |
|-------------|--------------------------|---|-----------|------------------------------|
| 263384 | 18.00 x 27.00 | Photoluminescent individual arrows - Narrow | 20 | Class A |
| 263385 | 18.00 x 27.00 | Photoluminescent individual arrows - Wide | 20 | Class A |





Anti-skid photoluminescent floor marking arrows (self-adhesive)

| Article No. | Diameter (mm) | Description | Packaging | PSPA Photoluminescence Class |
|-------------|---------------|---|-----------|------------------------------|
| 263387 | 95.00 | Photoluminescent arrow with anti-skid top | 10 | Class A |



Anti-skid photoluminescent arrows – rectangular (self-adhesive)

| Article No. | Height (mm) x Width (mm) | Description | Packaging | PSPA Photoluminescence Class |
|-------------|--------------------------|---|-----------|------------------------------|
| 251920 | 175.00 x 110.00 | Photoluminescent arrow with anti-skid top | 10 | Class A |



Anti-skid photoluminescent L-Shape

These pre-cut “L”-shaped markers have an anti-skid coating and indicate clearly the edges of stairs in the dark.

| Article No. | Height (mm) x Width (mm) | Description | Packaging | PSPA Photoluminescence Class |
|-------------|--------------------------|-------------------------------|-----------|------------------------------|
| 836799 | 225.00 x 75.00 | Glow-in-the-dark Warning Tape | 200 | Class C |



Glow-sticks


Translucent plastic tube containing substance making light through chemiluminescence. 12 hours light source without any external energy source. The light cannot be turned off and can be used only once.

| Article No. | Height (mm) | Colour | Description | Packaging |
|-------------|-------------|------------------|------------------------------|-----------|
| 836826 | 150.00 | Photoluminescent | Glow-in-the-dark Accessories | 10 |

Note: Glow-sticks are photoluminescent yellow. Other colours available on request.

Warning tape: standard luminous intensity

| Article No. | Colour | Width (mm) | Length (m) | Packaging | PSPA Photoluminescence Class |
|-------------|-------------------------|------------|------------|-----------|------------------------------|
| 836813 | Black, Photoluminescent | 40.00 | 10.00 | 1 | Class B |
| 836814 | Black, Photoluminescent | 80.00 | 10.00 | 1 | Class B |
| 836817 | Photoluminescent Green | 40.00 | 10.00 | 1 | Class B |
| 836818 | Photoluminescent Green | 80.00 | 10.00 | 1 | Class B |
| 836819 | Red, Photoluminescent | 40.00 | 10.00 | 1 | Class B |
| 836820 | Red, Photoluminescent | 80.00 | 10.00 | 1 | Class B |



Glow-in-the-dark arrow tape


| Article No. | Colour | Width (mm) | Length (m) | Packaging | PSPA Photoluminescence Class | |
|---|---------------------------|------------|------------|-----------|------------------------------|---------|
| Glow-in-the-dark arrow tape - Arrow-style | | | | | | |
| 836815 | Green on Photoluminescent | 40.00 | 10.00 | 1 | Class B | Arrow |
| 836816 | Green on Photoluminescent | 80.00 | 10.00 | 1 | Class B | Arrow |
| 090973 | Green on Photoluminescent | 50.80 | 4.57 | 1 | Class A | Arrow |
| 090974 | Green on Photoluminescent | 76.20 | 4.57 | 1 | Class A | Arrow |
| Glow-in-the-dark arrow tape - V-Style | | | | | | |
| 090971 | Green on Photoluminescent | 50.80 | 4.57 | 1 | Class A | Chevron |
| 090972 | Green on Photoluminescent | 76.20 | 4.57 | 1 | Class A | Chevron |



Photoluminescent anti-skid strips

These self-adhesive aluminium anti-skid strips are ideal for marking the edges of stairs and doorways. They are available in a standard luminous intensity version and a high luminous intensity version.

| Article No. | Colour | Width (mm) | Length (m) | Packaging | PSPA Photoluminescence Class |
|--|-------------------------|------------|------------|-----------|------------------------------|
| Photoluminescent Anti-skid Strips - Aluminium High intensity / Striped | | | | | |
| 251930 | Black, Photoluminescent | 30.00 | 0.80 | 1 | Class C |
| 251932 | Black, Photoluminescent | 50.00 | 0.80 | 1 | Class C |
| Photoluminescent Anti-skid Strips - Aluminium High intensity | | | | | |
| 251925 | Photoluminescent | 30.00 | 0.80 | 1 | Class B |
| 251928 | Photoluminescent | 50.00 | 0.80 | 1 | Class C |




Roll-mounted anti-skid tape

Anti-Skid tape helps to prevent slipping and falling on wet or slippery floors. The rugged polyester tape is adhesive backed and coated with thousands of particles of durable aluminium oxide grit.



- Bonds permanently to clean, dry floors
- Works indoors or outdoors
- Withstands grease and oil
- Eliminates masking clean-up and drying time



| Article No. | Colour | Length (m) | Packaging |
|------------------------------|--------|------------|-----------|
| Tape width: 25.00 mm | | | |
| 078189 | Black | 18.00 | 1 |
| Tape width: 50.00 mm | | | |
| 078190 | Black | 18.00 | 1 |
| 078184 | Orange | 18.00 | 1 |
| 078198 | Red | 18.00 | 1 |
| 078187 | White | 18.00 | 1 |
| 078183 | Yellow | 18.00 | 1 |
| Tape width: 100.00 mm | | | |
| 078191 | Black | 18.00 | 1 |
| 078199 | Red | 18.00 | 1 |
| 078092 | Yellow | 18.00 | 1 |
| Tape width: 150.00 mm | | | |
| 078193 | Black | 18.00 | 1 |
| Tape width: 300.00 mm | | | |
| 078194 | Black | 18.00 | 1 |



Anti-skid Tape die-cut cleats

Installation is easy, just peel off the protective liner and press in place.

- Material: Adhesive backed plastic cleat

| Article No. | Colour | Dimensions | Packaging |
|-------------|--------|-------------------------------|-----------|
| 078177 | Red | 140.00 mm (W) x 140.00 mm (H) | 50 |
| 078192 | Black | 600.00 mm (W) x 19.00 mm (H) | 50 |
| 078195 | Black | 150.00 mm (W) x 600.00 mm (L) | 50 |
| 078196 | Black | 140.00 mm (W) x 140.00 mm (H) | 50 |



Striped anti-skid tape

This bright yellow and black striped Anti-skid Tape aids visibility.

- Material: Adhesive backed plastic tape, oxide grit coated
- Colour: Black, Yellow

| Article No. | Width (mm) | Length (m) | Packaging |
|-------------|------------|------------|-----------|
| 078146 | 25.40 | 18.29 | 1 |
| 078147 | 50.80 | 18.29 | 1 |
| 078148 | 76.20 | 18.29 | 1 |
| 078149 | 101.60 | 18.29 | 1 |
| 078150 | 152.40 | 18.29 | 1 |

Barricade tapes

Visual barricading provides fast on-the-spot warning of potential dangers.

The non-adhesive tape can be used for temporary outdoor or permanent indoor applications. This tape can be tied, stapled or nailed to posts, fences or metal barricades.

- Material: Polyethylene
- Thickness: 0.075 mm
- Size: 75.00 mm x 250 m
- Packaging: 1 roll



| Article No. | Legend |
|-------------|--------|
| 256654 | |
| 256660 | |
| 256858 | |

| Article No. | Legend |
|-------------|--------|
| 256860 | |
| 309076 | |

Striped Barricade Tape

- Thickness: 0.03
- Size: 75.00 mm x 500.00 m

| Article No. | Colour |
|-------------|--------|
| 291425 | |
| 291426 | |

▶ Custom products available on request:

- Standard dimensions: 50mm x 250m and 75mm x 250m
- Background colours: Green, Orange, Red, Yellow, Blue, White
- Print of text and/or logo
- From 24 rolls

Underground warning tape

Underground tape is buried 30 to 45 cm below ground level. Digging crews receive warning of buried lines and cables, allowing a margin of safety between the tape and the buried line.

- Available in 2 versions: detectable and undetectable
- Easily Seen
- Easily Identified - by means of colour coding
- Convenient - Handy dispensing reel
- Strong - Heavy duty polyethylene material resists acid, alkalis and other soil substances.
- Long Lasting - Coated graphics provide long lasting legibility and hold colour values
- Economical - Compared to the potential cost of line damage, this tape is cost-effective for use over the entire length of the line
- Standard dimensions: 75mm x 250m and 150mm x 250m
- Minimum order quantity: 50 rolls of 75mm x 250m or 25 rolls of 150mm x 250m
- Black print on any background colour

Contact us to get an offer for your project.



Warning posts

Ideal for controlling and directing foot traffic. Suitable for warehouses, factories, offices, etc.

Chains and ribbons can be attached to the sturdy 90 cm high posts. The posts are available in one-colour or two-colour versions (stripes of 10 cm wide).

- Material: polyethylene
- Non-conductive: the posts can be used for barricading electrically hazardous installations
- Built-in ultraviolet inhibitors: block out ultraviolet rays to prevent colours from fading
- Colours: they stay bright and eye-catching, even after years of use
- Sizes: height: 900.00 mm, outside diameter: 40.00 mm

| Article No. | Colour | Height (mm) | Quantity / Package |
|---|----------------|-------------|--------------------|
| Triangular plastic base only (empty - no cement) (29 x 9 cm) | | | |
| 292245 | Black | | 1 |
| Rubber base only (27 x 5 cm) | | | |
| 256728 | Black | | 1 |
| Post & triangular plastic base (no cement) | | | |
| 292240 | Black & Yellow | 900.00 | 4 |
| 292233 | Red | 900.00 | 4 |
| 292238 | Red & White | 900.00 | 4 |
| 292235 | White | 900.00 | 4 |
| Post & top (no base) | | | |
| 292241 | Black & Yellow | 900.00 | 1 |
| 292244 | Red | 900.00 | 1 |
| 292242 | Red & White | 900.00 | 1 |
| 292243 | White | 900.00 | 1 |
| Post & rubber base (1,6 kg) | | | |
| 256724 | Black & Yellow | 900.00 | 4 |
| 256730 | Red | 900.00 | 4 |
| 256723 | Red & White | 900.00 | 4 |
| 256726 | White | 900.00 | 4 |
| Post & fillable base (3,7 l) | | | |
| 256722 | Black & Yellow | 900.00 | 4 |
| 256729 | Red | 900.00 | 4 |
| 256721 | Red & White | 900.00 | 4 |
| 256725 | White | 900.00 | 4 |
| Post & cement base (3,5 kg) | | | |
| 292236 | Black & Yellow | 900.00 | 4 |
| 292234 | Red | 900.00 | 4 |
| 292237 | Red & White | 900.00 | 4 |
| 292239 | White | 900.00 | 4 |
| Fillable base only (25 x 6 cm) | | | |
| 256727 | Black | | 1 |
| Cement base only (29 x 9 cm) | | | |
| 292246 | Black | | 1 |
| BradyPost Top | | | |
| 292247 | Black | | 1 |
| 292248 | Red | | 1 |
| 292249 | White | | 1 |



Message sign


Create an even safer work environment by using these universal signs. The plastic frame simply clips to the Brady posts.

- Kit contains: frame + 2 attachment clips + 1 chain (black, 20 cm)
- Colour: Black
- Packaging: 1
- Signs not included in kit

| Article No. | Width (mm) | Height (mm) | Description |
|-------------|------------|-------------|---------------------|
| 292250 | 210.00 | 297.00 | Message Sign Kit A4 |

Brady warning chain

- Material: Polyethylene
- Standard Package: 25 m (2.7 kg)



Dimensions

| | |
|----|----------|
| A: | 50.00 mm |
| B: | 34.00 mm |
| C: | 12.00 mm |
| D: | 28.00 mm |
| E: | 8.00 mm |

| Article No. | Width (mm) | Height (mm) | Colour |
|-------------|------------|-------------|---------------|
| 278271 | 28.00 | 50.00 | Yellow |
| 278268 | 28.00 | 50.00 | White |
| 278269 | 28.00 | 50.00 | Red, White |
| 278270 | 28.00 | 50.00 | Black, Yellow |

Brady connecting hooks

- Material: Moulded Polyethylene
- Packaging: 36
- Usage: attaching lengths of chains



| Article No. | Width (mm) | Colour |
|-------------|------------|--------|
| 078257 | 50.80 | Yellow |
| 078258 | 50.80 | White |
| 078259 | 50.80 | Black |

Brady connecting links

- Material: Moulded Polyethylene
- Packaging: 36
- Usage: for a more permanent application or repairing chain links, these connecting links can be used



| Article No. | Width (mm) | Colour |
|-------------|------------|--------|
| 078248 | 50.80 | Black |
| 078247 | 50.80 | White |
| 078246 | 50.80 | Yellow |

BradyLink® warning post & chain

Barricade potentially hazardous areas indoors or outdoors with portable plastic posts and chains. Their lightweight yet tough construction stands up to years of use in temporary or permanent applications.

The components of the posts and chains are made of polyethylene with the following features:

- Built-in Ultraviolet Inhibitors: Screen out the sun's rays to prevent colours from fading during outdoor use
- Light-weight: chain is lighter than similar metal parts – chain weights 2.7 kg per 25 metres
- Non-rusting: Unlike metal posts and chain BradyLink, plastic parts cannot rust
- Fillable Base: Hollow base can be filled with water or sand for more stable application
- C-hook: Large C-hook holds chain in place. Use open, or closed for greater security
- Post Diameter: 76.20 mm
- Base Diameter: 400.00 mm
- Height: 1041.40 mm



Brady warning posts

- Post Diameter: 75.00 mm
- Base Diameter: 400.00 mm
- Height: 1040.00 mm

| Article No. | Width (mm) | Length (m) | Packaging |
|-------------|------------|------------|-----------|
| 078146 | 25.40 | 18.29 | 1 |
| 078147 | 50.80 | 18.29 | 1 |
| 078148 | 76.20 | 18.29 | 1 |
| 078149 | 101.60 | 18.29 | 1 |
| 078150 | 152.40 | 18.29 | 1 |



Heavy duty floor stands

Easily transportable, these stands are very useful to carry with and clearly indicate substantial dangers such as slippery zones. They are ideal for hospitals or public halls for example.

- Heavy duty yellow high density polypropylene
- Height (closed): 660.00 mm
- Maintenance free : will not dent or corrode
- Large message area is visible from over 9 metres
- Available with a range of standard messages or as a blank stand



Order Reference

092110

256700

256701

256702

256704



Order Reference

256705

256706

256708

256709

Economy floor stands

- Printed on both sides –inside and out- offering two stands for the price of one
- Lightweight corrugated polypropylene material
- Packaging: 1 piece
- Height (closed): 500.00 mm - Width: 300.00 mm



Contact your Brady Specialist for more information on customised Floor Stands



Order Reference

092284

256711


256712

Polyurethane safety bumpers

Clearly visible, made from polyurethane foam rubber, flexible and sturdy material, optimal shock-absorber.

- 3 colours: black; yellow on black; photoluminescent on black
- 3 models available + 2 corner connecting pieces
- The photoluminescent strips are coated with a film that protects against physical and chemical actions. In the dark, these products give off the light they have absorbed during the day
- Non-toxic and non-radioactive
- Length: 1m.
- Secured with adhesive
- Packaging: 1

| Article No. | Type | Colour | Packaging |
|-------------|----------------------------|-------------------------|-----------|
| 225012 | Type A | Black, Photoluminescent | 1 |
| 225015 | Type B | Black, Yellow | 1 |
| 225018 | Type C | Black, Yellow | 1 |
| 225020 | 2-dimensional corner piece | Black | 1 |



2-dimensional corner piece



Self-adhesive safety bumpers

Protect corners and edges with these shock-absorbers.

- Shock-absorber made from cellular thermoplastic
- Dual function: indicates hazardous situations and softens any impacts
- Increases safety in the workplace
- Highly resistant against hydrocarbons
- Double-sided adhesive, can be attached to any clean surface
- Choice out of 3 models
- Packaging: 10

| Order Ref. | Type | Height (mm) | Length (m) | Colour | Packaging |
|------------|------------|-------------|------------|---------------|-----------|
| 225022 | Corner (a) | 110.00 | 0.68 | Black, Yellow | 10 |
| 225023 | Sleeve (b) | 28.00 | 0.66 | Black, Yellow | 10 |
| 225024 | Cover (c) | 151.00 | 0.75 | Yellow | 10 |

* not adhesive



**Africa**

Randburg, South Africa
Tel.: +27 11 704 3295
Email: africa@bradycorp.com

Benelux

Zele, Belgium
Tel.: +32 (0) 52 45 78 11
Email: benelux@bradycorp.com

Central & Eastern Europe

Bratislava, Slovakia
Tel.: +421 2 3300 4800
Email: central_europe@bradycorp.com

Denmark

Odense
Tel.: +45 66 14 44 00
Email: denmark@bradycorp.com

France

Roncq
Tel.: +33 (0) 3 20 76 94 48
Email: france@bradycorp.com

Germany, Austria & Switzerland

Egelsbach, Germany
Tel.: +49 (0) 6103 7598 660
Email: germany@bradycorp.com

Hungary

Budaörs
Tel.: +36 23 500 275
Email: hungary@bradycorp.com

Italy

Gorgonzola
Tel.: +39 02 26 00 00 22
Email: italy@bradycorp.com

Middle East FZE

Dubai, UAE
Tel.: +971 4881 2524
Email: cs_me@bradycorp.com

Norway

Kjeller
Tel.: +47 70 13 40 00
Email: norway@bradycorp.com

Spain & Portugal

Madrid, Spain
Tel.: +34 900 902 993
Email: spain@bradycorp.com,
portugal@bradycorp.com

Sweden, Finland, Baltic states

Kista, Sweden
Tel.: +46 (0) 8 590 057 30
Email: sweden@bradyeurope.com

Turkey

Istanbul
Tel.: +90 212 264 02 20 / 264 02 21
Email: turkey@bradycorp.com

UK & Ireland

Banbury, UK
Tel.: +44 (0) 1295 228 288
Email: uk@bradycorp.com

Our mission is to identify and protect people,
products and premises



To help minimise our impact on the environment,
Brady limits its number of reprints.

Updated versions are always available for
download on www.bradyeurope.com.



Search for: EUR-M-423-EN



Y3369027

Your distributor